


Eye Bolt Form B DIN 444B - Steel 4.6, Plain

Eye Bolt Form B to DIN 444B, in the sizes, grades and finishes listed.



TECHNICAL DATA

General

Standard	DIN 444B
----------	----------



Dimensions

Thread form	Metric ISO thread
-------------	-------------------

Materials & Finish

Property class / grade	4.6
Material	Steel
Surface finish	Plain

DIMENSIONS



- d Thread diameter
- l Length
- d2 Eye outer diameter
- d3 Eye inner diameter

Eye Bolt Form B DIN 444B - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch
FBE01G4P05025	M5	25 mm	0.8 mm
FBE01G4P05030	M5	30 mm	0.8 mm
FBE01G4P05035	M5	35 mm	0.8 mm
FBE01G4P05040	M5	40 mm	0.8 mm
FBE01G4P06025	M6	25 mm	1 mm
FBE01G4P06035	M6	35 mm	1 mm
FBE01G4P06045	M6	45 mm	1 mm
FBE01G4P06055	M6	55 mm	1 mm
FBE01G4P06060	M6	60 mm	1 mm
FBE01G4P06065	M6	65 mm	1 mm



Part number	Size (d)	Length (l)	Thread pitch
FBE01G4P06070	M6	70 mm	1 mm
FBE01G4P06075	M6	75 mm	1 mm
FBE01G4P06080	M6	80 mm	1 mm
FBE01G4P08025	M8	25 mm	1.25 mm
FBE01G4P08030	M8	30 mm	1.25 mm
FBE01G4P08035	M8	35 mm	1.25 mm
FBE01G4P08045	M8	45 mm	1.25 mm
FBE01G4P08055	M8	55 mm	1.25 mm
FBE01G4P08065	M8	65 mm	1.25 mm
FBE01G4P08070	M8	70 mm	1.25 mm
FBE01G4P08075	M8	75 mm	1.25 mm
FBE01G4P08090	M8	90 mm	1.25 mm
FBE01G4P08100	M8	100 mm	1.25 mm
FBE01G4P08110	M8	110 mm	1.25 mm
FBE01G4P08120	M8	120 mm	1.25 mm
FBE01G4P08130	M8	130 mm	1.25 mm
FBE01G4P08140	M8	140 mm	1.25 mm
FBE01G4P10030	M10	30 mm	1.5 mm
FBE01G4P10035	M10	35 mm	1.5 mm
FBE01G4P10045	M10	45 mm	1.5 mm
FBE01G4P10055	M10	55 mm	1.5 mm
FBE01G4P10065	M10	65 mm	1.5 mm
FBE01G4P10075	M10	75 mm	1.5 mm
FBE01G4P10090	M10	90 mm	1.5 mm
FBE01G4P10110	M10	110 mm	1.5 mm
FBE01G4P10120	M10	120 mm	1.5 mm
FBE01G4P10130	M10	130 mm	1.5 mm
FBE01G4P10140	M10	140 mm	1.5 mm
FBE01G4P12030	M12	30 mm	1.75 mm
FBE01G4P12040	M12	40 mm	1.75 mm
FBE01G4P12045	M12	45 mm	1.75 mm
FBE01G4P12055	M12	55 mm	1.75 mm
FBE01G4P12065	M12	65 mm	1.75 mm
FBE01G4P12075	M12	75 mm	1.75 mm
FBE01G4P12110	M12	110 mm	1.75 mm
FBE01G4P12130	M12	130 mm	1.75 mm
FBE01G4P12140	M12	140 mm	1.75 mm



Part number	Size (d)	Length (l)	Thread pitch
FBE01G4P12150	M12	150 mm	1.75 mm
FBE01G4P12160	M12	160 mm	1.75 mm
FBE01G4P12180	M12	180 mm	1.75 mm
FBE01G4P12200	M12	200 mm	1.75 mm
FBE01G4P16040	M16	40 mm	2 mm
FBE01G4P16050	M16	50 mm	2 mm
FBE01G4P16060	M16	60 mm	2 mm
FBE01G4P16065	M16	65 mm	2 mm
FBE01G4P16070	M16	70 mm	2 mm
FBE01G4P16075	M16	75 mm	2 mm
FBE01G4P16090	M16	90 mm	2 mm
FBE01G4P16110	M16	110 mm	2 mm
FBE01G4P16130	M16	130 mm	2 mm
FBE01G4P16140	M16	140 mm	2 mm
FBE01G4P16160	M16	160 mm	2 mm
FBE01G4P16180	M16	180 mm	2 mm
FBE01G4P20080	M20	80 mm	2.5 mm
FBE01G4P20090	M20	90 mm	2.5 mm
FBE01G4P20110	M20	110 mm	2.5 mm
FBE01G4P20130	M20	130 mm	2.5 mm
FBE01G4P20160	M20	160 mm	2.5 mm
FBE01G4P20170	M20	170 mm	2.5 mm
FBE01G4P20180	M20	180 mm	2.5 mm
FBE01G4P20200	M20	200 mm	2.5 mm
FBE01G4P20260	M20	260 mm	2.5 mm
FBE01G4P24080	M24	80 mm	3 mm
FBE01G4P24090	M24	90 mm	3 mm
FBE01G4P24100	M24	100 mm	3 mm
FBE01G4P24110	M24	110 mm	3 mm
FBE01G4P24130	M24	130 mm	3 mm
FBE01G4P24170	M24	170 mm	3 mm
FBE01G4P24180	M24	180 mm	3 mm
FBE01G4P24200	M24	200 mm	3 mm
FBE01G4P30100	M30	100 mm	3.5 mm
FBE01G4P30120	M30	120 mm	3.5 mm
FBE01G4P30130	M30	130 mm	3.5 mm
FBE01G4P30140	M30	140 mm	3.5 mm





Part number	Size (d)	Length (l)	Thread pitch
FBE01G4P30150	M30	150 mm	3.5 mm
FBE01G4P30160	M30	160 mm	3.5 mm
FBE01G4P30200	M30	200 mm	3.5 mm

Part numbers: 87

STANDARDS & CERTIFICATES

Standards

DIN 444B – Eye Bolt Form B

