


Hex Socket Set Screw Flat Point DIN 913 / ISO 4026 - Steel 45H, Plain

Hex Socket Set Screw Flat Point to DIN 913 / ISO 4026, in the sizes, grades and finishes listed.




TECHNICAL DATA

Materials & Finish

Drive type	Hexagon socket
Property class / grade	45H

Material	Steel
Surface finish	Plain

DIMENSIONS



d Thread diameter

l Length

Hex Socket Set Screw Flat Point DIN 913 / ISO 4026 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB01245PB4003	M1.4	3 mm	0.3 mm	0.7 mm	0.022 g
FB01245PB4004	M1.4	4 mm	0.3 mm	0.7 mm	0.029 g
FB01245PB4005	M1.4	5 mm	0.3 mm	0.7 mm	0.036 g
FB00245PB6003	M1.6	3 mm	0.35 mm	0.7 mm	0.028 g
FB00245PB6004	M1.6	4 mm	0.35 mm	0.7 mm	0.037 g
FB00245PB6005	M1.6	5 mm	0.35 mm	0.7 mm	0.046 g
FB01245PB7003	M1.7	3 mm	0.35 mm	–	–
FB01245PB7004	M1.7	4 mm	0.35 mm	–	–



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB01245PB7005	M1.7	5 mm	0.35 mm	–	–
FB00245P02002	M2	2 mm	0.4 mm	0.9 mm	0.029 g
FB00245P02003	M2	3 mm	0.4 mm	0.9 mm	0.044 g
FB00245P02004	M2	4 mm	0.4 mm	0.9 mm	0.059 g
FB00245P02005	M2	5 mm	0.4 mm	0.9 mm	0.074 g
FB00245P02006	M2	6 mm	0.4 mm	0.9 mm	0.089 g
FB00245P02008	M2	8 mm	0.4 mm	0.9 mm	0.119 g
FB00245P02010	M2	10 mm	0.4 mm	0.9 mm	0.148 g
FB01245PC3003	M2.3	3 mm	0.4 mm	–	–
FB01245PC3004	M2.3	4 mm	0.4 mm	–	–
FB01245PC3005	M2.3	5 mm	0.4 mm	–	–
FB01245PC3006	M2.3	6 mm	0.4 mm	–	–
FB01245PC3008	M2.3	8 mm	0.4 mm	–	–
FB01245PC3010	M2.3	10 mm	0.4 mm	–	–
FB00245PC5003	M2.5	3 mm	0.45 mm	1.3 mm	0.075 g
FB00245PC5004	M2.5	4 mm	0.45 mm	1.3 mm	0.1 g
FB00245PC5005	M2.5	5 mm	0.45 mm	1.3 mm	0.125 g
FB00245PC5006	M2.5	6 mm	0.45 mm	1.3 mm	0.15 g
FB00245PC5008	M2.5	8 mm	0.45 mm	1.3 mm	0.199 g
FB00245PC5010	M2.5	10 mm	0.45 mm	1.3 mm	0.249 g
FB01245PC6003	M2.6	3 mm	0.45 mm	–	–
FB01245PC6004	M2.6	4 mm	0.45 mm	–	–
FB01245PC6005	M2.6	5 mm	0.45 mm	–	–
FB01245PC6006	M2.6	6 mm	0.45 mm	–	–
FB01245PC6008	M2.6	8 mm	0.45 mm	–	–
FB01245PC6010	M2.6	10 mm	0.45 mm	–	–
FB00245P03003	M3	3 mm	0.5 mm	1.5 mm	0.1 g
FB00245P03004	M3	4 mm	0.5 mm	1.5 mm	0.14 g
FB00245P03005	M3	5 mm	0.5 mm	1.5 mm	0.18 g
FB00245P03006	M3	6 mm	0.5 mm	1.5 mm	0.22 g
FB00245P03008	M3	8 mm	0.5 mm	1.5 mm	0.31 g
FB00245P03010	M3	10 mm	0.5 mm	1.5 mm	0.4 g
FB00245P03012	M3	12 mm	0.5 mm	1.5 mm	0.49 g
FB00245P03014	M3	14 mm	0.5 mm	1.5 mm	0.58 g
FB00245P03015	M3	15 mm	0.5 mm	1.5 mm	0.625 g
FB00245P03016	M3	16 mm	0.5 mm	1.5 mm	0.67 g
FB00245P03018	M3	18 mm	0.5 mm	1.5 mm	0.76 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00245P03020	M3	20 mm	0.5 mm	1.5 mm	0.85 g
FB00245P03022	M3	22 mm	0.5 mm	1.5 mm	0.94 g
FB00245P03025	M3	25 mm	0.5 mm	1.5 mm	1.075 g
FB00245P03030	M3	30 mm	0.5 mm	1.5 mm	1.3 g
FB00245P04003	M4	3 mm	0.7 mm	2 mm	0.005 g
FB00245P04004	M4	4 mm	0.7 mm	2 mm	0.13 g
FB00245P04005	M4	5 mm	0.7 mm	2 mm	0.255 g
FB00245P04006	M4	6 mm	0.7 mm	2 mm	0.38 g
FB00245P04008	M4	8 mm	0.7 mm	2 mm	0.53 g
FB00245P04010	M4	10 mm	0.7 mm	2 mm	0.68 g
FB00245P04012	M4	12 mm	0.7 mm	2 mm	0.83 g
FB00245P04014	M4	14 mm	0.7 mm	2 mm	0.98 g
FB00245P04016	M4	16 mm	0.7 mm	2 mm	1.13 g
FB00245P04018	M4	18 mm	0.7 mm	2 mm	1.28 g
FB00245P04020	M4	20 mm	0.7 mm	2 mm	1.43 g
FB00245P04022	M4	22 mm	0.7 mm	2 mm	1.58 g
FB00245P04025	M4	25 mm	0.7 mm	2 mm	1.805 g
FB00245P04030	M4	30 mm	0.7 mm	2 mm	2.18 g
FB00245P04035	M4	35 mm	0.7 mm	2 mm	2.555 g
FB00245P04040	M4	40 mm	0.7 mm	2 mm	2.93 g
FB00245P05004	M5	4 mm	0.8 mm	2.5 mm	0.3 g
FB00245P05005	M5	5 mm	0.8 mm	2.5 mm	0.42 g
FB00245P05006	M5	6 mm	0.8 mm	2.5 mm	0.54 g
FB00245P05008	M5	8 mm	0.8 mm	2.5 mm	0.78 g
FB00245P05010	M5	10 mm	0.8 mm	2.5 mm	1.02 g
FB00245P05012	M5	12 mm	0.8 mm	2.5 mm	1.26 g
FB00245P05014	M5	14 mm	0.8 mm	2.5 mm	1.5 g
FB00245P05015	M5	15 mm	0.8 mm	2.5 mm	1.62 g
FB00245P05016	M5	16 mm	0.8 mm	2.5 mm	1.74 g
FB00245P05018	M5	18 mm	0.8 mm	2.5 mm	1.98 g
FB00245P05020	M5	20 mm	0.8 mm	2.5 mm	2.22 g
FB00245P05022	M5	22 mm	0.8 mm	2.5 mm	2.46 g
FB00245P05025	M5	25 mm	0.8 mm	2.5 mm	2.82 g
FB00245P05030	M5	30 mm	0.8 mm	2.5 mm	3.42 g
FB00245P05035	M5	35 mm	0.8 mm	2.5 mm	4.02 g
FB00245P05040	M5	40 mm	0.8 mm	2.5 mm	4.62 g
FB00245P05045	M5	45 mm	0.8 mm	2.5 mm	5.22 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00245P05050	M5	50 mm	0.8 mm	2.5 mm	5.82 g
FB00245P06003	M6	3 mm	1 mm	3 mm	0.215 g
FB00245P06005	M6	5 mm	1 mm	3 mm	0.565 g
FB00245P06006	M6	6 mm	1 mm	3 mm	0.74 g
FB00245P06008	M6	8 mm	1 mm	3 mm	1.09 g
FB00245P06010	M6	10 mm	1 mm	3 mm	1.44 g
FB00245P06012	M6	12 mm	1 mm	3 mm	1.79 g
FB00245P06014	M6	14 mm	1 mm	3 mm	2.14 g
FB00245P06015	M6	15 mm	1 mm	3 mm	2.315 g
FB00245P06016	M6	16 mm	1 mm	3 mm	2.49 g
FB00245P06018	M6	18 mm	1 mm	3 mm	2.84 g
FB00245P06020	M6	20 mm	1 mm	3 mm	3.19 g
FB00245P06022	M6	22 mm	1 mm	3 mm	3.542 g
FB00245P06025	M6	25 mm	1 mm	3 mm	4.07 g
FB00245P06030	M6	30 mm	1 mm	3 mm	4.95 g
FB00245P06035	M6	35 mm	1 mm	3 mm	5.83 g
FB00245P06040	M6	40 mm	1 mm	3 mm	6.71 g
FB00245P06045	M6	45 mm	1 mm	3 mm	7.59 g
FB00245P06050	M6	50 mm	1 mm	3 mm	8.47 g
FB00245P06055	M6	55 mm	1 mm	3 mm	9.35 g
FB00245P06065	M6	65 mm	1 mm	3 mm	11.11 g
FB00245P08006	M8	6 mm	1.25 mm	4 mm	1.25 g
FB00245P08008	M8	8 mm	1.25 mm	4 mm	1.88 g
FB00245P08010	M8	10 mm	1.25 mm	4 mm	2.51 g
FB00245P08012	M8	12 mm	1.25 mm	4 mm	3.14 g
FB00245P08014	M8	14 mm	1.25 mm	4 mm	3.77 g
FB00245P08015	M8	15 mm	1.25 mm	4 mm	4.085 g
FB00245P08016	M8	16 mm	1.25 mm	4 mm	4.4 g
FB00245P08018	M8	18 mm	1.25 mm	4 mm	5.03 g
FB00245P08020	M8	20 mm	1.25 mm	4 mm	5.66 g
FB00245P08022	M8	22 mm	1.25 mm	4 mm	6.296 g
FB00245P08025	M8	25 mm	1.25 mm	4 mm	7.25 g
FB00245P08030	M8	30 mm	1.25 mm	4 mm	8.84 g
FB00245P08035	M8	35 mm	1.25 mm	4 mm	10.4 g
FB00245P08040	M8	40 mm	1.25 mm	4 mm	12 g
FB00245P08045	M8	45 mm	1.25 mm	4 mm	13.6 g
FB00245P08050	M8	50 mm	1.25 mm	4 mm	15.2 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00245P08055	M8	55 mm	1.25 mm	4 mm	16.8 g
FB00245P08060	M8	60 mm	1.25 mm	4 mm	18.4 g
FB00245P08070	M8	70 mm	1.25 mm	4 mm	21.6 g
FB00245P08100	M8	100 mm	1.25 mm	4 mm	31.2 g
FB00245PL2012	M8x1	12 mm	1 mm	4 mm	3.14 g
FB00245PL2025	M8x1	25 mm	1 mm	4 mm	7.25 g
FB00245P10006	M10	6 mm	1.5 mm	5 mm	1.73 g
FB00245P10008	M10	8 mm	1.5 mm	5 mm	2.73 g
FB00245P10010	M10	10 mm	1.5 mm	5 mm	3.73 g
FB00245P10012	M10	12 mm	1.5 mm	5 mm	4.73 g
FB00245P10014	M10	14 mm	1.5 mm	5 mm	5.73 g
FB00245P10015	M10	15 mm	1.5 mm	5 mm	6.23 g
FB00245P10016	M10	16 mm	1.5 mm	5 mm	6.73 g
FB00245P10018	M10	18 mm	1.5 mm	5 mm	7.72 g
FB00245P10020	M10	20 mm	1.5 mm	5 mm	8.71 g
FB00245P10025	M10	25 mm	1.5 mm	5 mm	11.2 g
FB00245P10030	M10	30 mm	1.5 mm	5 mm	13.7 g
FB00245P10035	M10	35 mm	1.5 mm	5 mm	16.2 g
FB00245P10040	M10	40 mm	1.5 mm	5 mm	18.7 g
FB00245P10045	M10	45 mm	1.5 mm	5 mm	21.2 g
FB00245P10050	M10	50 mm	1.5 mm	5 mm	23.7 g
FB00245P10055	M10	55 mm	1.5 mm	5 mm	26.2 g
FB00245P10060	M10	60 mm	1.5 mm	5 mm	28.7 g
FB00245P10070	M10	70 mm	1.5 mm	5 mm	33.7 g
FB00245P10080	M10	80 mm	1.5 mm	5 mm	38.7 g
FB00245P10100	M10	100 mm	1.5 mm	5 mm	48.7 g
FB00245P10120	M10	120 mm	1.5 mm	5 mm	58.7 g
FB00245PL4016	M10x1	16 mm	1 mm	5 mm	6.73 g
FB00245PL4025	M10x1	25 mm	1 mm	5 mm	11.2 g
FB00245PL4050	M10x1	50 mm	1 mm	5 mm	23.7 g
FB00245PL5020	M10x1.25	20 mm	1.25 mm	5 mm	8.71 g
FB00245P12010	M12	10 mm	1.75 mm	6 mm	5.3 g
FB00245P12012	M12	12 mm	1.75 mm	6 mm	6.7 g
FB00245P12014	M12	14 mm	1.75 mm	6 mm	8.1 g
FB00245P12015	M12	15 mm	1.75 mm	6 mm	8.8 g
FB00245P12016	M12	16 mm	1.75 mm	6 mm	9.5 g
FB00245P12018	M12	18 mm	1.75 mm	6 mm	10.9 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00245P12020	M12	20 mm	1.75 mm	6 mm	12.3 g
FB00245P12022	M12	22 mm	1.75 mm	6 mm	13.74 g
FB00245P12025	M12	25 mm	1.75 mm	6 mm	15.9 g
FB00245P12030	M12	30 mm	1.75 mm	6 mm	19.5 g
FB00245P12035	M12	35 mm	1.75 mm	6 mm	23.1 g
FB00245P12040	M12	40 mm	1.75 mm	6 mm	26.7 g
FB00245P12045	M12	45 mm	1.75 mm	6 mm	30.3 g
FB00245P12050	M12	50 mm	1.75 mm	6 mm	33.9 g
FB00245P12060	M12	60 mm	1.75 mm	6 mm	41.1 g
FB00245P12065	M12	65 mm	1.75 mm	6 mm	44.7 g
FB00245P12070	M12	70 mm	1.75 mm	6 mm	48.3 g
FB00245P12080	M12	80 mm	1.75 mm	6 mm	55.5 g
FB00245P12100	M12	100 mm	1.75 mm	6 mm	69.9 g
FB00245P12120	M12	120 mm	1.75 mm	6 mm	84.3 g
FB00245P12130	M12	130 mm	1.75 mm	6 mm	91.5 g
FB00245P12160	M12	160 mm	1.75 mm	6 mm	113.1 g
FB01245P14014	M14	14 mm	2 mm	6 mm	11.56 g
FB01245P14016	M14	16 mm	2 mm	6 mm	13.21 g
FB01245P14018	M14	18 mm	2 mm	6 mm	14.86 g
FB01245P14020	M14	20 mm	2 mm	6 mm	16.51 g
FB01245P14025	M14	25 mm	2 mm	6 mm	20.63 g
FB01245P14030	M14	30 mm	2 mm	6 mm	24.76 g
FB01245P14035	M14	35 mm	2 mm	6 mm	28.89 g
FB01245P14040	M14	40 mm	2 mm	6 mm	33.01 g
FB01245P14045	M14	45 mm	2 mm	6 mm	37.14 g
FB01245P14050	M14	50 mm	2 mm	6 mm	41.27 g
FB01245P14060	M14	60 mm	2 mm	6 mm	49.52 g
FB01245P14070	M14	70 mm	2 mm	6 mm	57.78 g
FB00245P16016	M16	16 mm	2 mm	8 mm	15.7 g
FB00245P16018	M16	18 mm	2 mm	8 mm	18.3 g
FB00245P16020	M16	20 mm	2 mm	8 mm	20.9 g
FB00245P16025	M16	25 mm	2 mm	8 mm	27.4 g
FB00245P16030	M16	30 mm	2 mm	8 mm	34 g
FB00245P16035	M16	35 mm	2 mm	8 mm	40.5 g
FB00245P16040	M16	40 mm	2 mm	8 mm	47.1 g
FB00245P16045	M16	45 mm	2 mm	8 mm	53.7 g
FB00245P16050	M16	50 mm	2 mm	8 mm	60.3 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00245P16060	M16	60 mm	2 mm	8 mm	73.5 g
FB00245P16070	M16	70 mm	2 mm	8 mm	86.7 g
FB00245P16080	M16	80 mm	2 mm	8 mm	99.9 g
FB00245P16090	M16	90 mm	2 mm	8 mm	113.1 g
FB00245P16100	M16	100 mm	2 mm	8 mm	126.3 g
FB00245P16130	M16	130 mm	2 mm	8 mm	165.9 g
FB01245P18020	M18	20 mm	2.5 mm	10 mm	27.44 g
FB01245P18025	M18	25 mm	2.5 mm	10 mm	34.3 g
FB01245P18030	M18	30 mm	2.5 mm	10 mm	41.16 g
FB01245P18035	M18	35 mm	2.5 mm	10 mm	48.03 g
FB01245P18040	M18	40 mm	2.5 mm	10 mm	54.89 g
FB01245P18045	M18	45 mm	2.5 mm	10 mm	61.75 g
FB01245P18050	M18	50 mm	2.5 mm	10 mm	68.61 g
FB01245P18060	M18	60 mm	2.5 mm	10 mm	82.33 g
FB01245P18070	M18	70 mm	2.5 mm	10 mm	96.05 g
FB00245P20020	M20	20 mm	2.5 mm	10 mm	31.1 g
FB00245P20025	M20	25 mm	2.5 mm	10 mm	41.4 g
FB00245P20030	M20	30 mm	2.5 mm	10 mm	51.7 g
FB00245P20035	M20	35 mm	2.5 mm	10 mm	62 g
FB00245P20040	M20	40 mm	2.5 mm	10 mm	72.3 g
FB00245P20045	M20	45 mm	2.5 mm	10 mm	82.6 g
FB00245P20050	M20	50 mm	2.5 mm	10 mm	92.9 g
FB00245P20060	M20	60 mm	2.5 mm	10 mm	113.5 g
FB00245P20070	M20	70 mm	2.5 mm	10 mm	134.1 g
FB00245P20080	M20	80 mm	2.5 mm	10 mm	154.7 g
FB00245P20090	M20	90 mm	2.5 mm	10 mm	175.3 g
FB00245P20100	M20	100 mm	2.5 mm	10 mm	195.9 g
FB01245P22025	M22	25 mm	2.5 mm	12 mm	53.11 g
FB01245P22030	M22	30 mm	2.5 mm	12 mm	63.73 g
FB01245P22035	M22	35 mm	2.5 mm	12 mm	74.35 g
FB01245P22040	M22	40 mm	2.5 mm	12 mm	84.98 g
FB01245P22045	M22	45 mm	2.5 mm	12 mm	95.6 g
FB01245P22050	M22	50 mm	2.5 mm	12 mm	106.22 g
FB01245P22060	M22	60 mm	2.5 mm	12 mm	127.46 g
FB01245P22070	M22	70 mm	2.5 mm	12 mm	148.71 g
FB00245P24025	M24	25 mm	3 mm	12 mm	55.3 g
FB00245P24030	M24	30 mm	3 mm	12 mm	70.3 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00245P24035	M24	35 mm	3 mm	12 mm	85.3 g
FB00245P24040	M24	40 mm	3 mm	12 mm	100 g
FB00245P24045	M24	45 mm	3 mm	12 mm	115 g
FB00245P24050	M24	50 mm	3 mm	12 mm	130 g
FB00245P24060	M24	60 mm	3 mm	12 mm	160 g
FB00245P24070	M24	70 mm	3 mm	12 mm	190 g
FB00245P24080	M24	80 mm	3 mm	12 mm	220 g
FB00245P24090	M24	90 mm	3 mm	12 mm	250 g
FB00245P24120	M24	120 mm	3 mm	12 mm	340 g
FB00245P24160	M24	160 mm	3 mm	12 mm	460 g
FB00245P24170	M24	170 mm	3 mm	12 mm	490 g
FB00245PN7080	M24x1.5	80 mm	1.5 mm	12 mm	220 g
FB01245P30030	M30	30 mm	3.5 mm	–	–
FB01245P30090	M30	90 mm	3.5 mm	–	–

Part numbers: 244

STANDARDS & CERTIFICATES

Standards

DIN 913 – Hex Socket Set Screw Flat Point

ISO 4026 – Hex Socket Set Screw Flat Point

