


Slotted Cheese Head Screw DIN 84 / ISO 1207 - Brass, Plain

Slotted Cheese Head Screw to DIN 84 / ISO 1207, in the sizes, grades and finishes listed.



TECHNICAL DATA

Dimensions


Thread form	Metric ISO thread
-------------	-------------------

Materials & Finish

Head type	Cheese
Drive type	Slotted

Property class / grade	Brass
Material	Brass
Surface finish	Plain

DIMENSIONS



d	Thread diameter
l	Length
k	Head height
dk	Head diameter

Slotted Cheese Head Screw DIN 84 / ISO 1207 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBC04MSP01002	M1	2 mm	0.25 mm	0.7 mm	2 mm	0.027 g
FBC04MSP01003	M1	3 mm	0.25 mm	0.7 mm	2 mm	0.0324 g
FBC04MSP01004	M1	4 mm	0.25 mm	0.7 mm	2 mm	0.0378 g
FBC04MSP01005	M1	5 mm	0.25 mm	0.7 mm	2 mm	0.0432 g
FBC04MSP01006	M1	6 mm	0.25 mm	0.7 mm	2 mm	0.0486 g
FBC04MSP01008	M1	8 mm	0.25 mm	0.7 mm	2 mm	0.0594 g
FBC04MSP01010	M1	10 mm	0.25 mm	0.7 mm	2 mm	0.0702 g
FBC04MSPB4003	M1.4	3 mm	0.3 mm	0.9 mm	2.6 mm	0.067 g



Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBC04MSPB4004	M1.4	4 mm	0.3 mm	0.9 mm	2.6 mm	0.0767 g
FBC04MSPB4005	M1.4	5 mm	0.3 mm	0.9 mm	2.6 mm	0.0864 g
FBC04MSPB4006	M1.4	6 mm	0.3 mm	0.9 mm	2.6 mm	0.0961 g
FBC04MSPB4008	M1.4	8 mm	0.3 mm	0.9 mm	2.6 mm	0.1145 g
FBC04MSPB4010	M1.4	10 mm	0.3 mm	0.9 mm	2.6 mm	0.1339 g
FBC04MSPB4012	M1.4	12 mm	0.3 mm	0.9 mm	2.6 mm	0.1534 g
FBC04MSPB4016	M1.4	16 mm	0.3 mm	0.9 mm	2.6 mm	0.1922 g
FBC04MSPB6004	M1.6	4 mm	0.35 mm	1 mm	3 mm	0.1015 g
FBC04MSPB6005	M1.6	5 mm	0.35 mm	1 mm	3 mm	0.1134 g
FBC04MSPB6006	M1.6	6 mm	0.35 mm	1 mm	3 mm	0.1264 g
FBC04MSPB6008	M1.6	8 mm	0.35 mm	1 mm	3 mm	0.1512 g
FBC04MSPB6010	M1.6	10 mm	0.35 mm	1 mm	3 mm	0.176 g
FBC04MSPB6012	M1.6	12 mm	0.35 mm	1 mm	3 mm	0.2009 g
FBC04MSPB6016	M1.6	16 mm	0.35 mm	1 mm	3 mm	0.2506 g
FBC04MSP02004	M2	4 mm	0.4 mm	1.3 mm	3.8 mm	0.1933 g
FBC04MSP02005	M2	5 mm	0.4 mm	1.3 mm	3.8 mm	0.2138 g
FBC04MSP02006	M2	6 mm	0.4 mm	1.3 mm	3.8 mm	0.2344 g
FBC04MSP02008	M2	8 mm	0.4 mm	1.3 mm	3.8 mm	0.2743 g
FBC04MSP02010	M2	10 mm	0.4 mm	1.3 mm	3.8 mm	0.3143 g
FBC04MSP02012	M2	12 mm	0.4 mm	1.3 mm	3.8 mm	0.3553 g
FBC04MSP02016	M2	16 mm	0.4 mm	1.3 mm	3.8 mm	0.4342 g
FBC04MSP02020	M2	20 mm	0.4 mm	1.3 mm	3.8 mm	0.5162 g
FBC04MSPC5003	M2.5	3 mm	0.45 mm	1.6 mm	4.5 mm	0.2938 g
FBC04MSPC5004	M2.5	4 mm	0.45 mm	1.6 mm	4.5 mm	0.3262 g
FBC04MSPC5005	M2.5	5 mm	0.45 mm	1.6 mm	4.5 mm	0.3586 g
FBC04MSPC5006	M2.5	6 mm	0.45 mm	1.6 mm	4.5 mm	0.391 g
FBC04MSPC5008	M2.5	8 mm	0.45 mm	1.6 mm	4.5 mm	0.4558 g
FBC04MSPC5010	M2.5	10 mm	0.45 mm	1.6 mm	4.5 mm	0.5206 g
FBC04MSPC5012	M2.5	12 mm	0.45 mm	1.6 mm	4.5 mm	0.5854 g
FBC04MSPC5016	M2.5	16 mm	0.45 mm	1.6 mm	4.5 mm	0.715 g
FBC04MSPC5020	M2.5	20 mm	0.45 mm	1.6 mm	4.5 mm	0.8446 g
FBC01MSP03004	M3	4 mm	0.5 mm	2 mm	5.5 mm	0.5562 g
FBC01MSP03005	M3	5 mm	0.5 mm	2 mm	5.5 mm	0.6048 g
FBC01MSP03006	M3	6 mm	0.5 mm	2 mm	5.5 mm	0.6523 g
FBC01MSP03008	M3	8 mm	0.5 mm	2 mm	5.5 mm	0.7474 g
FBC01MSP03010	M3	10 mm	0.5 mm	2 mm	5.5 mm	0.8424 g
FBC01MSP03012	M3	12 mm	0.5 mm	2 mm	5.5 mm	0.9374 g



Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBC01MSP03016	M3	16 mm	0.5 mm	2 mm	5.5 mm	1.123 g
FBC01MSP03018	M3	18 mm	0.5 mm	2 mm	5.5 mm	1.22 g
FBC01MSP03020	M3	20 mm	0.5 mm	2 mm	5.5 mm	1.318 g
FBC01MSP03025	M3	25 mm	0.5 mm	2 mm	5.5 mm	1.555 g
FBC01MSP03030	M3	30 mm	0.5 mm	2 mm	5.5 mm	1.793 g
FBC01MSP03035	M3	35 mm	0.5 mm	2 mm	5.5 mm	2.03 g
FBC01MSP03040	M3	40 mm	0.5 mm	2 mm	5.5 mm	2.268 g
FBC01MSP03045	M3	45 mm	0.5 mm	2 mm	5.5 mm	2.506 g
FBC01MSP03050	M3	50 mm	0.5 mm	2 mm	5.5 mm	2.743 g
FBC01MSPD5008	M3.5	8 mm	0.6 mm	2.4 mm	6 mm	1.043 g
FBC01MSPD5010	M3.5	10 mm	0.6 mm	2.4 mm	6 mm	1.166 g
FBC01MSPD5012	M3.5	12 mm	0.6 mm	2.4 mm	6 mm	1.296 g
FBC01MSPD5016	M3.5	16 mm	0.6 mm	2.4 mm	6 mm	1.555 g
FBC01MSPD5020	M3.5	20 mm	0.6 mm	2.4 mm	6 mm	1.814 g
FBC01MSP04005	M4	5 mm	0.7 mm	2.6 mm	7 mm	1.177 g
FBC01MSP04006	M4	6 mm	0.7 mm	2.6 mm	7 mm	1.264 g
FBC01MSP04008	M4	8 mm	0.7 mm	2.6 mm	7 mm	1.436 g
FBC01MSP04010	M4	10 mm	0.7 mm	2.6 mm	7 mm	1.588 g
FBC01MSP04012	M4	12 mm	0.7 mm	2.6 mm	7 mm	1.76 g
FBC01MSP04016	M4	16 mm	0.7 mm	2.6 mm	7 mm	2.106 g
FBC01MSP04020	M4	20 mm	0.7 mm	2.6 mm	7 mm	2.43 g
FBC01MSP04025	M4	25 mm	0.7 mm	2.6 mm	7 mm	2.851 g
FBC01MSP04030	M4	30 mm	0.7 mm	2.6 mm	7 mm	3.262 g
FBC01MSP04035	M4	35 mm	0.7 mm	2.6 mm	7 mm	3.683 g
FBC01MSP04040	M4	40 mm	0.7 mm	2.6 mm	7 mm	4.104 g
FBC01MSP04045	M4	45 mm	0.7 mm	2.6 mm	7 mm	4.504 g
FBC01MSP04050	M4	50 mm	0.7 mm	2.6 mm	7 mm	4.936 g
FBC01MSP04060	M4	60 mm	0.7 mm	2.6 mm	7 mm	5.8 g
FBC01MSP05006	M5	6 mm	0.8 mm	3.3 mm	8.5 mm	2.225 g
FBC01MSP05008	M5	8 mm	0.8 mm	3.3 mm	8.5 mm	2.376 g
FBC01MSP05010	M5	10 mm	0.8 mm	3.3 mm	8.5 mm	2.754 g
FBC01MSP05012	M5	12 mm	0.8 mm	3.3 mm	8.5 mm	3.024 g
FBC01MSP05016	M5	16 mm	0.8 mm	3.3 mm	8.5 mm	3.564 g
FBC01MSP05020	M5	20 mm	0.8 mm	3.3 mm	8.5 mm	4.082 g
FBC01MSP05022	M5	22 mm	0.8 mm	3.3 mm	8.5 mm	4.342 g
FBC01MSP05025	M5	25 mm	0.8 mm	3.3 mm	8.5 mm	4.752 g
FBC01MSP05030	M5	30 mm	0.8 mm	3.3 mm	8.5 mm	5.422 g



Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBC01MSP05035	M5	35 mm	0.8 mm	3.3 mm	8.5 mm	6.07 g
FBC01MSP05040	M5	40 mm	0.8 mm	3.3 mm	8.5 mm	6.75 g
FBC01MSP05045	M5	45 mm	0.8 mm	3.3 mm	8.5 mm	7.43 g
FBC01MSP05050	M5	50 mm	0.8 mm	3.3 mm	8.5 mm	8.1 g
FBC01MSP05060	M5	60 mm	0.8 mm	3.3 mm	8.5 mm	9.439 g
FBC01MSP05070	M5	70 mm	0.8 mm	3.3 mm	8.5 mm	10.778 g
FBC01MSP06008	M6	8 mm	1 mm	3.9 mm	10 mm	3.845 g
FBC01MSP06010	M6	10 mm	1 mm	3.9 mm	10 mm	4.234 g
FBC01MSP06012	M6	12 mm	1 mm	3.9 mm	10 mm	4.612 g
FBC01MSP06016	M6	16 mm	1 mm	3.9 mm	10 mm	5.378 g
FBC01MSP06018	M6	18 mm	1 mm	3.9 mm	10 mm	5.767 g
FBC01MSP06020	M6	20 mm	1 mm	3.9 mm	10 mm	6.145 g
FBC01MSP06025	M6	25 mm	1 mm	3.9 mm	10 mm	7.085 g
FBC01MSP06030	M6	30 mm	1 mm	3.9 mm	10 mm	8.046 g
FBC01MSP06035	M6	35 mm	1 mm	3.9 mm	10 mm	8.91 g
FBC01MSP06040	M6	40 mm	1 mm	3.9 mm	10 mm	9.936 g
FBC01MSP06045	M6	45 mm	1 mm	3.9 mm	10 mm	10.8 g
FBC01MSP06050	M6	50 mm	1 mm	3.9 mm	10 mm	11.772 g
FBC01MSP06060	M6	60 mm	1 mm	3.9 mm	10 mm	13.716 g
FBC01MSP06070	M6	70 mm	1 mm	3.9 mm	10 mm	15.66 g
FBC01MSP06080	M6	80 mm	1 mm	3.9 mm	10 mm	17.604 g
FBC01MSP08010	M8	10 mm	1.25 mm	5 mm	13 mm	8.478 g
FBC01MSP08012	M8	12 mm	1.25 mm	5 mm	13 mm	9.169 g
FBC01MSP08016	M8	16 mm	1.25 mm	5 mm	13 mm	10.552 g
FBC01MSP08020	M8	20 mm	1.25 mm	5 mm	13 mm	11.88 g
FBC01MSP08025	M8	25 mm	1.25 mm	5 mm	13 mm	13.608 g
FBC01MSP08030	M8	30 mm	1.25 mm	5 mm	13 mm	15.336 g
FBC01MSP08035	M8	35 mm	1.25 mm	5 mm	13 mm	17.064 g
FBC01MSP08040	M8	40 mm	1.25 mm	5 mm	13 mm	18.792 g
FBC01MSP08045	M8	45 mm	1.25 mm	5 mm	13 mm	20.412 g
FBC01MSP08050	M8	50 mm	1.25 mm	5 mm	13 mm	22.248 g
FBC01MSP08060	M8	60 mm	1.25 mm	5 mm	13 mm	25.488 g
FBC01MSP10016	M10	16 mm	1.5 mm	6 mm	16 mm	17.928 g
FBC01MSP10020	M10	20 mm	1.5 mm	6 mm	16 mm	20.088 g
FBC01MSP10025	M10	25 mm	1.5 mm	6 mm	16 mm	22.788 g
FBC01MSP10030	M10	30 mm	1.5 mm	6 mm	16 mm	25.488 g
FBC01MSP10035	M10	35 mm	1.5 mm	6 mm	16 mm	28.188 g



Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBC01MSP10040	M10	40 mm	1.5 mm	6 mm	16 mm	30.888 g
FBC01MSP10045	M10	45 mm	1.5 mm	6 mm	16 mm	33.588 g
FBC01MSP10050	M10	50 mm	1.5 mm	6 mm	16 mm	36.288 g

Part numbers: 122

STANDARDS & CERTIFICATES

Standards

DIN 84 – Slotted Cheese Head Screw

ISO 1207 – Slotted Cheese Head Screw

