


Hex Socket Countersunk Head Screw DIN 7991 / ISO 10642 - Steel 10.9, Plain

Hex Socket Countersunk Head Screw to DIN 7991 / ISO 10642, in the sizes, grades and finishes listed.




TECHNICAL DATA

Materials & Finish

Head type	Countersunk
Drive type	Hexagon socket
Property class / grade	10.9

Material	Steel
Surface finish	Plain

DIMENSIONS



d	Thread diameter
l	Length
k	Head height
dk	Head diameter

Hex Socket Countersunk Head Screw DIN 7991 / ISO 10642 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P02003	M2	3 mm	0.4 mm	–	–	–	–
FBK02G1P02004	M2	4 mm	0.4 mm	–	–	–	–
FBK02G1P02005	M2	5 mm	0.4 mm	–	–	–	–
FBK02G1P02006	M2	6 mm	0.4 mm	–	–	–	–
FBK02G1P02008	M2	8 mm	0.4 mm	–	–	–	–
FBK02G1P02010	M2	10 mm	0.4 mm	–	–	–	–
FBK02G1P02012	M2	12 mm	0.4 mm	–	–	–	–
FBK02G1P02016	M2	16 mm	0.4 mm	–	–	–	–



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1PC5005	M2.5	5 mm	0.45 mm	–	–	–	–
FBK02G1PC5006	M2.5	6 mm	0.45 mm	–	–	–	–
FBK02G1PC5008	M2.5	8 mm	0.45 mm	–	–	–	–
FBK02G1PC5010	M2.5	10 mm	0.45 mm	–	–	–	–
FBK02G1PC5012	M2.5	12 mm	0.45 mm	–	–	–	–
FBK02G1PC5016	M2.5	16 mm	0.45 mm	–	–	–	–
FBK02G1P03004	M3	4 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.29 g
FBK02G1P03005	M3	5 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.335 g
FBK02G1P03006	M3	6 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.38 g
FBK01G1P03006	M3	6 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.38 g
FBK02G1P03008	M3	8 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.47 g
FBK01G1P03008	M3	8 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.47 g
FBK02G1P03010	M3	10 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.56 g
FBK01G1P03010	M3	10 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.56 g
FBK02G1P03012	M3	12 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.65 g
FBK01G1P03012	M3	12 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.65 g
FBK02G1P03014	M3	14 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.74 g
FBK02G1P03016	M3	16 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.83 g
FBK01G1P03016	M3	16 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.83 g
FBK02G1P03018	M3	18 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.915 g
FBK02G1P03020	M3	20 mm	0.5 mm	2 mm	1.7 mm	6 mm	1 g
FBK01G1P03020	M3	20 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	1 g
FBK02G1P03025	M3	25 mm	0.5 mm	2 mm	1.7 mm	6 mm	1.35 g
FBK01G1P03025	M3	25 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	1.35 g
FBK02G1P03030	M3	30 mm	0.5 mm	2 mm	1.7 mm	6 mm	1.63 g
FBK01G1P03030	M3	30 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	1.63 g
FBK02G1P03035	M3	35 mm	0.5 mm	2 mm	1.7 mm	6 mm	1.91 g
FBK02G1P03040	M3	40 mm	0.5 mm	2 mm	1.7 mm	6 mm	2.19 g
FBK02G1P04005	M4	5 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	0.695 g
FBK02G1P04006	M4	6 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	0.77 g
FBK01G1P04006	M4	6 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	0.77 g
FBK02G1P04008	M4	8 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	0.92 g
FBK01G1P04008	M4	8 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	0.92 g
FBK02G1P04010	M4	10 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.07 g
FBK01G1P04010	M4	10 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.07 g
FBK02G1P04012	M4	12 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.23 g
FBK01G1P04012	M4	12 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.23 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P04014	M4	14 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.38 g
FBK01G1P04014	M4	14 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.38 g
FBK02G1P04016	M4	16 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.53 g
FBK01G1P04016	M4	16 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.53 g
FBK02G1P04018	M4	18 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.685 g
FBK02G1P04020	M4	20 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.84 g
FBK01G1P04020	M4	20 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.84 g
FBK02G1P04025	M4	25 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	2.23 g
FBK01G1P04025	M4	25 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	2.23 g
FBK02G1P04030	M4	30 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	2.9 g
FBK01G1P04030	M4	30 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	2.9 g
FBK02G1P04035	M4	35 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	3.4 g
FBK01G1P04035	M4	35 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	3.4 g
FBK02G1P04040	M4	40 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	3.9 g
FBK01G1P04040	M4	40 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	3.9 g
FBK02G1P04045	M4	45 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	4.4 g
FBK02G1P04050	M4	50 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	4.9 g
FBK02G1P05006	M5	6 mm	0.8 mm	3 mm	2.8 mm	10 mm	1.35 g
FBK02G1P05008	M5	8 mm	0.8 mm	3 mm	2.8 mm	10 mm	1.6 g
FBK01G1P05008	M5	8 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	1.6 g
FBK02G1P05010	M5	10 mm	0.8 mm	3 mm	2.8 mm	10 mm	1.85 g
FBK01G1P05010	M5	10 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	1.85 g
FBK02G1P05012	M5	12 mm	0.8 mm	3 mm	2.8 mm	10 mm	2.1 g
FBK01G1P05012	M5	12 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	2.1 g
FBK02G1P05014	M5	14 mm	0.8 mm	3 mm	2.8 mm	10 mm	2.345 g
FBK01G1P05014	M5	14 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	2.345 g
FBK02G1P05016	M5	16 mm	0.8 mm	3 mm	2.8 mm	10 mm	2.59 g
FBK01G1P05016	M5	16 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	2.59 g
FBK02G1P05018	M5	18 mm	0.8 mm	3 mm	2.8 mm	10 mm	2.84 g
FBK01G1P05018	M5	18 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	2.84 g
FBK02G1P05020	M5	20 mm	0.8 mm	3 mm	2.8 mm	10 mm	3.09 g
FBK01G1P05020	M5	20 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	3.09 g
FBK02G1P05022	M5	22 mm	0.8 mm	3 mm	2.8 mm	10 mm	3.338 g
FBK01G1P05022	M5	22 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	3.338 g
FBK02G1P05025	M5	25 mm	0.8 mm	3 mm	2.8 mm	10 mm	3.71 g
FBK01G1P05025	M5	25 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	3.71 g
FBK02G1P05030	M5	30 mm	0.8 mm	3 mm	2.8 mm	10 mm	4.33 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G1P05030	M5	30 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	4.33 g
FBK02G1P05035	M5	35 mm	0.8 mm	3 mm	2.8 mm	10 mm	5.43 g
FBK01G1P05035	M5	35 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	5.43 g
FBK02G1P05040	M5	40 mm	0.8 mm	3 mm	2.8 mm	10 mm	6.2 g
FBK01G1P05040	M5	40 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	6.2 g
FBK02G1P05045	M5	45 mm	0.8 mm	3 mm	2.8 mm	10 mm	6.97 g
FBK01G1P05045	M5	45 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	6.97 g
FBK02G1P05050	M5	50 mm	0.8 mm	3 mm	2.8 mm	10 mm	7.74 g
FBK01G1P05050	M5	50 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	7.74 g
FBK02G1P05060	M5	60 mm	0.8 mm	3 mm	2.8 mm	10 mm	9.28 g
FBK01G1P05060	M5	60 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	9.28 g
FBK02G1P05070	M5	70 mm	0.8 mm	3 mm	2.8 mm	10 mm	10.82 g
FBK02G1P05080	M5	80 mm	0.8 mm	3 mm	2.8 mm	10 mm	12.36 g
FBK02G1P06008	M6	8 mm	1 mm	4 mm	3.3 mm	12 mm	2.35 g
FBK01G1P06008	M6	8 mm	1 mm	4 mm	3.72 mm	13.44 mm	2.35 g
FBK02G1P06010	M6	10 mm	1 mm	4 mm	3.3 mm	12 mm	2.7 g
FBK01G1P06010	M6	10 mm	1 mm	4 mm	3.72 mm	13.44 mm	2.7 g
FBK02G1P06012	M6	12 mm	1 mm	4 mm	3.3 mm	12 mm	3.05 g
FBK01G1P06012	M6	12 mm	1 mm	4 mm	3.72 mm	13.44 mm	3.05 g
FBK02G1P06014	M6	14 mm	1 mm	4 mm	3.3 mm	12 mm	3.405 g
FBK01G1P06014	M6	14 mm	1 mm	4 mm	3.72 mm	13.44 mm	3.405 g
FBK02G1P06015	M6	15 mm	1 mm	4 mm	3.3 mm	12 mm	3.582 g
FBK02G1P06016	M6	16 mm	1 mm	4 mm	3.3 mm	12 mm	3.76 g
FBK01G1P06016	M6	16 mm	1 mm	4 mm	3.72 mm	13.44 mm	3.76 g
FBK02G1P06018	M6	18 mm	1 mm	4 mm	3.3 mm	12 mm	4.11 g
FBK01G1P06018	M6	18 mm	1 mm	4 mm	3.72 mm	13.44 mm	4.11 g
FBK02G1P06020	M6	20 mm	1 mm	4 mm	3.3 mm	12 mm	4.46 g
FBK01G1P06020	M6	20 mm	1 mm	4 mm	3.72 mm	13.44 mm	4.46 g
FBK02G1P06022	M6	22 mm	1 mm	4 mm	3.3 mm	12 mm	4.812 g
FBK01G1P06022	M6	22 mm	1 mm	4 mm	3.72 mm	13.44 mm	4.812 g
FBK02G1P06025	M6	25 mm	1 mm	4 mm	3.3 mm	12 mm	5.34 g
FBK01G1P06025	M6	25 mm	1 mm	4 mm	3.72 mm	13.44 mm	5.34 g
FBK02G1P06030	M6	30 mm	1 mm	4 mm	3.3 mm	12 mm	6.22 g
FBK01G1P06030	M6	30 mm	1 mm	4 mm	3.72 mm	13.44 mm	6.22 g
FBK02G1P06035	M6	35 mm	1 mm	4 mm	3.3 mm	12 mm	7.1 g
FBK01G1P06035	M6	35 mm	1 mm	4 mm	3.72 mm	13.44 mm	7.1 g
FBK02G1P06040	M6	40 mm	1 mm	4 mm	3.3 mm	12 mm	8.83 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G1P06040	M6	40 mm	1 mm	4 mm	3.72 mm	13.44 mm	9.027 g
FBK02G1P06045	M6	45 mm	1 mm	4 mm	3.3 mm	12 mm	9.915 g
FBK01G1P06045	M6	45 mm	1 mm	4 mm	3.72 mm	13.44 mm	9.915 g
FBK02G1P06050	M6	50 mm	1 mm	4 mm	3.3 mm	12 mm	11 g
FBK01G1P06050	M6	50 mm	1 mm	4 mm	3.72 mm	13.44 mm	11 g
FBK02G1P06055	M6	55 mm	1 mm	4 mm	3.3 mm	12 mm	12.09 g
FBK01G1P06055	M6	55 mm	1 mm	4 mm	3.72 mm	13.44 mm	12.09 g
FBK02G1P06060	M6	60 mm	1 mm	4 mm	3.3 mm	12 mm	13.17 g
FBK01G1P06060	M6	60 mm	1 mm	4 mm	3.72 mm	13.44 mm	13.17 g
FBK02G1P06065	M6	65 mm	1 mm	4 mm	3.3 mm	12 mm	14.25 g
FBK02G1P06070	M6	70 mm	1 mm	4 mm	3.3 mm	12 mm	15.34 g
FBK01G1P06070	M6	70 mm	1 mm	4 mm	3.72 mm	13.44 mm	15.34 g
FBK02G1P06075	M6	75 mm	1 mm	4 mm	3.3 mm	12 mm	16.43 g
FBK02G1P06080	M6	80 mm	1 mm	4 mm	3.3 mm	12 mm	17.51 g
FBK01G1P06080	M6	80 mm	1 mm	4 mm	3.72 mm	13.44 mm	17.51 g
FBK02G1P06090	M6	90 mm	1 mm	4 mm	3.3 mm	12 mm	19.68 g
FBK02G1P06110	M6	110 mm	1 mm	4 mm	3.3 mm	12 mm	24.02 g
FBK02G1P08010	M8	10 mm	1.25 mm	5 mm	4.4 mm	16 mm	5.47 g
FBK01G1P08010	M8	10 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	5.47 g
FBK02G1P08012	M8	12 mm	1.25 mm	5 mm	4.4 mm	16 mm	6.1 g
FBK01G1P08012	M8	12 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	6.1 g
FBK02G1P08014	M8	14 mm	1.25 mm	5 mm	4.4 mm	16 mm	6.725 g
FBK01G1P08014	M8	14 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	6.725 g
FBK02G1P08016	M8	16 mm	1.25 mm	5 mm	4.4 mm	16 mm	7.35 g
FBK01G1P08016	M8	16 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	7.35 g
FBK02G1P08018	M8	18 mm	1.25 mm	5 mm	4.4 mm	16 mm	7.975 g
FBK01G1P08018	M8	18 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	7.975 g
FBK02G1P08020	M8	20 mm	1.25 mm	5 mm	4.4 mm	16 mm	8.6 g
FBK01G1P08020	M8	20 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	8.6 g
FBK02G1P08022	M8	22 mm	1.25 mm	5 mm	4.4 mm	16 mm	9.24 g
FBK01G1P08022	M8	22 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	9.24 g
FBK02G1P08025	M8	25 mm	1.25 mm	5 mm	4.4 mm	16 mm	10.2 g
FBK01G1P08025	M8	25 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	10.2 g
FBK02G1P08030	M8	30 mm	1.25 mm	5 mm	4.4 mm	16 mm	11.7 g
FBK01G1P08030	M8	30 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	11.7 g
FBK02G1P08035	M8	35 mm	1.25 mm	5 mm	4.4 mm	16 mm	13.3 g
FBK01G1P08035	M8	35 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	13.3 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P08040	M8	40 mm	1.25 mm	5 mm	4.4 mm	16 mm	14.8 g
FBK01G1P08040	M8	40 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	14.8 g
FBK02G1P08045	M8	45 mm	1.25 mm	5 mm	4.4 mm	16 mm	17.35 g
FBK01G1P08045	M8	45 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	17.35 g
FBK02G1P08050	M8	50 mm	1.25 mm	5 mm	4.4 mm	16 mm	19.9 g
FBK01G1P08050	M8	50 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	19.9 g
FBK02G1P08055	M8	55 mm	1.25 mm	5 mm	4.4 mm	16 mm	22.35 g
FBK01G1P08055	M8	55 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	22.35 g
FBK02G1P08060	M8	60 mm	1.25 mm	5 mm	4.4 mm	16 mm	24.8 g
FBK01G1P08060	M8	60 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	24.8 g
FBK02G1P08065	M8	65 mm	1.25 mm	5 mm	4.4 mm	16 mm	27.25 g
FBK02G1P08070	M8	70 mm	1.25 mm	5 mm	4.4 mm	16 mm	29.7 g
FBK01G1P08070	M8	70 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	29.7 g
FBK02G1P08080	M8	80 mm	1.25 mm	5 mm	4.4 mm	16 mm	34.6 g
FBK01G1P08080	M8	80 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	34.6 g
FBK02G1P08090	M8	90 mm	1.25 mm	5 mm	4.4 mm	16 mm	39.5 g
FBK01G1P08090	M8	90 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	39.5 g
FBK02G1P08100	M8	100 mm	1.25 mm	5 mm	4.4 mm	16 mm	44.4 g
FBK01G1P08100	M8	100 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	44.4 g
FBK02G1P08110	M8	110 mm	1.25 mm	5 mm	4.4 mm	16 mm	49.3 g
FBK02G1P08120	M8	120 mm	1.25 mm	5 mm	4.4 mm	16 mm	54.2 g
FBK01G1P08120	M8	120 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	54.2 g
FBK02G1P08130	M8	130 mm	1.25 mm	5 mm	4.4 mm	16 mm	59.1 g
FBK01G1P08130	M8	130 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	59.1 g
FBK01G1P08140	M8	140 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	64 g
FBK01G1P08160	M8	160 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	73.8 g
FBK02G1P10012	M10	12 mm	1.5 mm	6 mm	5.5 mm	20 mm	10.1 g
FBK01G1P10012	M10	12 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	10.1 g
FBK02G1P10014	M10	14 mm	1.5 mm	6 mm	5.5 mm	20 mm	11.1 g
FBK02G1P10016	M10	16 mm	1.5 mm	6 mm	5.5 mm	20 mm	12.1 g
FBK01G1P10016	M10	16 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	12.1 g
FBK02G1P10018	M10	18 mm	1.5 mm	6 mm	5.5 mm	20 mm	13.1 g
FBK01G1P10018	M10	18 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	13.1 g
FBK02G1P10020	M10	20 mm	1.5 mm	6 mm	5.5 mm	20 mm	14.1 g
FBK01G1P10020	M10	20 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	14.1 g
FBK02G1P10025	M10	25 mm	1.5 mm	6 mm	5.5 mm	20 mm	16.6 g
FBK01G1P10025	M10	25 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	16.6 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P10030	M10	30 mm	1.5 mm	6 mm	5.5 mm	20 mm	19.1 g
FBK01G1P10030	M10	30 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	19.1 g
FBK02G1P10035	M10	35 mm	1.5 mm	6 mm	5.5 mm	20 mm	21.6 g
FBK01G1P10035	M10	35 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	21.6 g
FBK02G1P10040	M10	40 mm	1.5 mm	6 mm	5.5 mm	20 mm	24.1 g
FBK01G1P10040	M10	40 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	24.1 g
FBK02G1P10045	M10	45 mm	1.5 mm	6 mm	5.5 mm	20 mm	27.1 g
FBK01G1P10045	M10	45 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	27.1 g
FBK02G1P10050	M10	50 mm	1.5 mm	6 mm	5.5 mm	20 mm	30.1 g
FBK01G1P10050	M10	50 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	30.1 g
FBK02G1P10055	M10	55 mm	1.5 mm	6 mm	5.5 mm	20 mm	32.9 g
FBK01G1P10055	M10	55 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	32.9 g
FBK02G1P10060	M10	60 mm	1.5 mm	6 mm	5.5 mm	20 mm	35.7 g
FBK01G1P10060	M10	60 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	35.7 g
FBK02G1P10065	M10	65 mm	1.5 mm	6 mm	5.5 mm	20 mm	38.45 g
FBK02G1P10070	M10	70 mm	1.5 mm	6 mm	5.5 mm	20 mm	41.2 g
FBK01G1P10070	M10	70 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	41.2 g
FBK02G1P10075	M10	75 mm	1.5 mm	6 mm	5.5 mm	20 mm	43.95 g
FBK02G1P10080	M10	80 mm	1.5 mm	6 mm	5.5 mm	20 mm	46.7 g
FBK01G1P10080	M10	80 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	46.7 g
FBK02G1P10090	M10	90 mm	1.5 mm	6 mm	5.5 mm	20 mm	52.2 g
FBK01G1P10090	M10	90 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	52.2 g
FBK02G1P10100	M10	100 mm	1.5 mm	6 mm	5.5 mm	20 mm	57.7 g
FBK01G1P10100	M10	100 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	57.7 g
FBK02G1P10110	M10	110 mm	1.5 mm	6 mm	5.5 mm	20 mm	63.2 g
FBK01G1P10110	M10	110 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	63.2 g
FBK02G1P10120	M10	120 mm	1.5 mm	6 mm	5.5 mm	20 mm	68.7 g
FBK01G1P10120	M10	120 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	68.7 g
FBK02G1P10130	M10	130 mm	1.5 mm	6 mm	5.5 mm	20 mm	74.2 g
FBK01G1P10130	M10	130 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	74.2 g
FBK02G1P10140	M10	140 mm	1.5 mm	6 mm	5.5 mm	20 mm	79.7 g
FBK01G1P10140	M10	140 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	79.7 g
FBK02G1P10150	M10	150 mm	1.5 mm	6 mm	5.5 mm	20 mm	85.2 g
FBK01G1P10150	M10	150 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	85.2 g
FBK02G1P10160	M10	160 mm	1.5 mm	6 mm	5.5 mm	20 mm	90.7 g
FBK02G1P10180	M10	180 mm	1.5 mm	6 mm	5.5 mm	20 mm	101.7 g
FBK02G1P10200	M10	200 mm	1.5 mm	6 mm	5.5 mm	20 mm	112.7 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P12020	M12	20 mm	1.75 mm	8 mm	6.5 mm	24 mm	21.2 g
FBK01G1P12020	M12	20 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	21.2 g
FBK02G1P12022	M12	22 mm	1.75 mm	8 mm	6.5 mm	24 mm	22.64 g
FBK02G1P12025	M12	25 mm	1.75 mm	8 mm	6.5 mm	24 mm	24.8 g
FBK01G1P12025	M12	25 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	24.8 g
FBK02G1P12030	M12	30 mm	1.75 mm	8 mm	6.5 mm	24 mm	28.5 g
FBK01G1P12030	M12	30 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	28.5 g
FBK02G1P12035	M12	35 mm	1.75 mm	8 mm	6.5 mm	24 mm	32.1 g
FBK01G1P12035	M12	35 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	32.1 g
FBK02G1P12040	M12	40 mm	1.75 mm	8 mm	6.5 mm	24 mm	35.7 g
FBK01G1P12040	M12	40 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	35.7 g
FBK02G1P12045	M12	45 mm	1.75 mm	8 mm	6.5 mm	24 mm	39.35 g
FBK01G1P12045	M12	45 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	39.35 g
FBK02G1P12050	M12	50 mm	1.75 mm	8 mm	6.5 mm	24 mm	43 g
FBK01G1P12050	M12	50 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	43 g
FBK02G1P12055	M12	55 mm	1.75 mm	8 mm	6.5 mm	24 mm	48.5 g
FBK01G1P12055	M12	55 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	48.5 g
FBK02G1P12060	M12	60 mm	1.75 mm	8 mm	6.5 mm	24 mm	54 g
FBK01G1P12060	M12	60 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	54 g
FBK02G1P12065	M12	65 mm	1.75 mm	8 mm	6.5 mm	24 mm	58.45 g
FBK02G1P12070	M12	70 mm	1.75 mm	8 mm	6.5 mm	24 mm	62.9 g
FBK01G1P12070	M12	70 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	62.9 g
FBK02G1P12075	M12	75 mm	1.75 mm	8 mm	6.5 mm	24 mm	67.35 g
FBK02G1P12080	M12	80 mm	1.75 mm	8 mm	6.5 mm	24 mm	71.8 g
FBK01G1P12080	M12	80 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	71.8 g
FBK02G1P12090	M12	90 mm	1.75 mm	8 mm	6.5 mm	24 mm	80.7 g
FBK01G1P12090	M12	90 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	80.7 g
FBK02G1P12100	M12	100 mm	1.75 mm	8 mm	6.5 mm	24 mm	89.6 g
FBK01G1P12100	M12	100 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	89.6 g
FBK02G1P12110	M12	110 mm	1.75 mm	8 mm	6.5 mm	24 mm	98.5 g
FBK01G1P12110	M12	110 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	98.5 g
FBK02G1P12120	M12	120 mm	1.75 mm	8 mm	6.5 mm	24 mm	107.4 g
FBK01G1P12120	M12	120 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	107.4 g
FBK02G1P12130	M12	130 mm	1.75 mm	8 mm	6.5 mm	24 mm	116.3 g
FBK01G1P12130	M12	130 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	116.3 g
FBK02G1P12140	M12	140 mm	1.75 mm	8 mm	6.5 mm	24 mm	125.2 g
FBK01G1P12140	M12	140 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	125.2 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P12150	M12	150 mm	1.75 mm	8 mm	6.5 mm	24 mm	134.1 g
FBK01G1P12160	M12	160 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	143 g
FBK01G1P12180	M12	180 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	160.8 g
FBK02G1P12200	M12	200 mm	1.75 mm	8 mm	6.5 mm	24 mm	178.6 g
FBK01G1P12200	M12	200 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	178.6 g
FBK02G1PL8045	M12x1.5	45 mm	1.5 mm	8 mm	6.5 mm	24 mm	39.35 g
FBK02G1P14030	M14	30 mm	2 mm	10 mm	7 mm	27 mm	38.84 g
FBK01G1P14030	M14	30 mm	2 mm	10 mm	8.4 mm	30.8 mm	46.08 g
FBK02G1P14035	M14	35 mm	2 mm	10 mm	7 mm	27 mm	43.81 g
FBK01G1P14035	M14	35 mm	2 mm	10 mm	8.4 mm	30.8 mm	51.05 g
FBK02G1P14040	M14	40 mm	2 mm	10 mm	7 mm	27 mm	48.79 g
FBK01G1P14040	M14	40 mm	2 mm	10 mm	8.4 mm	30.8 mm	56.03 g
FBK02G1P14045	M14	45 mm	2 mm	10 mm	7 mm	27 mm	53.76 g
FBK01G1P14045	M14	45 mm	2 mm	10 mm	8.4 mm	30.8 mm	61 g
FBK02G1P14050	M14	50 mm	2 mm	10 mm	7 mm	27 mm	58.73 g
FBK01G1P14050	M14	50 mm	2 mm	10 mm	8.4 mm	30.8 mm	65.97 g
FBK02G1P14055	M14	55 mm	2 mm	10 mm	7 mm	27 mm	63.7 g
FBK01G1P14055	M14	55 mm	2 mm	10 mm	8.4 mm	30.8 mm	70.94 g
FBK02G1P14060	M14	60 mm	2 mm	10 mm	7 mm	27 mm	68.68 g
FBK01G1P14060	M14	60 mm	2 mm	10 mm	8.4 mm	30.8 mm	75.92 g
FBK02G1P14065	M14	65 mm	2 mm	10 mm	7 mm	27 mm	73.65 g
FBK02G1P14070	M14	70 mm	2 mm	10 mm	7 mm	27 mm	78.62 g
FBK02G1P14075	M14	75 mm	2 mm	10 mm	7 mm	27 mm	83.59 g
FBK02G1P14080	M14	80 mm	2 mm	10 mm	7 mm	27 mm	88.56 g
FBK01G1P14080	M14	80 mm	2 mm	10 mm	8.4 mm	30.8 mm	95.8 g
FBK02G1P14090	M14	90 mm	2 mm	10 mm	7 mm	27 mm	98.51 g
FBK02G1P14100	M14	100 mm	2 mm	10 mm	7 mm	27 mm	108.45 g
FBK02G1P16020	M16	20 mm	2 mm	10 mm	7.5 mm	30 mm	38.6 g
FBK01G1P16020	M16	20 mm	2 mm	10 mm	8.8 mm	33.6 mm	38.6 g
FBK02G1P16025	M16	25 mm	2 mm	10 mm	7.5 mm	30 mm	45.2 g
FBK01G1P16025	M16	25 mm	2 mm	10 mm	8.8 mm	33.6 mm	45.2 g
FBK02G1P16030	M16	30 mm	2 mm	10 mm	7.5 mm	30 mm	51.8 g
FBK01G1P16030	M16	30 mm	2 mm	10 mm	8.8 mm	33.6 mm	51.8 g
FBK02G1P16035	M16	35 mm	2 mm	10 mm	7.5 mm	30 mm	58.4 g
FBK01G1P16035	M16	35 mm	2 mm	10 mm	8.8 mm	33.6 mm	58.4 g
FBK02G1P16040	M16	40 mm	2 mm	10 mm	7.5 mm	30 mm	65.1 g
FBK01G1P16040	M16	40 mm	2 mm	10 mm	8.8 mm	33.6 mm	65.1 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P16045	M16	45 mm	2 mm	10 mm	7.5 mm	30 mm	71.75 g
FBK01G1P16045	M16	45 mm	2 mm	10 mm	8.8 mm	33.6 mm	71.75 g
FBK02G1P16050	M16	50 mm	2 mm	10 mm	7.5 mm	30 mm	78.4 g
FBK01G1P16050	M16	50 mm	2 mm	10 mm	8.8 mm	33.6 mm	78.4 g
FBK02G1P16055	M16	55 mm	2 mm	10 mm	7.5 mm	30 mm	85.05 g
FBK01G1P16055	M16	55 mm	2 mm	10 mm	8.8 mm	33.6 mm	85.05 g
FBK02G1P16060	M16	60 mm	2 mm	10 mm	7.5 mm	30 mm	91.7 g
FBK01G1P16060	M16	60 mm	2 mm	10 mm	8.8 mm	33.6 mm	91.7 g
FBK02G1P16065	M16	65 mm	2 mm	10 mm	7.5 mm	30 mm	101.35 g
FBK01G1P16065	M16	65 mm	2 mm	10 mm	8.8 mm	33.6 mm	101.35 g
FBK02G1P16070	M16	70 mm	2 mm	10 mm	7.5 mm	30 mm	111 g
FBK01G1P16070	M16	70 mm	2 mm	10 mm	8.8 mm	33.6 mm	111 g
FBK02G1P16075	M16	75 mm	2 mm	10 mm	7.5 mm	30 mm	119 g
FBK02G1P16080	M16	80 mm	2 mm	10 mm	7.5 mm	30 mm	127 g
FBK01G1P16080	M16	80 mm	2 mm	10 mm	8.8 mm	33.6 mm	127 g
FBK02G1P16090	M16	90 mm	2 mm	10 mm	7.5 mm	30 mm	143 g
FBK01G1P16090	M16	90 mm	2 mm	10 mm	8.8 mm	33.6 mm	143 g
FBK02G1P16100	M16	100 mm	2 mm	10 mm	7.5 mm	30 mm	159 g
FBK01G1P16100	M16	100 mm	2 mm	10 mm	8.8 mm	33.6 mm	159 g
FBK02G1P16110	M16	110 mm	2 mm	10 mm	7.5 mm	30 mm	175 g
FBK01G1P16110	M16	110 mm	2 mm	10 mm	8.8 mm	33.6 mm	175 g
FBK02G1P16120	M16	120 mm	2 mm	10 mm	7.5 mm	30 mm	191 g
FBK01G1P16120	M16	120 mm	2 mm	10 mm	8.8 mm	33.6 mm	191 g
FBK02G1P16130	M16	130 mm	2 mm	10 mm	7.5 mm	30 mm	207 g
FBK01G1P16130	M16	130 mm	2 mm	10 mm	8.8 mm	33.6 mm	207 g
FBK02G1P16140	M16	140 mm	2 mm	10 mm	7.5 mm	30 mm	223 g
FBK01G1P16140	M16	140 mm	2 mm	10 mm	8.8 mm	33.6 mm	223 g
FBK02G1P16150	M16	150 mm	2 mm	10 mm	7.5 mm	30 mm	239 g
FBK02G1P16160	M16	160 mm	2 mm	10 mm	7.5 mm	30 mm	255 g
FBK02G1P16170	M16	170 mm	2 mm	10 mm	7.5 mm	30 mm	271 g
FBK02G1P16180	M16	180 mm	2 mm	10 mm	7.5 mm	30 mm	287 g
FBK01G1P16180	M16	180 mm	2 mm	10 mm	8.8 mm	33.6 mm	287 g
FBK02G1P16200	M16	200 mm	2 mm	10 mm	7.5 mm	30 mm	319 g
FBK02G1P18040	M18	40 mm	2.5 mm	12 mm	8 mm	33 mm	81.32 g
FBK02G1P18045	M18	45 mm	2.5 mm	12 mm	8 mm	33 mm	89.59 g
FBK02G1P18050	M18	50 mm	2.5 mm	12 mm	8 mm	33 mm	97.85 g
FBK02G1P18055	M18	55 mm	2.5 mm	12 mm	8 mm	33 mm	106.12 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P18060	M18	60 mm	2.5 mm	12 mm	8 mm	33 mm	114.39 g
FBK02G1P18065	M18	65 mm	2.5 mm	12 mm	8 mm	33 mm	122.65 g
FBK02G1P18070	M18	70 mm	2.5 mm	12 mm	8 mm	33 mm	130.92 g
FBK02G1P18075	M18	75 mm	2.5 mm	12 mm	8 mm	33 mm	139.18 g
FBK02G1P18080	M18	80 mm	2.5 mm	12 mm	8 mm	33 mm	147.45 g
FBK02G1P18090	M18	90 mm	2.5 mm	12 mm	8 mm	33 mm	163.98 g
FBK02G1P18100	M18	100 mm	2.5 mm	12 mm	8 mm	33 mm	180.51 g
FBK02G1P18110	M18	110 mm	2.5 mm	12 mm	8 mm	33 mm	197.05 g
FBK02G1P18120	M18	120 mm	2.5 mm	12 mm	8 mm	33 mm	213.58 g
FBK02G1P18130	M18	130 mm	2.5 mm	12 mm	8 mm	33 mm	230.11 g
FBK02G1P18140	M18	140 mm	2.5 mm	12 mm	8 mm	33 mm	246.64 g
FBK02G1P18150	M18	150 mm	2.5 mm	12 mm	8 mm	33 mm	263.17 g
FBK02G1P20030	M20	30 mm	2.5 mm	12 mm	8.5 mm	36 mm	80.8 g
FBK01G1P20030	M20	30 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	80.8 g
FBK02G1P20035	M20	35 mm	2.5 mm	12 mm	8.5 mm	36 mm	91.4 g
FBK01G1P20035	M20	35 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	91.4 g
FBK02G1P20040	M20	40 mm	2.5 mm	12 mm	8.5 mm	36 mm	102 g
FBK01G1P20040	M20	40 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	102 g
FBK02G1P20045	M20	45 mm	2.5 mm	12 mm	8.5 mm	36 mm	112.5 g
FBK01G1P20045	M20	45 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	112.5 g
FBK02G1P20050	M20	50 mm	2.5 mm	12 mm	8.5 mm	36 mm	123 g
FBK01G1P20050	M20	50 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	123 g
FBK02G1P20055	M20	55 mm	2.5 mm	12 mm	8.5 mm	36 mm	133 g
FBK01G1P20055	M20	55 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	133 g
FBK02G1P20060	M20	60 mm	2.5 mm	12 mm	8.5 mm	36 mm	143 g
FBK01G1P20060	M20	60 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	143 g
FBK02G1P20065	M20	65 mm	2.5 mm	12 mm	8.5 mm	36 mm	153.5 g
FBK02G1P20070	M20	70 mm	2.5 mm	12 mm	8.5 mm	36 mm	164 g
FBK01G1P20070	M20	70 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	164 g
FBK02G1P20075	M20	75 mm	2.5 mm	12 mm	8.5 mm	36 mm	182 g
FBK01G1P20075	M20	75 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	182 g
FBK02G1P20080	M20	80 mm	2.5 mm	12 mm	8.5 mm	36 mm	200 g
FBK01G1P20080	M20	80 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	200 g
FBK02G1P20090	M20	90 mm	2.5 mm	12 mm	8.5 mm	36 mm	226 g
FBK01G1P20090	M20	90 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	226 g
FBK02G1P20095	M20	95 mm	2.5 mm	12 mm	8.5 mm	36 mm	239.5 g
FBK02G1P20100	M20	100 mm	2.5 mm	12 mm	8.5 mm	36 mm	253 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G1P20100	M20	100 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	253 g
FBK02G1P20110	M20	110 mm	2.5 mm	12 mm	8.5 mm	36 mm	280 g
FBK01G1P20110	M20	110 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	280 g
FBK02G1P20120	M20	120 mm	2.5 mm	12 mm	8.5 mm	36 mm	307 g
FBK01G1P20120	M20	120 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	307 g
FBK02G1P20130	M20	130 mm	2.5 mm	12 mm	8.5 mm	36 mm	334 g
FBK01G1P20130	M20	130 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	334 g
FBK02G1P20140	M20	140 mm	2.5 mm	12 mm	8.5 mm	36 mm	361 g
FBK01G1P20140	M20	140 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	361 g
FBK02G1P20150	M20	150 mm	2.5 mm	12 mm	8.5 mm	36 mm	388 g
FBK01G1P20150	M20	150 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	388 g
FBK02G1P20160	M20	160 mm	2.5 mm	12 mm	8.5 mm	36 mm	415 g
FBK01G1P20160	M20	160 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	415 g
FBK02G1P20170	M20	170 mm	2.5 mm	12 mm	8.5 mm	36 mm	442 g
FBK01G1P20170	M20	170 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	442 g
FBK02G1P20180	M20	180 mm	2.5 mm	12 mm	8.5 mm	36 mm	469 g
FBK01G1P20180	M20	180 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	469 g
FBK02G1P20200	M20	200 mm	2.5 mm	12 mm	8.5 mm	36 mm	523 g
FBK01G1P20200	M20	200 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	523 g
FBK02G1P20220	M20	220 mm	2.5 mm	12 mm	8.5 mm	36 mm	577 g
FBK01G1P20220	M20	220 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	577 g
FBK01G1P20240	M20	240 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	631 g
FBK02G1P22055	M22	55 mm	2.5 mm	14 mm	13.1 mm	36 mm	166.52 g
FBK02G1P22060	M22	60 mm	2.5 mm	–	–	–	–
FBK02G1P22070	M22	70 mm	2.5 mm	14 mm	13.1 mm	36 mm	204.91 g
FBK02G1P22080	M22	80 mm	2.5 mm	–	–	–	–
FBK02G1P22100	M22	100 mm	2.5 mm	–	–	–	–
FBK02G1P22130	M22	130 mm	2.5 mm	14 mm	13.1 mm	36 mm	358.48 g
FBK02G1P24040	M24	40 mm	3 mm	14 mm	14 mm	39 mm	149 g
FBK02G1P24050	M24	50 mm	3 mm	14 mm	14 mm	39 mm	179 g
FBK02G1P24055	M24	55 mm	3 mm	14 mm	14 mm	39 mm	194 g
FBK02G1P24060	M24	60 mm	3 mm	14 mm	14 mm	39 mm	209 g
FBK02G1P24065	M24	65 mm	3 mm	14 mm	14 mm	39 mm	224 g
FBK02G1P24070	M24	70 mm	3 mm	14 mm	14 mm	39 mm	239 g
FBK02G1P24075	M24	75 mm	3 mm	14 mm	14 mm	39 mm	254 g
FBK02G1P24080	M24	80 mm	3 mm	14 mm	14 mm	39 mm	269 g
FBK02G1P24090	M24	90 mm	3 mm	14 mm	14 mm	39 mm	299 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G1P24100	M24	100 mm	3 mm	14 mm	14 mm	39 mm	340 g
FBK02G1P24110	M24	110 mm	3 mm	14 mm	14 mm	39 mm	381 g
FBK02G1P24120	M24	120 mm	3 mm	14 mm	14 mm	39 mm	422 g
FBK02G1P24130	M24	130 mm	3 mm	14 mm	14 mm	39 mm	463 g
FBK02G1P24140	M24	140 mm	3 mm	14 mm	14 mm	39 mm	504 g
FBK02G1P24150	M24	150 mm	3 mm	14 mm	14 mm	39 mm	545 g
FBK02G1P24160	M24	160 mm	3 mm	14 mm	14 mm	39 mm	586 g
FBK02G1P24170	M24	170 mm	3 mm	14 mm	14 mm	39 mm	627 g
FBK02G1P24180	M24	180 mm	3 mm	14 mm	14 mm	39 mm	668 g
FBK02G1P24190	M24	190 mm	3 mm	14 mm	14 mm	39 mm	709 g
FBK02G1P24200	M24	200 mm	3 mm	14 mm	14 mm	39 mm	750 g
FBK02G1P24240	M24	240 mm	3 mm	–	–	–	914 g
FBK02G1P24280	M24	280 mm	3 mm	14 mm	14 mm	39 mm	1078 g
FBK02G1P24330	M24	330 mm	3 mm	14 mm	14 mm	39 mm	1283 g
FBK02G1P24350	M24	350 mm	3 mm	14 mm	14 mm	39 mm	1365 g
FBK02G1P24375	M24	375 mm	3 mm	14 mm	14 mm	39 mm	1467.5 g
FBK02G1P27140	M27	140 mm	3 mm	–	–	–	–
FBK02G1P30040	M30	40 mm	3.5 mm	–	–	–	–
FBK02G1P30060	M30	60 mm	3.5 mm	–	–	–	–
FBK02G1P30100	M30	100 mm	3.5 mm	–	–	–	–
FBK02G1P30110	M30	110 mm	3.5 mm	–	–	–	–
FBK02G1P30120	M30	120 mm	3.5 mm	–	–	–	–
FBK02G1P36130	M36	130 mm	4 mm	–	–	–	–

Part numbers: 438

STANDARDS & CERTIFICATES

Standards

DIN 7991 – Hex Socket Countersunk Head Screw

ISO 10642 – Hex Socket Countersunk Head Screw

