


Hex Socket Set Screw Cup Point DIN 916 / ISO 4029 - Stainless steel A2, Plain

Hex Socket Set Screw Cup Point to DIN 916 / ISO 4029, in the sizes, grades and finishes listed.




TECHNICAL DATA

Materials & Finish

Drive type	Hexagon socket
Property class / grade	A2 stainless

Material	Stainless steel
Surface finish	Plain

DIMENSIONS



d Thread diameter

l Length

Hex Socket Set Screw Cup Point DIN 916 / ISO 4029 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB014A2PB4003	M1.4	3 mm	0.3 mm	0.7 mm	0.0222 g
FB001A2PB6002	M1.6	2 mm	0.35 mm	0.7 mm	0.0101 g
FB001A2PB6003	M1.6	3 mm	0.35 mm	0.7 mm	0.0283 g
FB001A2PB6004	M1.6	4 mm	0.35 mm	0.7 mm	0.0374 g
FB001A2PB6005	M1.6	5 mm	0.35 mm	0.7 mm	0.0465 g
FB001A2PB6006	M1.6	6 mm	0.35 mm	0.7 mm	0.0566 g
FB001A2PB6008	M1.6	8 mm	0.35 mm	0.7 mm	0.0768 g
FB001A2P02002	M2	2 mm	0.4 mm	0.9 mm	0.0293 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB001A2P02003	M2	3 mm	0.4 mm	0.9 mm	0.0444 g
FB001A2P02004	M2	4 mm	0.4 mm	0.9 mm	0.0596 g
FB001A2P02005	M2	5 mm	0.4 mm	0.9 mm	0.0747 g
FB001A2P02006	M2	6 mm	0.4 mm	0.9 mm	0.0899 g
FB001A2P02008	M2	8 mm	0.4 mm	0.9 mm	0.1202 g
FB001A2P02010	M2	10 mm	0.4 mm	0.9 mm	0.1495 g
FB001A2P02012	M2	12 mm	0.4 mm	0.9 mm	0.1788 g
FB001A2P02014	M2	14 mm	0.4 mm	0.9 mm	0.2081 g
FB001A2P02016	M2	16 mm	0.4 mm	0.9 mm	0.2373 g
FB001A2PC5003	M2.5	3 mm	0.45 mm	1.3 mm	0.0757 g
FB001A2PC5004	M2.5	4 mm	0.45 mm	1.3 mm	0.101 g
FB001A2PC5005	M2.5	5 mm	0.45 mm	1.3 mm	0.1263 g
FB001A2PC5006	M2.5	6 mm	0.45 mm	1.3 mm	0.1515 g
FB001A2PC5008	M2.5	8 mm	0.45 mm	1.3 mm	0.201 g
FB001A2PC5010	M2.5	10 mm	0.45 mm	1.3 mm	0.2515 g
FB001A2PC5012	M2.5	12 mm	0.45 mm	1.3 mm	0.302 g
FB001A2PC5014	M2.5	14 mm	0.45 mm	1.3 mm	0.3525 g
FB001A2PC5016	M2.5	16 mm	0.45 mm	1.3 mm	0.403 g
FB001A2P03003	M3	3 mm	0.5 mm	1.5 mm	0.101 g
FB001A2P03004	M3	4 mm	0.5 mm	1.5 mm	0.1414 g
FB001A2P03005	M3	5 mm	0.5 mm	1.5 mm	0.1818 g
FB001A2P03006	M3	6 mm	0.5 mm	1.5 mm	0.2222 g
FB001A2P03008	M3	8 mm	0.5 mm	1.5 mm	0.3131 g
FB001A2P03010	M3	10 mm	0.5 mm	1.5 mm	0.404 g
FB001A2P03012	M3	12 mm	0.5 mm	1.5 mm	0.4949 g
FB001A2P03014	M3	14 mm	0.5 mm	1.5 mm	0.5858 g
FB001A2P03016	M3	16 mm	0.5 mm	1.5 mm	0.6767 g
FB001A2P03018	M3	18 mm	0.5 mm	1.5 mm	0.7676 g
FB001A2P03020	M3	20 mm	0.5 mm	1.5 mm	0.8585 g
FB001A2P03025	M3	25 mm	0.5 mm	1.5 mm	1.086 g
FB001A2P03030	M3	30 mm	0.5 mm	1.5 mm	1.313 g
FB001A2P03035	M3	35 mm	0.5 mm	1.5 mm	1.54 g
FB001A2P03040	M3	40 mm	0.5 mm	1.5 mm	1.768 g
FB001A2P04003	M4	3 mm	0.7 mm	2 mm	0.005 g
FB001A2P04004	M4	4 mm	0.7 mm	2 mm	0.1313 g
FB001A2P04005	M4	5 mm	0.7 mm	2 mm	0.2576 g
FB001A2P04006	M4	6 mm	0.7 mm	2 mm	0.3838 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB001A2P04008	M4	8 mm	0.7 mm	2 mm	0.5353 g
FB001A2P04010	M4	10 mm	0.7 mm	2 mm	0.6868 g
FB001A2P04012	M4	12 mm	0.7 mm	2 mm	0.8383 g
FB001A2P04014	M4	14 mm	0.7 mm	2 mm	0.9898 g
FB001A2P04016	M4	16 mm	0.7 mm	2 mm	1.141 g
FB001A2P04018	M4	18 mm	0.7 mm	2 mm	1.293 g
FB001A2P04020	M4	20 mm	0.7 mm	2 mm	1.444 g
FB001A2P04025	M4	25 mm	0.7 mm	2 mm	1.823 g
FB001A2P04030	M4	30 mm	0.7 mm	2 mm	2.202 g
FB001A2P04035	M4	35 mm	0.7 mm	2 mm	2.581 g
FB001A2P04040	M4	40 mm	0.7 mm	2 mm	2.959 g
FB001A2P04045	M4	45 mm	0.7 mm	2 mm	3.338 g
FB001A2P04050	M4	50 mm	0.7 mm	2 mm	3.717 g
FB001A2P04060	M4	60 mm	0.7 mm	2 mm	4.474 g
FB001A2P04090	M4	90 mm	0.7 mm	2 mm	6.747 g
FB001A2P05004	M5	4 mm	0.8 mm	2.5 mm	0.303 g
FB001A2P05005	M5	5 mm	0.8 mm	2.5 mm	0.4242 g
FB001A2P05006	M5	6 mm	0.8 mm	2.5 mm	0.5454 g
FB001A2P05008	M5	8 mm	0.8 mm	2.5 mm	0.7878 g
FB001A2P05010	M5	10 mm	0.8 mm	2.5 mm	1.03 g
FB001A2P05012	M5	12 mm	0.8 mm	2.5 mm	1.273 g
FB001A2P05014	M5	14 mm	0.8 mm	2.5 mm	1.515 g
FB001A2P05016	M5	16 mm	0.8 mm	2.5 mm	1.757 g
FB001A2P05018	M5	18 mm	0.8 mm	2.5 mm	2 g
FB001A2P05020	M5	20 mm	0.8 mm	2.5 mm	2.242 g
FB001A2P05025	M5	25 mm	0.8 mm	2.5 mm	2.848 g
FB001A2P05030	M5	30 mm	0.8 mm	2.5 mm	3.454 g
FB001A2P05035	M5	35 mm	0.8 mm	2.5 mm	4.06 g
FB001A2P05040	M5	40 mm	0.8 mm	2.5 mm	4.666 g
FB001A2P05045	M5	45 mm	0.8 mm	2.5 mm	5.272 g
FB001A2P05050	M5	50 mm	0.8 mm	2.5 mm	5.878 g
FB001A2P05055	M5	55 mm	0.8 mm	2.5 mm	6.484 g
FB001A2P05060	M5	60 mm	0.8 mm	2.5 mm	7.09 g
FB001A2P06005	M6	5 mm	1 mm	3 mm	0.5706 g
FB001A2P06006	M6	6 mm	1 mm	3 mm	0.7474 g
FB001A2P06008	M6	8 mm	1 mm	3 mm	1.101 g
FB001A2P06010	M6	10 mm	1 mm	3 mm	1.454 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB001A2P06012	M6	12 mm	1 mm	3 mm	1.808 g
FB001A2P06014	M6	14 mm	1 mm	3 mm	2.161 g
FB001A2P06016	M6	16 mm	1 mm	3 mm	2.515 g
FB001A2P06018	M6	18 mm	1 mm	3 mm	2.868 g
FB001A2P06020	M6	20 mm	1 mm	3 mm	3.222 g
FB001A2P06025	M6	25 mm	1 mm	3 mm	4.111 g
FB001A2P06030	M6	30 mm	1 mm	3 mm	5 g
FB001A2P06035	M6	35 mm	1 mm	3 mm	5.888 g
FB001A2P06040	M6	40 mm	1 mm	3 mm	6.777 g
FB001A2P06045	M6	45 mm	1 mm	3 mm	7.666 g
FB001A2P06050	M6	50 mm	1 mm	3 mm	8.555 g
FB001A2P06055	M6	55 mm	1 mm	3 mm	9.444 g
FB001A2P06060	M6	60 mm	1 mm	3 mm	10.332 g
FB001A2P06070	M6	70 mm	1 mm	3 mm	12.11 g
FB001A2P06080	M6	80 mm	1 mm	3 mm	13.887 g
FB001A2P08006	M8	6 mm	1.25 mm	4 mm	1.262 g
FB001A2P08008	M8	8 mm	1.25 mm	4 mm	1.899 g
FB001A2P08010	M8	10 mm	1.25 mm	4 mm	2.535 g
FB001A2P08012	M8	12 mm	1.25 mm	4 mm	3.171 g
FB001A2P08014	M8	14 mm	1.25 mm	4 mm	3.808 g
FB001A2P08016	M8	16 mm	1.25 mm	4 mm	4.444 g
FB001A2P08018	M8	18 mm	1.25 mm	4 mm	5.08 g
FB001A2P08020	M8	20 mm	1.25 mm	4 mm	5.717 g
FB001A2P08025	M8	25 mm	1.25 mm	4 mm	7.322 g
FB001A2P08030	M8	30 mm	1.25 mm	4 mm	8.928 g
FB001A2P08035	M8	35 mm	1.25 mm	4 mm	10.504 g
FB001A2P08040	M8	40 mm	1.25 mm	4 mm	12.12 g
FB001A2P08045	M8	45 mm	1.25 mm	4 mm	13.736 g
FB001A2P08050	M8	50 mm	1.25 mm	4 mm	15.352 g
FB001A2P08055	M8	55 mm	1.25 mm	4 mm	16.968 g
FB001A2P08060	M8	60 mm	1.25 mm	4 mm	18.584 g
FB001A2P08070	M8	70 mm	1.25 mm	4 mm	21.816 g
FB001A2P08080	M8	80 mm	1.25 mm	4 mm	25.048 g
FB001A2P08090	M8	90 mm	1.25 mm	4 mm	28.28 g
FB001A2P08100	M8	100 mm	1.25 mm	4 mm	31.512 g
FB001A2P08120	M8	120 mm	1.25 mm	4 mm	37.976 g
FB001A2PL2030	M8x1	30 mm	1 mm	4 mm	8.928 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB001A2P10006	M10	6 mm	1.5 mm	5 mm	1.747 g
FB001A2P10008	M10	8 mm	1.5 mm	5 mm	2.757 g
FB001A2P10010	M10	10 mm	1.5 mm	5 mm	3.767 g
FB001A2P10012	M10	12 mm	1.5 mm	5 mm	4.777 g
FB001A2P10014	M10	14 mm	1.5 mm	5 mm	5.787 g
FB001A2P10016	M10	16 mm	1.5 mm	5 mm	6.797 g
FB001A2P10018	M10	18 mm	1.5 mm	5 mm	7.797 g
FB001A2P10020	M10	20 mm	1.5 mm	5 mm	8.797 g
FB001A2P10025	M10	25 mm	1.5 mm	5 mm	11.312 g
FB001A2P10030	M10	30 mm	1.5 mm	5 mm	13.837 g
FB001A2P10035	M10	35 mm	1.5 mm	5 mm	16.362 g
FB001A2P10040	M10	40 mm	1.5 mm	5 mm	18.887 g
FB001A2P10045	M10	45 mm	1.5 mm	5 mm	21.412 g
FB001A2P10050	M10	50 mm	1.5 mm	5 mm	23.937 g
FB001A2P10055	M10	55 mm	1.5 mm	5 mm	26.462 g
FB001A2P10060	M10	60 mm	1.5 mm	5 mm	28.987 g
FB001A2P10070	M10	70 mm	1.5 mm	5 mm	34.037 g
FB001A2P10080	M10	80 mm	1.5 mm	5 mm	39.087 g
FB001A2P10090	M10	90 mm	1.5 mm	5 mm	44.137 g
FB001A2P10100	M10	100 mm	1.5 mm	5 mm	49.187 g
FB001A2P10120	M10	120 mm	1.5 mm	5 mm	59.287 g
FB001A2P12008	M12	8 mm	1.75 mm	6 mm	3.939 g
FB001A2P12010	M12	10 mm	1.75 mm	6 mm	5.353 g
FB001A2P12012	M12	12 mm	1.75 mm	6 mm	6.767 g
FB001A2P12014	M12	14 mm	1.75 mm	6 mm	8.181 g
FB001A2P12016	M12	16 mm	1.75 mm	6 mm	9.595 g
FB001A2P12018	M12	18 mm	1.75 mm	6 mm	11.009 g
FB001A2P12020	M12	20 mm	1.75 mm	6 mm	12.423 g
FB001A2P12025	M12	25 mm	1.75 mm	6 mm	16.059 g
FB001A2P12030	M12	30 mm	1.75 mm	6 mm	19.695 g
FB001A2P12035	M12	35 mm	1.75 mm	6 mm	23.331 g
FB001A2P12040	M12	40 mm	1.75 mm	6 mm	26.967 g
FB001A2P12045	M12	45 mm	1.75 mm	6 mm	30.603 g
FB001A2P12050	M12	50 mm	1.75 mm	6 mm	34.239 g
FB001A2P12055	M12	55 mm	1.75 mm	6 mm	37.875 g
FB001A2P12060	M12	60 mm	1.75 mm	6 mm	41.511 g
FB001A2P12070	M12	70 mm	1.75 mm	6 mm	48.783 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB001A2P12080	M12	80 mm	1.75 mm	6 mm	56.055 g
FB001A2P12090	M12	90 mm	1.75 mm	6 mm	63.327 g
FB001A2P12100	M12	100 mm	1.75 mm	6 mm	70.599 g
FB001A2P12120	M12	120 mm	1.75 mm	6 mm	85.143 g
FB014A2P14025	M14	25 mm	2 mm	6 mm	20.836 g
FB001A2P16014	M16	14 mm	2 mm	8 mm	13.231 g
FB001A2P16016	M16	16 mm	2 mm	8 mm	15.857 g
FB001A2P16018	M16	18 mm	2 mm	8 mm	18.483 g
FB001A2P16020	M16	20 mm	2 mm	8 mm	21.109 g
FB001A2P16025	M16	25 mm	2 mm	8 mm	27.674 g
FB001A2P16030	M16	30 mm	2 mm	8 mm	34.34 g
FB001A2P16035	M16	35 mm	2 mm	8 mm	40.905 g
FB001A2P16040	M16	40 mm	2 mm	8 mm	47.571 g
FB001A2P16045	M16	45 mm	2 mm	8 mm	54.237 g
FB001A2P16050	M16	50 mm	2 mm	8 mm	60.903 g
FB001A2P16055	M16	55 mm	2 mm	8 mm	67.569 g
FB001A2P16060	M16	60 mm	2 mm	8 mm	74.235 g
FB001A2P16070	M16	70 mm	2 mm	8 mm	87.567 g
FB001A2P16075	M16	75 mm	2 mm	8 mm	94.233 g
FB001A2P16080	M16	80 mm	2 mm	8 mm	100.899 g
FB001A2P16090	M16	90 mm	2 mm	8 mm	114.231 g
FB001A2P16100	M16	100 mm	2 mm	8 mm	127.563 g
FB001A2P20020	M20	20 mm	2.5 mm	10 mm	31.411 g
FB001A2P20025	M20	25 mm	2.5 mm	10 mm	41.814 g
FB001A2P20030	M20	30 mm	2.5 mm	10 mm	52.217 g
FB001A2P20035	M20	35 mm	2.5 mm	10 mm	62.62 g
FB001A2P20040	M20	40 mm	2.5 mm	10 mm	73.023 g
FB001A2P20045	M20	45 mm	2.5 mm	10 mm	83.426 g
FB001A2P20050	M20	50 mm	2.5 mm	10 mm	93.829 g
FB001A2P20055	M20	55 mm	2.5 mm	10 mm	104.232 g
FB001A2P20060	M20	60 mm	2.5 mm	10 mm	114.635 g
FB001A2P20070	M20	70 mm	2.5 mm	10 mm	135.441 g
FB001A2P20080	M20	80 mm	2.5 mm	10 mm	156.247 g
FB001A2P20090	M20	90 mm	2.5 mm	10 mm	177.053 g
FB001A2P20100	M20	100 mm	2.5 mm	10 mm	197.859 g
FB001A2P24025	M24	25 mm	3 mm	12 mm	55.853 g
FB001A2P24030	M24	30 mm	3 mm	12 mm	71.003 g

Part numbers: 193





STANDARDS & CERTIFICATES

Standards

DIN 916 – Hex Socket Set Screw Cup Point

ISO 4029 – Hex Socket Set Screw Cup Point

