


Parallel Pin DIN 7 / ISO 2338 - Stainless steel A1, Plain

Parallel Pin to DIN 7 / ISO 2338, in the sizes, grades and finishes listed.



TECHNICAL DATA

General


Standard	DIN 7 / ISO 2338
----------	------------------

Materials & Finish

Property class / grade	A1 stainless
------------------------	--------------

Material	Stainless steel
Surface finish	Plain

DIMENSIONS



d Nominal diameter

l Length

Parallel Pin DIN 7 / ISO 2338 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Weight
FPP01A1PA8003	Ø0.8	3 mm	0.0119 g
FPP01A1PA8004	Ø0.8	4 mm	0.016 g
FPP01A1PA8005	Ø0.8	5 mm	0.0199 g
FPP01A1PA8006	Ø0.8	6 mm	0.0239 g
FPP01A1PA8008	Ø0.8	8 mm	0.0319 g
FPP01A1PA8010	Ø0.8	10 mm	0.0399 g
FPP01A1PA8012	Ø0.8	12 mm	0.0479 g
FPP01A1PA8014	Ø0.8	14 mm	0.0558 g
FPP01A1PA8016	Ø0.8	16 mm	0.0637 g
FPP01A1P01003	Ø1	3 mm	0.0182 g
FPP01A1P01004	Ø1	4 mm	0.0253 g



Part number	Size (d)	Length (l)	Weight
FPP01A1P01005	Ø1	5 mm	0.0323 g
FPP01A1P01006	Ø1	6 mm	0.0384 g
FPP01A1P01008	Ø1	8 mm	0.0485 g
FPP01A1P01010	Ø1	10 mm	0.0626 g
FPP01A1P01012	Ø1	12 mm	0.0747 g
FPP01A1P01014	Ø1	14 mm	0.0869 g
FPP01A1P01016	Ø1	16 mm	0.099 g
FPP01A1P01020	Ø1	20 mm	0.1232 g
FPP01A1PB5003	Ø1.5	3 mm	0.0444 g
FPP01A1PB5004	Ø1.5	4 mm	0.0586 g
FPP01A1PB5005	Ø1.5	5 mm	0.0727 g
FPP01A1PB5006	Ø1.5	6 mm	0.0859 g
FPP01A1PB5008	Ø1.5	8 mm	0.1141 g
FPP01A1PB5010	Ø1.5	10 mm	0.1424 g
FPP01A1PB5012	Ø1.5	12 mm	0.1697 g
FPP01A1PB5014	Ø1.5	14 mm	0.197 g
FPP01A1PB5016	Ø1.5	16 mm	0.2262 g
FPP01A1PB5018	Ø1.5	18 mm	0.2555 g
FPP01A1PB5020	Ø1.5	20 mm	0.2848 g
FPP01A1P02001	Ø2	1 mm	0.0303 g
FPP01A1P02003	Ø2	3 mm	0.0808 g
FPP01A1P02004	Ø2	4 mm	0.106 g
FPP01A1P02005	Ø2	5 mm	0.1313 g
FPP01A1P02006	Ø2	6 mm	0.1565 g
FPP01A1P02008	Ø2	8 mm	0.205 g
FPP01A1P02010	Ø2	10 mm	0.2555 g
FPP01A1P02012	Ø2	12 mm	0.305 g
FPP01A1P02014	Ø2	14 mm	0.3545 g
FPP01A1P02016	Ø2	16 mm	0.405 g
FPP01A1P02018	Ø2	18 mm	0.4555 g
FPP01A1P02020	Ø2	20 mm	0.505 g
FPP01A1P02024	Ø2	24 mm	0.604 g
FPP01A1P02025	Ø2	25 mm	0.6287 g
FPP01A1P02028	Ø2	28 mm	0.703 g
FPP01A1P02032	Ø2	32 mm	0.8019 g
FPP01A1PC5004	Ø2.5	4 mm	0.1667 g
FPP01A1PC5005	Ø2.5	5 mm	0.206 g



Part number	Size (d)	Length (l)	Weight
FPP01A1PC5006	Ø2.5	6 mm	0.2454 g
FPP01A1PC5008	Ø2.5	8 mm	0.3232 g
FPP01A1PC5010	Ø2.5	10 mm	0.401 g
FPP01A1PC5012	Ø2.5	12 mm	0.4787 g
FPP01A1PC5014	Ø2.5	14 mm	0.5555 g
FPP01A1PC5016	Ø2.5	16 mm	0.6333 g
FPP01A1PC5018	Ø2.5	18 mm	0.712 g
FPP01A1PC5020	Ø2.5	20 mm	0.7898 g
FPP01A1PC5024	Ø2.5	24 mm	0.9464 g
FPP01A1PC5028	Ø2.5	28 mm	1.103 g
FPP01A1PC5032	Ø2.5	32 mm	1.259 g
FPP01A1P03004	Ø3	4 mm	0.2475 g
FPP01A1P03005	Ø3	5 mm	0.303 g
FPP01A1P03006	Ø3	6 mm	0.3585 g
FPP01A1P03008	Ø3	8 mm	0.4707 g
FPP01A1P03010	Ø3	10 mm	0.5828 g
FPP01A1P03012	Ø3	12 mm	0.6949 g
FPP01A1P03014	Ø3	14 mm	0.807 g
FPP01A1P03016	Ø3	16 mm	0.9191 g
FPP01A1P03018	Ø3	18 mm	1.03 g
FPP01A1P03020	Ø3	20 mm	1.141 g
FPP01A1P03024	Ø3	24 mm	1.364 g
FPP01A1P03025	Ø3	25 mm	1.419 g
FPP01A1P03028	Ø3	28 mm	1.586 g
FPP01A1P03030	Ø3	30 mm	1.697 g
FPP01A1P03032	Ø3	32 mm	1.808 g
FPP01A1P03036	Ø3	36 mm	2.03 g
FPP01A1P03040	Ø3	40 mm	2.252 g
FPP01A1P03045	Ø3	45 mm	2.53 g
FPP01A1P03050	Ø3	50 mm	2.808 g
FPP01A1P03060	Ø3	60 mm	3.363 g
FPP01A1P03065	Ø3	65 mm	3.641 g
FPP01A1P04005	Ø4	5 mm	0.546 g
FPP01A1P04006	Ø4	6 mm	0.6464 g
FPP01A1P04008	Ø4	8 mm	0.8484 g
FPP01A1P04010	Ø4	10 mm	1.05 g
FPP01A1P04012	Ø4	12 mm	1.242 g



Part number	Size (d)	Length (l)	Weight
FPP01A1P04014	Ø4	14 mm	1.454 g
FPP01A1P04016	Ø4	16 mm	1.646 g
FPP01A1P04018	Ø4	18 mm	1.848 g
FPP01A1P04020	Ø4	20 mm	2.05 g
FPP01A1P04022	Ø4	22 mm	2.252 g
FPP01A1P04024	Ø4	24 mm	2.454 g
FPP01A1P04025	Ø4	25 mm	2.552 g
FPP01A1P04026	Ø4	26 mm	2.651 g
FPP01A1P04028	Ø4	28 mm	2.848 g
FPP01A1P04030	Ø4	30 mm	3.045 g
FPP01A1P04032	Ø4	32 mm	3.242 g
FPP01A1P04036	Ø4	36 mm	3.636 g
FPP01A1P04040	Ø4	40 mm	4.04 g
FPP01A1P04050	Ø4	50 mm	5.05 g
FPP01A1P04060	Ø4	60 mm	6.06 g
FPP01A1P05005	Ø5	5 mm	0.8878 g
FPP01A1P05006	Ø5	6 mm	1.03 g
FPP01A1P05008	Ø5	8 mm	1.343 g
FPP01A1P05010	Ø5	10 mm	1.656 g
FPP01A1P05012	Ø5	12 mm	1.97 g
FPP01A1P05014	Ø5	14 mm	2.283 g
FPP01A1P05016	Ø5	16 mm	2.596 g
FPP01A1P05018	Ø5	18 mm	2.909 g
FPP01A1P05020	Ø5	20 mm	3.222 g
FPP01A1P05024	Ø5	24 mm	3.838 g
FPP01A1P05025	Ø5	25 mm	3.995 g
FPP01A1P05028	Ø5	28 mm	4.464 g
FPP01A1P05030	Ø5	30 mm	4.772 g
FPP01A1P05032	Ø5	32 mm	5.08 g
FPP01A1P05036	Ø5	36 mm	5.707 g
FPP01A1P05040	Ø5	40 mm	6.333 g
FPP01A1P05045	Ø5	45 mm	7.1 g
FPP01A1P05050	Ø5	50 mm	7.878 g
FPP01A1P05055	Ø5	55 mm	8.656 g
FPP01A1P05060	Ø5	60 mm	9.433 g
FPP01A1P06006	Ø6	6 mm	1.545 g
FPP01A1P06008	Ø6	8 mm	1.99 g



Part number	Size (d)	Length (l)	Weight
FPP01A1P06010	Ø6	10 mm	2.434 g
FPP01A1P06012	Ø6	12 mm	2.879 g
FPP01A1P06014	Ø6	14 mm	3.323 g
FPP01A1P06016	Ø6	16 mm	3.767 g
FPP01A1P06018	Ø6	18 mm	4.212 g
FPP01A1P06020	Ø6	20 mm	4.656 g
FPP01A1P06024	Ø6	24 mm	5.555 g
FPP01A1P06025	Ø6	25 mm	5.782 g
FPP01A1P06026	Ø6	26 mm	6.01 g
FPP01A1P06028	Ø6	28 mm	6.464 g
FPP01A1P06030	Ø6	30 mm	6.918 g
FPP01A1P06032	Ø6	32 mm	7.373 g
FPP01A1P06036	Ø6	36 mm	8.272 g
FPP01A1P06040	Ø6	40 mm	9.171 g
FPP01A1P06045	Ø6	45 mm	10.302 g
FPP01A1P06050	Ø6	50 mm	11.413 g
FPP01A1P06055	Ø6	55 mm	12.524 g
FPP01A1P06060	Ø6	60 mm	13.635 g
FPP01A1P06070	Ø6	70 mm	15.857 g
FPP01A1P06080	Ø6	80 mm	18.079 g
FPP01A1P06090	Ø6	90 mm	20.301 g
FPP01A1P08008	Ø8	8 mm	3.616 g
FPP01A1P08010	Ø8	10 mm	4.414 g
FPP01A1P08012	Ø8	12 mm	5.212 g
FPP01A1P08014	Ø8	14 mm	6.01 g
FPP01A1P08016	Ø8	16 mm	6.807 g
FPP01A1P08018	Ø8	18 mm	7.605 g
FPP01A1P08020	Ø8	20 mm	8.393 g
FPP01A1P08022	Ø8	22 mm	9.191 g
FPP01A1P08024	Ø8	24 mm	9.989 g
FPP01A1P08025	Ø8	25 mm	10.393 g
FPP01A1P08028	Ø8	28 mm	11.615 g
FPP01A1P08030	Ø8	30 mm	12.373 g
FPP01A1P08032	Ø8	32 mm	13.13 g
FPP01A1P08036	Ø8	36 mm	14.746 g
FPP01A1P08040	Ø8	40 mm	16.362 g
FPP01A1P08045	Ø8	45 mm	18.281 g



Part number	Size (d)	Length (l)	Weight
FPP01A1P08050	Ø8	50 mm	20.301 g
FPP01A1P08055	Ø8	55 mm	22.321 g
FPP01A1P08060	Ø8	60 mm	24.24 g
FPP01A1P08070	Ø8	70 mm	28.28 g
FPP01A1P08080	Ø8	80 mm	32.32 g
FPP01A1P08090	Ø8	90 mm	36.36 g
FPP01A1P10010	Ø10	10 mm	7.08 g
FPP01A1P10012	Ø10	12 mm	8.322 g
FPP01A1P10014	Ø10	14 mm	9.565 g
FPP01A1P10016	Ø10	16 mm	10.807 g
FPP01A1P10018	Ø10	18 mm	12.019 g
FPP01A1P10020	Ø10	20 mm	13.332 g
FPP01A1P10024	Ø10	24 mm	15.756 g
FPP01A1P10028	Ø10	28 mm	18.18 g
FPP01A1P10030	Ø10	30 mm	19.493 g
FPP01A1P10032	Ø10	32 mm	20.806 g
FPP01A1P10036	Ø10	36 mm	23.331 g
FPP01A1P10040	Ø10	40 mm	25.755 g
FPP01A1P10045	Ø10	45 mm	28.886 g
FPP01A1P10050	Ø10	50 mm	32.017 g
FPP01A1P10055	Ø10	55 mm	35.148 g
FPP01A1P10060	Ø10	60 mm	38.279 g
FPP01A1P10070	Ø10	70 mm	44.541 g
FPP01A1P10080	Ø10	80 mm	50.803 g
FPP01A1P10090	Ø10	90 mm	57.065 g
FPP01A1P10100	Ø10	100 mm	63.327 g
FPP01A1P12010	Ø12	10 mm	10.302 g
FPP01A1P12012	Ø12	12 mm	12.12 g
FPP01A1P12014	Ø12	14 mm	13.938 g
FPP01A1P12016	Ø12	16 mm	15.756 g
FPP01A1P12018	Ø12	18 mm	17.574 g
FPP01A1P12020	Ø12	20 mm	19.392 g
FPP01A1P12024	Ø12	24 mm	23.028 g
FPP01A1P12028	Ø12	28 mm	26.664 g
FPP01A1P12030	Ø12	30 mm	28.482 g
FPP01A1P12032	Ø12	32 mm	30.3 g
FPP01A1P12036	Ø12	36 mm	33.936 g



Part number	Size (d)	Length (l)	Weight
FPP01A1P12040	Ø12	40 mm	37.572 g
FPP01A1P12045	Ø12	45 mm	42.117 g
FPP01A1P12050	Ø12	50 mm	46.662 g
FPP01A1P12055	Ø12	55 mm	51.207 g
FPP01A1P12060	Ø12	60 mm	55.752 g
FPP01A1P12070	Ø12	70 mm	64.741 g
FPP01A1P12080	Ø12	80 mm	73.73 g
FPP01A1P12090	Ø12	90 mm	82.921 g
FPP01A1P12100	Ø12	100 mm	91.91 g
FPP01A1P14016	Ø14	16 mm	19.523 g
FPP01A1P14018	Ø14	18 mm	21.968 g
FPP01A1P14020	Ø14	20 mm	24.412 g
FPP01A1P14024	Ø14	24 mm	29.29 g
FPP01A1P14028	Ø14	28 mm	34.178 g
FPP01A1P14030	Ø14	30 mm	36.612 g
FPP01A1P14032	Ø14	32 mm	39.057 g
FPP01A1P14036	Ø14	36 mm	43.935 g
FPP01A1P14040	Ø14	40 mm	48.823 g
FPP01A1P14045	Ø14	45 mm	54.924 g
FPP01A1P14050	Ø14	50 mm	61.024 g
FPP01A1P14055	Ø14	55 mm	67.125 g
FPP01A1P14060	Ø14	60 mm	73.225 g
FPP01A1P14070	Ø14	70 mm	85.436 g
FPP01A1P14080	Ø14	80 mm	97.637 g
FPP01A1P14090	Ø14	90 mm	109.848 g
FPP01A1P14100	Ø14	100 mm	122.048 g
FPP01A1P16016	Ø16	16 mm	28.583 g
FPP01A1P16018	Ø16	18 mm	31.815 g
FPP01A1P16020	Ø16	20 mm	35.047 g
FPP01A1P16024	Ø16	24 mm	41.511 g
FPP01A1P16028	Ø16	28 mm	47.975 g
FPP01A1P16030	Ø16	30 mm	51.207 g
FPP01A1P16032	Ø16	32 mm	54.439 g
FPP01A1P16036	Ø16	36 mm	60.903 g
FPP01A1P16040	Ø16	40 mm	67.266 g
FPP01A1P16045	Ø16	45 mm	75.245 g
FPP01A1P16050	Ø16	50 mm	83.325 g



Part number	Size (d)	Length (l)	Weight
FPP01A1P16055	Ø16	55 mm	91.304 g
FPP01A1P16060	Ø16	60 mm	99.384 g
FPP01A1P16070	Ø16	70 mm	115.14 g
FPP01A1P16080	Ø16	80 mm	131.3 g
FPP01A1P16090	Ø16	90 mm	147.46 g
FPP01A1P16100	Ø16	100 mm	162.61 g
FPP01A1P20020	Ø20	20 mm	56.964 g
FPP01A1P20024	Ø20	24 mm	66.862 g
FPP01A1P20028	Ø20	28 mm	76.76 g
FPP01A1P20030	Ø20	30 mm	81.709 g
FPP01A1P20032	Ø20	32 mm	86.658 g
FPP01A1P20036	Ø20	36 mm	96.556 g
FPP01A1P20040	Ø20	40 mm	106.05 g
FPP01A1P20045	Ø20	45 mm	119.18 g
FPP01A1P20050	Ø20	50 mm	131.3 g
FPP01A1P20055	Ø20	55 mm	143.42 g
FPP01A1P20060	Ø20	60 mm	156.55 g
FPP01A1P20070	Ø20	70 mm	180.79 g
FPP01A1P20080	Ø20	80 mm	206.04 g
FPP01A1P20090	Ø20	90 mm	230.28 g
FPP01A1P20100	Ø20	100 mm	255.53 g

Part numbers: 254

STANDARDS & CERTIFICATES

Standards

DIN 7 – Parallel Pin

ISO 2338 – Parallel Pin

