


Hex Socket Countersunk Head Screw DIN 7991 / ISO 10642 - Steel 8.8, Zinc plated

Hex Socket Countersunk Head Screw to DIN 7991 / ISO 10642, in the sizes, grades and finishes listed.



TECHNICAL DATA

Dimensions


Thread form	Metric ISO thread
-------------	-------------------

Materials & Finish

Head type	Countersunk
Drive type	Hexagon socket

Property class / grade	8.8
Material	Steel
Surface finish	Zinc plated

DIMENSIONS



d	Thread diameter
l	Length
k	Head height
dk	Head diameter

Hex Socket Countersunk Head Screw DIN 7991 / ISO 10642 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G8Z03005	M3	5 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.335 g
FBK01G8Z03005	M3	5 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.335 g
FBK02G8Z03006	M3	6 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.38 g
FBK01G8Z03006	M3	6 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.38 g
FBK02G8Z03008	M3	8 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.47 g
FBK01G8Z03008	M3	8 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.47 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G8Z03010	M3	10 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.56 g
FBK01G8Z03010	M3	10 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.56 g
FBK02G8Z03012	M3	12 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.65 g
FBK01G8Z03012	M3	12 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.65 g
FBK02G8Z03014	M3	14 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.74 g
FBK01G8Z03014	M3	14 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.74 g
FBK02G8Z03016	M3	16 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.83 g
FBK01G8Z03016	M3	16 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.83 g
FBK02G8Z03018	M3	18 mm	0.5 mm	2 mm	1.7 mm	6 mm	0.915 g
FBK01G8Z03018	M3	18 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	0.915 g
FBK02G8Z03020	M3	20 mm	0.5 mm	2 mm	1.7 mm	6 mm	1 g
FBK01G8Z03020	M3	20 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	1 g
FBK02G8Z03025	M3	25 mm	0.5 mm	2 mm	1.7 mm	6 mm	1.35 g
FBK01G8Z03025	M3	25 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	1.35 g
FBK02G8Z03030	M3	30 mm	0.5 mm	2 mm	1.7 mm	6 mm	1.63 g
FBK01G8Z03030	M3	30 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	1.63 g
FBK02G8Z03035	M3	35 mm	0.5 mm	2 mm	1.7 mm	6 mm	1.91 g
FBK01G8Z03035	M3	35 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	1.91 g
FBK02G8Z03040	M3	40 mm	0.5 mm	2 mm	1.7 mm	6 mm	2.19 g
FBK01G8Z03040	M3	40 mm	0.5 mm	2 mm	1.86 mm	6.72 mm	2.19 g
FBK02G8Z04005	M4	5 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	0.695 g
FBK01G8Z04005	M4	5 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	0.695 g
FBK02G8Z04006	M4	6 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	0.77 g
FBK01G8Z04006	M4	6 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	0.77 g
FBK02G8Z04008	M4	8 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	0.92 g
FBK01G8Z04008	M4	8 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	0.92 g
FBK02G8Z04010	M4	10 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.07 g
FBK01G8Z04010	M4	10 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.07 g
FBK02G8Z04012	M4	12 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.23 g
FBK01G8Z04012	M4	12 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.23 g
FBK02G8Z04014	M4	14 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.38 g
FBK01G8Z04014	M4	14 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.38 g
FBK02G8Z04016	M4	16 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.53 g
FBK01G8Z04016	M4	16 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.53 g
FBK02G8Z04018	M4	18 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.685 g
FBK01G8Z04018	M4	18 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.685 g
FBK02G8Z04020	M4	20 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	1.84 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G8Z04020	M4	20 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.84 g
FBK01G8Z04022	M4	22 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	1.996 g
FBK02G8Z04025	M4	25 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	2.23 g
FBK01G8Z04025	M4	25 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	2.23 g
FBK02G8Z04030	M4	30 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	2.9 g
FBK01G8Z04030	M4	30 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	2.9 g
FBK02G8Z04035	M4	35 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	3.4 g
FBK01G8Z04035	M4	35 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	3.4 g
FBK02G8Z04040	M4	40 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	3.9 g
FBK01G8Z04040	M4	40 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	3.9 g
FBK02G8Z04045	M4	45 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	4.4 g
FBK01G8Z04045	M4	45 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	4.4 g
FBK02G8Z04050	M4	50 mm	0.7 mm	2.5 mm	2.3 mm	8 mm	4.9 g
FBK01G8Z04050	M4	50 mm	0.7 mm	2.5 mm	2.48 mm	8.96 mm	4.9 g
FBK02G8Z05006	M5	6 mm	0.8 mm	3 mm	2.8 mm	10 mm	1.35 g
FBK01G8Z05006	M5	6 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	1.35 g
FBK02G8Z05008	M5	8 mm	0.8 mm	3 mm	2.8 mm	10 mm	1.6 g
FBK01G8Z05008	M5	8 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	1.6 g
FBK02G8Z05010	M5	10 mm	0.8 mm	3 mm	2.8 mm	10 mm	1.85 g
FBK01G8Z05010	M5	10 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	1.85 g
FBK02G8Z05012	M5	12 mm	0.8 mm	3 mm	2.8 mm	10 mm	2.1 g
FBK01G8Z05012	M5	12 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	2.1 g
FBK02G8Z05014	M5	14 mm	0.8 mm	3 mm	2.8 mm	10 mm	2.345 g
FBK01G8Z05014	M5	14 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	2.345 g
FBK02G8Z05016	M5	16 mm	0.8 mm	3 mm	2.8 mm	10 mm	2.59 g
FBK01G8Z05016	M5	16 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	2.59 g
FBK02G8Z05018	M5	18 mm	0.8 mm	3 mm	2.8 mm	10 mm	2.84 g
FBK01G8Z05018	M5	18 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	2.84 g
FBK02G8Z05020	M5	20 mm	0.8 mm	3 mm	2.8 mm	10 mm	3.09 g
FBK01G8Z05020	M5	20 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	3.09 g
FBK01G8Z05022	M5	22 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	3.338 g
FBK02G8Z05025	M5	25 mm	0.8 mm	3 mm	2.8 mm	10 mm	3.71 g
FBK01G8Z05025	M5	25 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	3.71 g
FBK02G8Z05030	M5	30 mm	0.8 mm	3 mm	2.8 mm	10 mm	4.33 g
FBK01G8Z05030	M5	30 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	4.33 g
FBK02G8Z05035	M5	35 mm	0.8 mm	3 mm	2.8 mm	10 mm	5.43 g
FBK01G8Z05035	M5	35 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	5.43 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G8Z05040	M5	40 mm	0.8 mm	3 mm	2.8 mm	10 mm	6.2 g
FBK01G8Z05040	M5	40 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	6.2 g
FBK02G8Z05045	M5	45 mm	0.8 mm	3 mm	2.8 mm	10 mm	6.97 g
FBK01G8Z05045	M5	45 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	6.97 g
FBK02G8Z05050	M5	50 mm	0.8 mm	3 mm	2.8 mm	10 mm	7.74 g
FBK01G8Z05050	M5	50 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	7.74 g
FBK02G8Z05055	M5	55 mm	0.8 mm	3 mm	2.8 mm	10 mm	8.51 g
FBK01G8Z05055	M5	55 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	8.51 g
FBK02G8Z05060	M5	60 mm	0.8 mm	3 mm	2.8 mm	10 mm	9.28 g
FBK01G8Z05060	M5	60 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	9.28 g
FBK02G8Z05070	M5	70 mm	0.8 mm	3 mm	2.8 mm	10 mm	10.82 g
FBK01G8Z05070	M5	70 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	10.82 g
FBK02G8Z05080	M5	80 mm	0.8 mm	3 mm	2.8 mm	10 mm	12.36 g
FBK01G8Z05080	M5	80 mm	0.8 mm	3 mm	3.1 mm	11.2 mm	12.36 g
FBK02G8Z06008	M6	8 mm	1 mm	4 mm	3.3 mm	12 mm	2.35 g
FBK01G8Z06008	M6	8 mm	1 mm	4 mm	3.72 mm	13.44 mm	2.35 g
FBK02G8Z06010	M6	10 mm	1 mm	4 mm	3.3 mm	12 mm	2.7 g
FBK01G8Z06010	M6	10 mm	1 mm	4 mm	3.72 mm	13.44 mm	2.7 g
FBK02G8Z06012	M6	12 mm	1 mm	4 mm	3.3 mm	12 mm	3.05 g
FBK01G8Z06012	M6	12 mm	1 mm	4 mm	3.72 mm	13.44 mm	3.05 g
FBK02G8Z06014	M6	14 mm	1 mm	4 mm	3.3 mm	12 mm	3.405 g
FBK01G8Z06014	M6	14 mm	1 mm	4 mm	3.72 mm	13.44 mm	3.405 g
FBK02G8Z06016	M6	16 mm	1 mm	4 mm	3.3 mm	12 mm	3.76 g
FBK01G8Z06016	M6	16 mm	1 mm	4 mm	3.72 mm	13.44 mm	3.76 g
FBK02G8Z06018	M6	18 mm	1 mm	4 mm	3.3 mm	12 mm	4.11 g
FBK01G8Z06018	M6	18 mm	1 mm	4 mm	3.72 mm	13.44 mm	4.11 g
FBK02G8Z06020	M6	20 mm	1 mm	4 mm	3.3 mm	12 mm	4.46 g
FBK01G8Z06020	M6	20 mm	1 mm	4 mm	3.72 mm	13.44 mm	4.46 g
FBK01G8Z06022	M6	22 mm	1 mm	4 mm	3.72 mm	13.44 mm	4.812 g
FBK02G8Z06025	M6	25 mm	1 mm	4 mm	3.3 mm	12 mm	5.34 g
FBK01G8Z06025	M6	25 mm	1 mm	4 mm	3.72 mm	13.44 mm	5.34 g
FBK02G8Z06030	M6	30 mm	1 mm	4 mm	3.3 mm	12 mm	6.22 g
FBK01G8Z06030	M6	30 mm	1 mm	4 mm	3.72 mm	13.44 mm	6.22 g
FBK02G8Z06035	M6	35 mm	1 mm	4 mm	3.3 mm	12 mm	7.1 g
FBK01G8Z06035	M6	35 mm	1 mm	4 mm	3.72 mm	13.44 mm	7.3 g
FBK02G8Z06040	M6	40 mm	1 mm	4 mm	3.3 mm	12 mm	8.83 g
FBK01G8Z06040	M6	40 mm	1 mm	4 mm	3.72 mm	13.44 mm	8.38 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G8Z06045	M6	45 mm	1 mm	4 mm	3.3 mm	12 mm	9.915 g
FBK01G8Z06045	M6	45 mm	1 mm	4 mm	3.72 mm	13.44 mm	9.915 g
FBK02G8Z06050	M6	50 mm	1 mm	4 mm	3.3 mm	12 mm	11 g
FBK01G8Z06050	M6	50 mm	1 mm	4 mm	3.72 mm	13.44 mm	11 g
FBK02G8Z06055	M6	55 mm	1 mm	4 mm	3.3 mm	12 mm	12.09 g
FBK01G8Z06055	M6	55 mm	1 mm	4 mm	3.72 mm	13.44 mm	12.09 g
FBK02G8Z06060	M6	60 mm	1 mm	4 mm	3.3 mm	12 mm	13.17 g
FBK01G8Z06060	M6	60 mm	1 mm	4 mm	3.72 mm	13.44 mm	13.17 g
FBK01G8Z06065	M6	65 mm	1 mm	4 mm	3.72 mm	13.44 mm	14.25 g
FBK02G8Z06070	M6	70 mm	1 mm	4 mm	3.3 mm	12 mm	15.34 g
FBK01G8Z06070	M6	70 mm	1 mm	4 mm	3.72 mm	13.44 mm	15.34 g
FBK01G8Z06075	M6	75 mm	1 mm	4 mm	3.72 mm	13.44 mm	16.43 g
FBK02G8Z06080	M6	80 mm	1 mm	4 mm	3.3 mm	12 mm	17.51 g
FBK01G8Z06080	M6	80 mm	1 mm	4 mm	3.72 mm	13.44 mm	17.51 g
FBK02G8Z06090	M6	90 mm	1 mm	4 mm	3.3 mm	12 mm	19.68 g
FBK01G8Z06090	M6	90 mm	1 mm	4 mm	3.72 mm	13.44 mm	19.68 g
FBK02G8Z06100	M6	100 mm	1 mm	4 mm	3.3 mm	12 mm	21.85 g
FBK01G8Z06100	M6	100 mm	1 mm	4 mm	3.72 mm	13.44 mm	21.85 g
FBK01G8Z06120	M6	120 mm	1 mm	4 mm	3.72 mm	13.44 mm	26.19 g
FBK02G8Z08010	M8	10 mm	1.25 mm	5 mm	4.4 mm	16 mm	5.47 g
FBK01G8Z08010	M8	10 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	5.47 g
FBK02G8Z08012	M8	12 mm	1.25 mm	5 mm	4.4 mm	16 mm	6.1 g
FBK01G8Z08012	M8	12 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	6.1 g
FBK01G8Z08014	M8	14 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	6.725 g
FBK02G8Z08016	M8	16 mm	1.25 mm	5 mm	4.4 mm	16 mm	7.35 g
FBK01G8Z08016	M8	16 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	7.35 g
FBK01G8Z08018	M8	18 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	7.975 g
FBK02G8Z08020	M8	20 mm	1.25 mm	5 mm	4.4 mm	16 mm	8.6 g
FBK01G8Z08020	M8	20 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	8.6 g
FBK01G8Z08022	M8	22 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	9.24 g
FBK02G8Z08025	M8	25 mm	1.25 mm	5 mm	4.4 mm	16 mm	10.2 g
FBK01G8Z08025	M8	25 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	10.2 g
FBK02G8Z08030	M8	30 mm	1.25 mm	5 mm	4.4 mm	16 mm	11.7 g
FBK01G8Z08030	M8	30 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	11.7 g
FBK02G8Z08035	M8	35 mm	1.25 mm	5 mm	4.4 mm	16 mm	13.3 g
FBK01G8Z08035	M8	35 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	13.3 g
FBK02G8Z08040	M8	40 mm	1.25 mm	5 mm	4.4 mm	16 mm	14.8 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G8Z08040	M8	40 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	14.8 g
FBK02G8Z08045	M8	45 mm	1.25 mm	5 mm	4.4 mm	16 mm	17.35 g
FBK01G8Z08045	M8	45 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	17.35 g
FBK02G8Z08050	M8	50 mm	1.25 mm	5 mm	4.4 mm	16 mm	19.9 g
FBK01G8Z08050	M8	50 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	19.9 g
FBK02G8Z08055	M8	55 mm	1.25 mm	5 mm	4.4 mm	16 mm	22.35 g
FBK01G8Z08055	M8	55 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	22.35 g
FBK02G8Z08060	M8	60 mm	1.25 mm	5 mm	4.4 mm	16 mm	24.8 g
FBK01G8Z08060	M8	60 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	24.8 g
FBK02G8Z08065	M8	65 mm	1.25 mm	5 mm	4.4 mm	16 mm	27.25 g
FBK01G8Z08065	M8	65 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	27.25 g
FBK02G8Z08070	M8	70 mm	1.25 mm	5 mm	4.4 mm	16 mm	29.7 g
FBK01G8Z08070	M8	70 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	29.7 g
FBK02G8Z08080	M8	80 mm	1.25 mm	5 mm	4.4 mm	16 mm	34.6 g
FBK01G8Z08080	M8	80 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	34.6 g
FBK02G8Z08090	M8	90 mm	1.25 mm	5 mm	4.4 mm	16 mm	39.5 g
FBK01G8Z08090	M8	90 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	39.5 g
FBK02G8Z08100	M8	100 mm	1.25 mm	5 mm	4.4 mm	16 mm	44.4 g
FBK01G8Z08100	M8	100 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	44.4 g
FBK02G8Z08110	M8	110 mm	1.25 mm	5 mm	4.4 mm	16 mm	49.3 g
FBK01G8Z08110	M8	110 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	49.3 g
FBK02G8Z08120	M8	120 mm	1.25 mm	5 mm	4.4 mm	16 mm	54.2 g
FBK01G8Z08120	M8	120 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	54.2 g
FBK01G8Z08130	M8	130 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	59.1 g
FBK01G8Z08140	M8	140 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	64 g
FBK01G8Z08150	M8	150 mm	1.25 mm	5 mm	4.96 mm	17.92 mm	68.9 g
FBK02G8Z10012	M10	12 mm	1.5 mm	6 mm	5.5 mm	20 mm	10.1 g
FBK01G8Z10012	M10	12 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	10.1 g
FBK02G8Z10016	M10	16 mm	1.5 mm	6 mm	5.5 mm	20 mm	12.1 g
FBK01G8Z10016	M10	16 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	12.1 g
FBK01G8Z10018	M10	18 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	13.1 g
FBK02G8Z10020	M10	20 mm	1.5 mm	6 mm	5.5 mm	20 mm	14.1 g
FBK01G8Z10020	M10	20 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	14.1 g
FBK02G8Z10022	M10	22 mm	1.5 mm	6 mm	5.5 mm	20 mm	15.1 g
FBK02G8Z10025	M10	25 mm	1.5 mm	6 mm	5.5 mm	20 mm	16.6 g
FBK01G8Z10025	M10	25 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	16.6 g
FBK02G8Z10030	M10	30 mm	1.5 mm	6 mm	5.5 mm	20 mm	19.1 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G8Z10030	M10	30 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	19.1 g
FBK02G8Z10035	M10	35 mm	1.5 mm	6 mm	5.5 mm	20 mm	21.6 g
FBK01G8Z10035	M10	35 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	21.6 g
FBK02G8Z10040	M10	40 mm	1.5 mm	6 mm	5.5 mm	20 mm	24.1 g
FBK01G8Z10040	M10	40 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	24.1 g
FBK02G8Z10045	M10	45 mm	1.5 mm	6 mm	5.5 mm	20 mm	27.1 g
FBK01G8Z10045	M10	45 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	27.1 g
FBK02G8Z10050	M10	50 mm	1.5 mm	6 mm	5.5 mm	20 mm	30.1 g
FBK01G8Z10050	M10	50 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	30.1 g
FBK02G8Z10055	M10	55 mm	1.5 mm	6 mm	5.5 mm	20 mm	32.9 g
FBK01G8Z10055	M10	55 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	32.9 g
FBK02G8Z10060	M10	60 mm	1.5 mm	6 mm	5.5 mm	20 mm	35.7 g
FBK01G8Z10060	M10	60 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	35.7 g
FBK02G8Z10065	M10	65 mm	1.5 mm	6 mm	5.5 mm	20 mm	38.45 g
FBK02G8Z10070	M10	70 mm	1.5 mm	6 mm	5.5 mm	20 mm	41.2 g
FBK01G8Z10070	M10	70 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	41.2 g
FBK02G8Z10080	M10	80 mm	1.5 mm	6 mm	5.5 mm	20 mm	46.7 g
FBK01G8Z10080	M10	80 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	46.7 g
FBK02G8Z10090	M10	90 mm	1.5 mm	6 mm	5.5 mm	20 mm	52.2 g
FBK01G8Z10090	M10	90 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	52.2 g
FBK02G8Z10100	M10	100 mm	1.5 mm	6 mm	5.5 mm	20 mm	57.7 g
FBK01G8Z10100	M10	100 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	57.7 g
FBK02G8Z10110	M10	110 mm	1.5 mm	6 mm	5.5 mm	20 mm	63.2 g
FBK01G8Z10110	M10	110 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	63.2 g
FBK02G8Z10120	M10	120 mm	1.5 mm	6 mm	5.5 mm	20 mm	68.7 g
FBK01G8Z10120	M10	120 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	68.7 g
FBK02G8Z10130	M10	130 mm	1.5 mm	6 mm	5.5 mm	20 mm	74.2 g
FBK01G8Z10130	M10	130 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	74.2 g
FBK02G8Z10140	M10	140 mm	1.5 mm	6 mm	5.5 mm	20 mm	79.7 g
FBK01G8Z10140	M10	140 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	79.7 g
FBK02G8Z10150	M10	150 mm	1.5 mm	6 mm	5.5 mm	20 mm	85.2 g
FBK01G8Z10150	M10	150 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	85.2 g
FBK02G8Z10160	M10	160 mm	1.5 mm	6 mm	5.5 mm	20 mm	90.7 g
FBK01G8Z10160	M10	160 mm	1.5 mm	6 mm	6.2 mm	22.4 mm	90.7 g
FBK02G8Z12020	M12	20 mm	1.75 mm	8 mm	6.5 mm	24 mm	21.2 g
FBK01G8Z12020	M12	20 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	21.2 g
FBK02G8Z12025	M12	25 mm	1.75 mm	8 mm	6.5 mm	24 mm	24.8 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G8Z12025	M12	25 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	24.8 g
FBK02G8Z12030	M12	30 mm	1.75 mm	8 mm	6.5 mm	24 mm	28.5 g
FBK01G8Z12030	M12	30 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	28.5 g
FBK02G8Z12035	M12	35 mm	1.75 mm	8 mm	6.5 mm	24 mm	32.1 g
FBK01G8Z12035	M12	35 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	32.1 g
FBK02G8Z12040	M12	40 mm	1.75 mm	8 mm	6.5 mm	24 mm	35.7 g
FBK01G8Z12040	M12	40 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	35.7 g
FBK02G8Z12045	M12	45 mm	1.75 mm	8 mm	6.5 mm	24 mm	39.35 g
FBK01G8Z12045	M12	45 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	39.35 g
FBK02G8Z12050	M12	50 mm	1.75 mm	8 mm	6.5 mm	24 mm	43 g
FBK01G8Z12050	M12	50 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	43 g
FBK02G8Z12055	M12	55 mm	1.75 mm	8 mm	6.5 mm	24 mm	48.5 g
FBK01G8Z12055	M12	55 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	48.5 g
FBK02G8Z12060	M12	60 mm	1.75 mm	8 mm	6.5 mm	24 mm	54 g
FBK01G8Z12060	M12	60 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	54 g
FBK01G8Z12065	M12	65 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	58.45 g
FBK02G8Z12070	M12	70 mm	1.75 mm	8 mm	6.5 mm	24 mm	62.9 g
FBK01G8Z12070	M12	70 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	62.9 g
FBK02G8Z12080	M12	80 mm	1.75 mm	8 mm	6.5 mm	24 mm	71.8 g
FBK01G8Z12080	M12	80 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	71.8 g
FBK02G8Z12090	M12	90 mm	1.75 mm	8 mm	6.5 mm	24 mm	80.7 g
FBK01G8Z12090	M12	90 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	80.7 g
FBK02G8Z12100	M12	100 mm	1.75 mm	8 mm	6.5 mm	24 mm	89.6 g
FBK01G8Z12100	M12	100 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	89.6 g
FBK02G8Z12110	M12	110 mm	1.75 mm	8 mm	6.5 mm	24 mm	98.5 g
FBK01G8Z12110	M12	110 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	98.5 g
FBK02G8Z12120	M12	120 mm	1.75 mm	8 mm	6.5 mm	24 mm	107.4 g
FBK01G8Z12120	M12	120 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	107.4 g
FBK01G8Z12130	M12	130 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	116.3 g
FBK02G8Z12140	M12	140 mm	1.75 mm	8 mm	6.5 mm	24 mm	125.2 g
FBK01G8Z12140	M12	140 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	125.2 g
FBK01G8Z12150	M12	150 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	134.1 g
FBK01G8Z12160	M12	160 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	143 g
FBK01G8Z12180	M12	180 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	160.8 g
FBK01G8Z12200	M12	200 mm	1.75 mm	8 mm	7.44 mm	26.88 mm	178.6 g
FBK01G8Z14030	M14	30 mm	2 mm	10 mm	8.4 mm	30.8 mm	46.08 g
FBK01G8Z14035	M14	35 mm	2 mm	10 mm	8.4 mm	30.8 mm	51.05 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G8Z14040	M14	40 mm	2 mm	10 mm	8.4 mm	30.8 mm	56.03 g
FBK01G8Z14045	M14	45 mm	2 mm	10 mm	8.4 mm	30.8 mm	61 g
FBK01G8Z14050	M14	50 mm	2 mm	10 mm	8.4 mm	30.8 mm	65.97 g
FBK01G8Z14055	M14	55 mm	2 mm	10 mm	8.4 mm	30.8 mm	70.94 g
FBK01G8Z14060	M14	60 mm	2 mm	10 mm	8.4 mm	30.8 mm	75.92 g
FBK01G8Z16020	M16	20 mm	2 mm	10 mm	8.8 mm	33.6 mm	38.6 g
FBK02G8Z16025	M16	25 mm	2 mm	10 mm	7.5 mm	30 mm	45.2 g
FBK01G8Z16025	M16	25 mm	2 mm	10 mm	8.8 mm	33.6 mm	45.2 g
FBK02G8Z16030	M16	30 mm	2 mm	10 mm	7.5 mm	30 mm	51.8 g
FBK01G8Z16030	M16	30 mm	2 mm	10 mm	8.8 mm	33.6 mm	51.8 g
FBK02G8Z16035	M16	35 mm	2 mm	10 mm	7.5 mm	30 mm	58.4 g
FBK01G8Z16035	M16	35 mm	2 mm	10 mm	8.8 mm	33.6 mm	58.4 g
FBK02G8Z16040	M16	40 mm	2 mm	10 mm	7.5 mm	30 mm	65.1 g
FBK01G8Z16040	M16	40 mm	2 mm	10 mm	8.8 mm	33.6 mm	65.1 g
FBK02G8Z16045	M16	45 mm	2 mm	10 mm	7.5 mm	30 mm	71.75 g
FBK01G8Z16045	M16	45 mm	2 mm	10 mm	8.8 mm	33.6 mm	71.75 g
FBK02G8Z16050	M16	50 mm	2 mm	10 mm	7.5 mm	30 mm	78.4 g
FBK01G8Z16050	M16	50 mm	2 mm	10 mm	8.8 mm	33.6 mm	78.4 g
FBK02G8Z16055	M16	55 mm	2 mm	10 mm	7.5 mm	30 mm	85.05 g
FBK01G8Z16055	M16	55 mm	2 mm	10 mm	8.8 mm	33.6 mm	85.05 g
FBK02G8Z16060	M16	60 mm	2 mm	10 mm	7.5 mm	30 mm	91.7 g
FBK01G8Z16060	M16	60 mm	2 mm	10 mm	8.8 mm	33.6 mm	91.7 g
FBK02G8Z16065	M16	65 mm	2 mm	10 mm	7.5 mm	30 mm	101.35 g
FBK01G8Z16065	M16	65 mm	2 mm	10 mm	8.8 mm	33.6 mm	101.35 g
FBK02G8Z16070	M16	70 mm	2 mm	10 mm	7.5 mm	30 mm	111 g
FBK01G8Z16070	M16	70 mm	2 mm	10 mm	8.8 mm	33.6 mm	111 g
FBK02G8Z16080	M16	80 mm	2 mm	10 mm	7.5 mm	30 mm	127 g
FBK01G8Z16080	M16	80 mm	2 mm	10 mm	8.8 mm	33.6 mm	127 g
FBK02G8Z16090	M16	90 mm	2 mm	10 mm	7.5 mm	30 mm	143 g
FBK01G8Z16090	M16	90 mm	2 mm	10 mm	8.8 mm	33.6 mm	143 g
FBK02G8Z16100	M16	100 mm	2 mm	10 mm	7.5 mm	30 mm	159 g
FBK01G8Z16100	M16	100 mm	2 mm	10 mm	8.8 mm	33.6 mm	159 g
FBK02G8Z16110	M16	110 mm	2 mm	10 mm	7.5 mm	30 mm	175 g
FBK01G8Z16110	M16	110 mm	2 mm	10 mm	8.8 mm	33.6 mm	175 g
FBK02G8Z16120	M16	120 mm	2 mm	10 mm	7.5 mm	30 mm	191 g
FBK01G8Z16120	M16	120 mm	2 mm	10 mm	8.8 mm	33.6 mm	191 g
FBK02G8Z16130	M16	130 mm	2 mm	10 mm	7.5 mm	30 mm	207 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK01G8Z16130	M16	130 mm	2 mm	10 mm	8.8 mm	33.6 mm	207 g
FBK02G8Z16140	M16	140 mm	2 mm	10 mm	7.5 mm	30 mm	223 g
FBK01G8Z16140	M16	140 mm	2 mm	10 mm	8.8 mm	33.6 mm	223 g
FBK02G8Z16150	M16	150 mm	2 mm	10 mm	7.5 mm	30 mm	239 g
FBK01G8Z16150	M16	150 mm	2 mm	10 mm	8.8 mm	33.6 mm	239 g
FBK01G8Z16160	M16	160 mm	2 mm	10 mm	8.8 mm	33.6 mm	255 g
FBK01G8Z16180	M16	180 mm	2 mm	10 mm	8.8 mm	33.6 mm	287 g
FBK01G8Z16200	M16	200 mm	2 mm	10 mm	8.8 mm	33.6 mm	319 g
FBK02G8Z20030	M20	30 mm	2.5 mm	12 mm	8.5 mm	36 mm	80.8 g
FBK02G8Z20035	M20	35 mm	2.5 mm	12 mm	8.5 mm	36 mm	91.4 g
FBK01G8Z20035	M20	35 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	91.4 g
FBK02G8Z20040	M20	40 mm	2.5 mm	12 mm	8.5 mm	36 mm	102 g
FBK01G8Z20040	M20	40 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	102 g
FBK02G8Z20045	M20	45 mm	2.5 mm	12 mm	8.5 mm	36 mm	112.5 g
FBK01G8Z20045	M20	45 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	112.5 g
FBK02G8Z20050	M20	50 mm	2.5 mm	12 mm	8.5 mm	36 mm	123 g
FBK01G8Z20050	M20	50 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	123 g
FBK02G8Z20055	M20	55 mm	2.5 mm	12 mm	8.5 mm	36 mm	133 g
FBK01G8Z20055	M20	55 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	133 g
FBK02G8Z20060	M20	60 mm	2.5 mm	12 mm	8.5 mm	36 mm	143 g
FBK01G8Z20060	M20	60 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	143 g
FBK02G8Z20065	M20	65 mm	2.5 mm	12 mm	8.5 mm	36 mm	153.5 g
FBK01G8Z20065	M20	65 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	153.5 g
FBK02G8Z20070	M20	70 mm	2.5 mm	12 mm	8.5 mm	36 mm	164 g
FBK01G8Z20070	M20	70 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	164 g
FBK02G8Z20075	M20	75 mm	2.5 mm	12 mm	8.5 mm	36 mm	182 g
FBK01G8Z20075	M20	75 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	182 g
FBK02G8Z20080	M20	80 mm	2.5 mm	12 mm	8.5 mm	36 mm	200 g
FBK01G8Z20080	M20	80 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	200 g
FBK02G8Z20090	M20	90 mm	2.5 mm	12 mm	8.5 mm	36 mm	226 g
FBK01G8Z20090	M20	90 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	226 g
FBK02G8Z20100	M20	100 mm	2.5 mm	12 mm	8.5 mm	36 mm	253 g
FBK01G8Z20100	M20	100 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	253 g
FBK02G8Z20110	M20	110 mm	2.5 mm	12 mm	8.5 mm	36 mm	280 g
FBK01G8Z20110	M20	110 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	280 g
FBK02G8Z20120	M20	120 mm	2.5 mm	12 mm	8.5 mm	36 mm	307 g
FBK01G8Z20120	M20	120 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	307 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Head height (k)	Head diameter (dk)	Weight
FBK02G8Z20130	M20	130 mm	2.5 mm	12 mm	8.5 mm	36 mm	334 g
FBK01G8Z20130	M20	130 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	334 g
FBK02G8Z20140	M20	140 mm	2.5 mm	12 mm	8.5 mm	36 mm	361 g
FBK01G8Z20140	M20	140 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	361 g
FBK01G8Z20150	M20	150 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	388 g
FBK01G8Z20160	M20	160 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	415 g
FBK01G8Z20180	M20	180 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	469 g
FBK01G8Z20200	M20	200 mm	2.5 mm	12 mm	10.16 mm	40.32 mm	523 g
FBK02G8Z24040	M24	40 mm	3 mm	–	–	–	149 g
FBK02G8Z24050	M24	50 mm	3 mm	14 mm	14 mm	39 mm	179 g
FBK02G8Z24060	M24	60 mm	3 mm	14 mm	14 mm	39 mm	209 g
FBK02G8Z24070	M24	70 mm	3 mm	14 mm	14 mm	39 mm	239 g
FBK02G8Z24080	M24	80 mm	3 mm	14 mm	14 mm	39 mm	269 g
FBK02G8Z24090	M24	90 mm	3 mm	14 mm	14 mm	39 mm	299 g
FBK02G8Z24100	M24	100 mm	3 mm	14 mm	14 mm	39 mm	340 g
FBK02G8Z24110	M24	110 mm	3 mm	14 mm	14 mm	39 mm	381 g
FBK02G8Z24120	M24	120 mm	3 mm	14 mm	14 mm	39 mm	422 g

Part numbers: 356

STANDARDS & CERTIFICATES

Standards

DIN 7991 – Hex Socket Countersunk Head Screw

ISO 10642 – Hex Socket Countersunk Head Screw

