


Taper Pin DIN 1 - Stainless steel A1, Plain

Taper Pin to DIN 1, in the sizes, grades and finishes listed.



TECHNICAL DATA

General


Standard	DIN 1
----------	-------

Materials & Finish

Property class / grade	A1 stainless
------------------------	--------------

Material	Stainless steel
Surface finish	Plain

DIMENSIONS



Taper Pin DIN 1 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Weight
FPT02A1P01008	Ø1	8 mm	0.0586 g
FPT02A1P01010	Ø1	10 mm	0.0757 g
FPT02A1P01012	Ø1	12 mm	0.096 g
FPT02A1P01014	Ø1	14 mm	0.1151 g
FPT02A1P01016	Ø1	16 mm	0.1363 g
FPT02A1P01018	Ø1	18 mm	0.1576 g
FPT02A1PB5010	Ø1.5	10 mm	0.1616 g
FPT02A1PB5012	Ø1.5	12 mm	0.2081 g
FPT02A1PB5014	Ø1.5	14 mm	0.2424 g
FPT02A1PB5016	Ø1.5	16 mm	0.2979 g
FPT02A1PB5018	Ø1.5	18 mm	0.3429 g



Part number	Size (d)	Length (l)	Weight
FPT02A1PB5020	Ø1.5	20 mm	0.3878 g
FPT02A1PB5022	Ø1.5	22 mm	0.4328 g
FPT02A1PB5024	Ø1.5	24 mm	0.4777 g
FPT02A1PB5026	Ø1.5	26 mm	0.5227 g
FPT02A1P02010	Ø2	10 mm	0.2808 g
FPT02A1P02012	Ø2	12 mm	0.3444 g
FPT02A1P02014	Ø2	14 mm	0.408 g
FPT02A1P02016	Ø2	16 mm	0.4727 g
FPT02A1P02018	Ø2	18 mm	0.5419 g
FPT02A1P02020	Ø2	20 mm	0.611 g
FPT02A1P02022	Ø2	22 mm	0.689 g
FPT02A1P02024	Ø2	24 mm	0.767 g
FPT02A1P02026	Ø2	26 mm	0.845 g
FPT02A1P02028	Ø2	28 mm	0.9229 g
FPT02A1P02030	Ø2	30 mm	1.001 g
FPT02A1P02032	Ø2	32 mm	1.079 g
FPT02A1P02036	Ø2	36 mm	1.235 g
FPT02A1PC5014	Ø2.5	14 mm	0.6262 g
FPT02A1PC5016	Ø2.5	16 mm	0.7191 g
FPT02A1PC5018	Ø2.5	18 mm	0.8211 g
FPT02A1PC5020	Ø2.5	20 mm	0.9231 g
FPT02A1PC5022	Ø2.5	22 mm	1.035 g
FPT02A1PC5024	Ø2.5	24 mm	1.147 g
FPT02A1PC5026	Ø2.5	26 mm	1.26 g
FPT02A1PC5028	Ø2.5	28 mm	1.373 g
FPT02A1PC5030	Ø2.5	30 mm	1.485 g
FPT02A1PC5032	Ø2.5	32 mm	1.612 g
FPT02A1PC5036	Ø2.5	36 mm	1.866 g
FPT02A1P03014	Ø3	14 mm	0.8888 g
FPT02A1P03016	Ø3	16 mm	1.03 g
FPT02A1P03018	Ø3	18 mm	1.167 g
FPT02A1P03020	Ø3	20 mm	1.303 g
FPT02A1P03022	Ø3	22 mm	1.454 g
FPT02A1P03024	Ø3	24 mm	1.606 g
FPT02A1P03026	Ø3	26 mm	1.757 g
FPT02A1P03028	Ø3	28 mm	1.909 g
FPT02A1P03030	Ø3	30 mm	2.06 g



Part number	Size (d)	Length (l)	Weight
FPT02A1P03032	Ø3	32 mm	2.23 g
FPT02A1P03036	Ø3	36 mm	2.569 g
FPT02A1P03040	Ø3	40 mm	2.909 g
FPT02A1P03045	Ø3	45 mm	3.384 g
FPT02A1P03050	Ø3	50 mm	3.868 g
FPT02A1P03060	Ø3	60 mm	4.838 g
FPT02A1P04016	Ø4	16 mm	1.798 g
FPT02A1P04018	Ø4	18 mm	2.025 g
FPT02A1P04020	Ø4	20 mm	2.252 g
FPT02A1P04022	Ø4	22 mm	2.505 g
FPT02A1P04024	Ø4	24 mm	2.757 g
FPT02A1P04025	Ø4	25 mm	2.884 g
FPT02A1P04026	Ø4	26 mm	3.01 g
FPT02A1P04028	Ø4	28 mm	3.262 g
FPT02A1P04030	Ø4	30 mm	3.515 g
FPT02A1P04032	Ø4	32 mm	3.79 g
FPT02A1P04036	Ø4	36 mm	4.339 g
FPT02A1P04040	Ø4	40 mm	4.888 g
FPT02A1P04045	Ø4	45 mm	5.616 g
FPT02A1P04050	Ø4	50 mm	6.373 g
FPT02A1P04055	Ø4	55 mm	7.191 g
FPT02A1P04060	Ø4	60 mm	8.019 g
FPT02A1P05016	Ø5	16 mm	2.761 g
FPT02A1P05020	Ø5	20 mm	3.505 g
FPT02A1P05022	Ø5	22 mm	3.876 g
FPT02A1P05024	Ø5	24 mm	4.248 g
FPT02A1P05026	Ø5	26 mm	4.62 g
FPT02A1P05028	Ø5	28 mm	4.991 g
FPT02A1P05030	Ø5	30 mm	5.363 g
FPT02A1P05032	Ø5	32 mm	5.765 g
FPT02A1P05036	Ø5	36 mm	6.569 g
FPT02A1P05040	Ø5	40 mm	7.373 g
FPT02A1P05045	Ø5	45 mm	8.434 g
FPT02A1P05050	Ø5	50 mm	9.544 g
FPT02A1P05055	Ø5	55 mm	10.706 g
FPT02A1P05060	Ø5	60 mm	11.918 g
FPT02A1P05070	Ø5	70 mm	14.342 g



Part number	Size (d)	Length (l)	Weight
FPT02A1P06020	Ø6	20 mm	5.272 g
FPT02A1P06024	Ø6	24 mm	6.298 g
FPT02A1P06025	Ø6	25 mm	6.555 g
FPT02A1P06026	Ø6	26 mm	6.811 g
FPT02A1P06028	Ø6	28 mm	7.325 g
FPT02A1P06030	Ø6	30 mm	7.838 g
FPT02A1P06032	Ø6	32 mm	8.351 g
FPT02A1P06036	Ø6	36 mm	9.377 g
FPT02A1P06040	Ø6	40 mm	10.403 g
FPT02A1P06045	Ø6	45 mm	11.817 g
FPT02A1P06050	Ø6	50 mm	13.534 g
FPT02A1P06055	Ø6	55 mm	14.847 g
FPT02A1P06060	Ø6	60 mm	16.463 g
FPT02A1P06070	Ø6	70 mm	19.897 g
FPT02A1P06080	Ø6	80 mm	24.543 g
FPT02A1P06100	Ø6	100 mm	32.926 g
FPT02A1P08028	Ø8	28 mm	12.282 g
FPT02A1P08030	Ø8	30 mm	13.231 g
FPT02A1P08032	Ø8	32 mm	14.18 g
FPT02A1P08036	Ø8	36 mm	16.079 g
FPT02A1P08040	Ø8	40 mm	17.978 g
FPT02A1P08045	Ø8	45 mm	20.402 g
FPT02A1P08050	Ø8	50 mm	22.927 g
FPT02A1P08055	Ø8	55 mm	25.553 g
FPT02A1P08060	Ø8	60 mm	28.078 g
FPT02A1P08070	Ø8	70 mm	33.532 g
FPT02A1P08080	Ø8	80 mm	39.188 g
FPT02A1P08090	Ø8	90 mm	44.945 g
FPT02A1P08100	Ø8	100 mm	51.005 g
FPT02A1P08120	Ø8	120 mm	64.135 g
FPT02A1P10030	Ø10	30 mm	20.604 g
FPT02A1P10032	Ø10	32 mm	22.058 g
FPT02A1P10036	Ø10	36 mm	24.967 g
FPT02A1P10040	Ø10	40 mm	27.876 g
FPT02A1P10045	Ø10	45 mm	31.512 g
FPT02A1P10050	Ø10	50 mm	35.249 g
FPT02A1P10055	Ø10	55 mm	39.188 g



Part number	Size (d)	Length (l)	Weight
FPT02A1P10060	Ø10	60 mm	42.925 g
FPT02A1P10070	Ø10	70 mm	50.904 g
FPT02A1P10080	Ø10	80 mm	59.085 g
FPT02A1P10090	Ø10	90 mm	67.67 g
FPT02A1P10100	Ø10	100 mm	76.457 g

Part numbers: 127

STANDARDS & CERTIFICATES

Standards

DIN 1 – Taper Pin

