


Slotted Spring Pin Heavy Duty DIN 1481 / ISO 8752 - Steel Heavy duty, Plain

Slotted Spring Pin Heavy Duty to DIN 1481 / ISO 8752, in the sizes, grades and finishes listed.



TECHNICAL DATA

General



Standard	DIN 1481 / ISO 8752
----------	---------------------

Materials & Finish

Property class / grade	Heavy duty
------------------------	------------

Material	Steel
Surface finish	Plain

DIMENSIONS



d	Nominal diameter
l	Length
s	Wall thickness
d1	Outer diameter before fitting

Slotted Spring Pin Heavy Duty DIN 1481 / ISO 8752 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP01004	Ø1	4 mm	0.2 mm	0.8 mm	0.015 g
FPS01HYP01005	Ø1	5 mm	0.2 mm	0.8 mm	0.019 g
FPS01HYP01006	Ø1	6 mm	0.2 mm	0.8 mm	0.023 g
FPS01HYP01008	Ø1	8 mm	0.2 mm	0.8 mm	0.031 g
FPS01HYP01010	Ø1	10 mm	0.2 mm	0.8 mm	0.038 g
FPS01HYP01012	Ø1	12 mm	0.2 mm	0.8 mm	0.045 g
FPS01HYP01014	Ø1	14 mm	0.2 mm	0.8 mm	0.052 g
FPS01HYP01016	Ø1	16 mm	0.2 mm	0.8 mm	0.059 g
FPS01HYP01018	Ø1	18 mm	0.2 mm	0.8 mm	0.067 g
FPS01HYP01020	Ø1	20 mm	0.2 mm	0.8 mm	0.076 g
FPS01HYPB5004	Ø1.5	4 mm	0.3 mm	1.1 mm	0.034 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYPB5005	Ø1.5	5 mm	0.3 mm	1.1 mm	0.043 g
FPS01HYPB5006	Ø1.5	6 mm	0.3 mm	1.1 mm	0.051 g
FPS01HYPB5008	Ø1.5	8 mm	0.3 mm	1.1 mm	0.068 g
FPS01HYPB5010	Ø1.5	10 mm	0.3 mm	1.1 mm	0.085 g
FPS01HYPB5012	Ø1.5	12 mm	0.3 mm	1.1 mm	0.103 g
FPS01HYPB5014	Ø1.5	14 mm	0.3 mm	1.1 mm	0.12 g
FPS01HYPB5016	Ø1.5	16 mm	0.3 mm	1.1 mm	0.137 g
FPS01HYPB5018	Ø1.5	18 mm	0.3 mm	1.1 mm	0.154 g
FPS01HYPB5020	Ø1.5	20 mm	0.3 mm	1.1 mm	0.171 g
FPS01HYP02004	Ø2	4 mm	0.4 mm	1.5 mm	0.061 g
FPS01HYP02005	Ø2	5 mm	0.4 mm	1.5 mm	0.077 g
FPS01HYP02006	Ø2	6 mm	0.4 mm	1.5 mm	0.092 g
FPS01HYP02008	Ø2	8 mm	0.4 mm	1.5 mm	0.122 g
FPS01HYP02010	Ø2	10 mm	0.4 mm	1.5 mm	0.153 g
FPS01HYP02012	Ø2	12 mm	0.4 mm	1.5 mm	0.184 g
FPS01HYP02014	Ø2	14 mm	0.4 mm	1.5 mm	0.214 g
FPS01HYP02016	Ø2	16 mm	0.4 mm	1.5 mm	0.244 g
FPS01HYP02018	Ø2	18 mm	0.4 mm	1.5 mm	0.275 g
FPS01HYP02020	Ø2	20 mm	0.4 mm	1.5 mm	0.305 g
FPS01HYP02022	Ø2	22 mm	0.4 mm	1.5 mm	0.336 g
FPS01HYP02024	Ø2	24 mm	0.4 mm	1.5 mm	0.367 g
FPS01HYP02026	Ø2	26 mm	0.4 mm	1.5 mm	0.397 g
FPS01HYP02028	Ø2	28 mm	0.4 mm	1.5 mm	0.427 g
FPS01HYP02030	Ø2	30 mm	0.4 mm	1.5 mm	0.458 g
FPS01HYPC5004	Ø2.5	4 mm	0.5 mm	1.8 mm	0.095 g
FPS01HYPC5005	Ø2.5	5 mm	0.5 mm	1.8 mm	0.118 g
FPS01HYPC5006	Ø2.5	6 mm	0.5 mm	1.8 mm	0.142 g
FPS01HYPC5008	Ø2.5	8 mm	0.5 mm	1.8 mm	0.189 g
FPS01HYPC5010	Ø2.5	10 mm	0.5 mm	1.8 mm	0.236 g
FPS01HYPC5012	Ø2.5	12 mm	0.5 mm	1.8 mm	0.283 g
FPS01HYPC5014	Ø2.5	14 mm	0.5 mm	1.8 mm	0.33 g
FPS01HYPC5016	Ø2.5	16 mm	0.5 mm	1.8 mm	0.377 g
FPS01HYPC5018	Ø2.5	18 mm	0.5 mm	1.8 mm	0.424 g
FPS01HYPC5020	Ø2.5	20 mm	0.5 mm	1.8 mm	0.471 g
FPS01HYPC5022	Ø2.5	22 mm	0.5 mm	1.8 mm	0.519 g
FPS01HYPC5024	Ø2.5	24 mm	0.5 mm	1.8 mm	0.565 g
FPS01HYPC5026	Ø2.5	26 mm	0.5 mm	1.8 mm	0.613 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYPC5028	Ø2.5	28 mm	0.5 mm	1.8 mm	0.66 g
FPS01HYPC5030	Ø2.5	30 mm	0.5 mm	1.8 mm	0.707 g
FPS01HYP03004	Ø3	4 mm	0.6 mm	2.1 mm	0.136 g
FPS01HYP03005	Ø3	5 mm	0.6 mm	2.1 mm	0.17 g
FPS01HYP03006	Ø3	6 mm	0.6 mm	2.1 mm	0.204 g
FPS01HYP03008	Ø3	8 mm	0.6 mm	2.1 mm	0.272 g
FPS01HYP03010	Ø3	10 mm	0.6 mm	2.1 mm	0.34 g
FPS01HYP03012	Ø3	12 mm	0.6 mm	2.1 mm	0.407 g
FPS01HYP03014	Ø3	14 mm	0.6 mm	2.1 mm	0.475 g
FPS01HYP03016	Ø3	16 mm	0.6 mm	2.1 mm	0.543 g
FPS01HYP03018	Ø3	18 mm	0.6 mm	2.1 mm	0.611 g
FPS01HYP03020	Ø3	20 mm	0.6 mm	2.1 mm	0.679 g
FPS01HYP03022	Ø3	22 mm	0.6 mm	2.1 mm	0.746 g
FPS01HYP03024	Ø3	24 mm	0.6 mm	2.1 mm	0.814 g
FPS01HYP03025	Ø3	25 mm	0.6 mm	2.1 mm	0.848 g
FPS01HYP03026	Ø3	26 mm	0.6 mm	2.1 mm	0.882 g
FPS01HYP03028	Ø3	28 mm	0.6 mm	2.1 mm	0.95 g
FPS01HYP03030	Ø3	30 mm	0.6 mm	2.1 mm	1.02 g
FPS01HYP03032	Ø3	32 mm	0.6 mm	2.1 mm	1.09 g
FPS01HYP03036	Ø3	36 mm	0.6 mm	2.1 mm	1.22 g
FPS01HYP03040	Ø3	40 mm	0.6 mm	2.1 mm	1.36 g
FPS01HYP03045	Ø3	45 mm	0.6 mm	2.1 mm	1.535 g
FPS01HYP03050	Ø3	50 mm	0.6 mm	2.1 mm	1.71 g
FPS01HYPD5004	Ø3.5	4 mm	0.75 mm	2.3 mm	0.197 g
FPS01HYPD5005	Ø3.5	5 mm	0.75 mm	2.3 mm	0.246 g
FPS01HYPD5006	Ø3.5	6 mm	0.75 mm	2.3 mm	0.296 g
FPS01HYPD5008	Ø3.5	8 mm	0.75 mm	2.3 mm	0.394 g
FPS01HYPD5010	Ø3.5	10 mm	0.75 mm	2.3 mm	0.493 g
FPS01HYPD5012	Ø3.5	12 mm	0.75 mm	2.3 mm	0.591 g
FPS01HYPD5014	Ø3.5	14 mm	0.75 mm	2.3 mm	0.689 g
FPS01HYPD5016	Ø3.5	16 mm	0.75 mm	2.3 mm	0.788 g
FPS01HYPD5018	Ø3.5	18 mm	0.75 mm	2.3 mm	0.886 g
FPS01HYPD5020	Ø3.5	20 mm	0.75 mm	2.3 mm	0.985 g
FPS01HYPD5022	Ø3.5	22 mm	0.75 mm	2.3 mm	1.08 g
FPS01HYPD5024	Ø3.5	24 mm	0.75 mm	2.3 mm	1.18 g
FPS01HYPD5026	Ø3.5	26 mm	0.75 mm	2.3 mm	1.28 g
FPS01HYPD5028	Ø3.5	28 mm	0.75 mm	2.3 mm	1.38 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYPD5030	Ø3.5	30 mm	0.75 mm	2.3 mm	1.48 g
FPS01HYPD5032	Ø3.5	32 mm	0.75 mm	2.3 mm	1.58 g
FPS01HYPD5036	Ø3.5	36 mm	0.75 mm	2.3 mm	1.77 g
FPS01HYPD5040	Ø3.5	40 mm	0.75 mm	2.3 mm	1.97 g
FPS01HYP04004	Ø4	4 mm	0.8 mm	2.8 mm	0.239 g
FPS01HYP04005	Ø4	5 mm	0.8 mm	2.8 mm	0.299 g
FPS01HYP04006	Ø4	6 mm	0.8 mm	2.8 mm	0.358 g
FPS01HYP04008	Ø4	8 mm	0.8 mm	2.8 mm	0.478 g
FPS01HYP04010	Ø4	10 mm	0.8 mm	2.8 mm	0.597 g
FPS01HYP04012	Ø4	12 mm	0.8 mm	2.8 mm	0.716 g
FPS01HYP04014	Ø4	14 mm	0.8 mm	2.8 mm	0.836 g
FPS01HYP04016	Ø4	16 mm	0.8 mm	2.8 mm	0.955 g
FPS01HYP04018	Ø4	18 mm	0.8 mm	2.8 mm	1.07 g
FPS01HYP04020	Ø4	20 mm	0.8 mm	2.8 mm	1.19 g
FPS01HYP04022	Ø4	22 mm	0.8 mm	2.8 mm	1.31 g
FPS01HYP04024	Ø4	24 mm	0.8 mm	2.8 mm	1.43 g
FPS01HYP04026	Ø4	26 mm	0.8 mm	2.8 mm	1.55 g
FPS01HYP04028	Ø4	28 mm	0.8 mm	2.8 mm	1.67 g
FPS01HYP04030	Ø4	30 mm	0.8 mm	2.8 mm	1.79 g
FPS01HYP04032	Ø4	32 mm	0.8 mm	2.8 mm	1.91 g
FPS01HYP04036	Ø4	36 mm	0.8 mm	2.8 mm	2.18 g
FPS01HYP04040	Ø4	40 mm	0.8 mm	2.8 mm	2.39 g
FPS01HYP04045	Ø4	45 mm	0.8 mm	2.8 mm	2.68 g
FPS01HYP04050	Ø4	50 mm	0.8 mm	2.8 mm	2.98 g
FPS01HYP04055	Ø4	55 mm	0.8 mm	2.8 mm	3.28 g
FPS01HYP04060	Ø4	60 mm	0.8 mm	2.8 mm	3.58 g
FPS01HYPE5005	Ø4.5	5 mm	1 mm	2.9 mm	0.397 g
FPS01HYPE5006	Ø4.5	6 mm	1 mm	2.9 mm	0.476 g
FPS01HYPE5008	Ø4.5	8 mm	1 mm	2.9 mm	0.635 g
FPS01HYPE5010	Ø4.5	10 mm	1 mm	2.9 mm	0.793 g
FPS01HYPE5012	Ø4.5	12 mm	1 mm	2.9 mm	0.952 g
FPS01HYPE5014	Ø4.5	14 mm	1 mm	2.9 mm	1.11 g
FPS01HYPE5016	Ø4.5	16 mm	1 mm	2.9 mm	1.27 g
FPS01HYPE5018	Ø4.5	18 mm	1 mm	2.9 mm	1.43 g
FPS01HYPE5020	Ø4.5	20 mm	1 mm	2.9 mm	1.59 g
FPS01HYPE5022	Ø4.5	22 mm	1 mm	2.9 mm	1.75 g
FPS01HYPE5024	Ø4.5	24 mm	1 mm	2.9 mm	1.9 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYPE5026	Ø4.5	26 mm	1 mm	2.9 mm	2.06 g
FPS01HYPE5028	Ø4.5	28 mm	1 mm	2.9 mm	2.22 g
FPS01HYPE5030	Ø4.5	30 mm	1 mm	2.9 mm	2.38 g
FPS01HYPE5032	Ø4.5	32 mm	1 mm	2.9 mm	2.54 g
FPS01HYPE5036	Ø4.5	36 mm	1 mm	2.9 mm	2.86 g
FPS01HYPE5040	Ø4.5	40 mm	1 mm	2.9 mm	3.17 g
FPS01HYPE5045	Ø4.5	45 mm	1 mm	2.9 mm	3.57 g
FPS01HYPE5050	Ø4.5	50 mm	1 mm	2.9 mm	3.96 g
FPS01HYP05006	Ø5	6 mm	1 mm	3.4 mm	0.566 g
FPS01HYP05008	Ø5	8 mm	1 mm	3.4 mm	0.754 g
FPS01HYP05010	Ø5	10 mm	1 mm	3.4 mm	0.942 g
FPS01HYP05012	Ø5	12 mm	1 mm	3.4 mm	1.13 g
FPS01HYP05014	Ø5	14 mm	1 mm	3.4 mm	1.32 g
FPS01HYP05016	Ø5	16 mm	1 mm	3.4 mm	1.51 g
FPS01HYP05018	Ø5	18 mm	1 mm	3.4 mm	1.7 g
FPS01HYP05020	Ø5	20 mm	1 mm	3.4 mm	1.88 g
FPS01HYP05022	Ø5	22 mm	1 mm	3.4 mm	2.07 g
FPS01HYP05024	Ø5	24 mm	1 mm	3.4 mm	2.26 g
FPS01HYP05026	Ø5	26 mm	1 mm	3.4 mm	2.45 g
FPS01HYP05028	Ø5	28 mm	1 mm	3.4 mm	2.64 g
FPS01HYP05030	Ø5	30 mm	1 mm	3.4 mm	2.83 g
FPS01HYP05032	Ø5	32 mm	1 mm	3.4 mm	3.02 g
FPS01HYP05036	Ø5	36 mm	1 mm	3.4 mm	3.39 g
FPS01HYP05040	Ø5	40 mm	1 mm	3.4 mm	3.77 g
FPS01HYP05045	Ø5	45 mm	1 mm	3.4 mm	4.24 g
FPS01HYP05050	Ø5	50 mm	1 mm	3.4 mm	4.71 g
FPS01HYP05055	Ø5	55 mm	1 mm	3.4 mm	5.18 g
FPS01HYP05060	Ø5	60 mm	1 mm	3.4 mm	5.65 g
FPS01HYP05065	Ø5	65 mm	1 mm	3.4 mm	6.12 g
FPS01HYP05070	Ø5	70 mm	1 mm	3.4 mm	6.59 g
FPS01HYP05075	Ø5	75 mm	1 mm	3.4 mm	7.06 g
FPS01HYP05080	Ø5	80 mm	1 mm	3.4 mm	7.54 g
FPS01HYP06010	Ø6	10 mm	1.25 mm	4 mm	1.38 g
FPS01HYP06012	Ø6	12 mm	1.25 mm	4 mm	1.66 g
FPS01HYP06014	Ø6	14 mm	1.25 mm	4 mm	1.94 g
FPS01HYP06016	Ø6	16 mm	1.25 mm	4 mm	2.21 g
FPS01HYP06018	Ø6	18 mm	1.25 mm	4 mm	2.49 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP06020	Ø6	20 mm	1.25 mm	4 mm	2.77 g
FPS01HYP06022	Ø6	22 mm	1.25 mm	4 mm	3.04 g
FPS01HYP06024	Ø6	24 mm	1.25 mm	4 mm	3.32 g
FPS01HYP06026	Ø6	26 mm	1.25 mm	4 mm	3.6 g
FPS01HYP06028	Ø6	28 mm	1.25 mm	4 mm	3.87 g
FPS01HYP06030	Ø6	30 mm	1.25 mm	4 mm	4.15 g
FPS01HYP06032	Ø6	32 mm	1.25 mm	4 mm	4.43 g
FPS01HYP06036	Ø6	36 mm	1.25 mm	4 mm	4.98 g
FPS01HYP06040	Ø6	40 mm	1.25 mm	4 mm	5.54 g
FPS01HYP06045	Ø6	45 mm	1.25 mm	4 mm	6.23 g
FPS01HYP06050	Ø6	50 mm	1.25 mm	4 mm	6.92 g
FPS01HYP06055	Ø6	55 mm	1.25 mm	4 mm	7.61 g
FPS01HYP06060	Ø6	60 mm	1.25 mm	4 mm	8.3 g
FPS01HYP06065	Ø6	65 mm	1.25 mm	4 mm	8.99 g
FPS01HYP06070	Ø6	70 mm	1.25 mm	4 mm	9.69 g
FPS01HYP06075	Ø6	75 mm	1.25 mm	4 mm	10.4 g
FPS01HYP06080	Ø6	80 mm	1.25 mm	4 mm	11.1 g
FPS01HYP06085	Ø6	85 mm	1.25 mm	4 mm	11.8 g
FPS01HYP06090	Ø6	90 mm	1.25 mm	4 mm	12.5 g
FPS01HYP06095	Ø6	95 mm	1.25 mm	4 mm	13.1 g
FPS01HYP06100	Ø6	100 mm	1.25 mm	4 mm	13.8 g
FPS01HYP07010	Ø7	10 mm	–	–	–
FPS01HYP07012	Ø7	12 mm	–	–	–
FPS01HYP07014	Ø7	14 mm	–	–	–
FPS01HYP07016	Ø7	16 mm	–	–	–
FPS01HYP07020	Ø7	20 mm	–	–	–
FPS01HYP07024	Ø7	24 mm	–	–	–
FPS01HYP07030	Ø7	30 mm	–	–	–
FPS01HYP07032	Ø7	32 mm	–	–	–
FPS01HYP07036	Ø7	36 mm	–	–	–
FPS01HYP07040	Ø7	40 mm	–	–	–
FPS01HYP07045	Ø7	45 mm	–	–	–
FPS01HYP07050	Ø7	50 mm	–	–	–
FPS01HYP07055	Ø7	55 mm	–	–	–
FPS01HYP07060	Ø7	60 mm	–	–	–
FPS01HYP07065	Ø7	65 mm	–	–	–
FPS01HYP07070	Ø7	70 mm	–	–	–



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP07075	Ø7	75 mm	–	–	–
FPS01HYP07080	Ø7	80 mm	–	–	–
FPS01HYP07090	Ø7	90 mm	–	–	–
FPS01HYP07100	Ø7	100 mm	–	–	–
FPS01HYP08010	Ø8	10 mm	1.5 mm	5.5 mm	2.24 g
FPS01HYP08012	Ø8	12 mm	1.5 mm	5.5 mm	2.66 g
FPS01HYP08014	Ø8	14 mm	1.5 mm	5.5 mm	3.13 g
FPS01HYP08016	Ø8	16 mm	1.5 mm	5.5 mm	3.58 g
FPS01HYP08018	Ø8	18 mm	1.5 mm	5.5 mm	4.03 g
FPS01HYP08020	Ø8	20 mm	1.5 mm	5.5 mm	4.48 g
FPS01HYP08022	Ø8	22 mm	1.5 mm	5.5 mm	4.92 g
FPS01HYP08024	Ø8	24 mm	1.5 mm	5.5 mm	5.37 g
FPS01HYP08026	Ø8	26 mm	1.5 mm	5.5 mm	5.82 g
FPS01HYP08028	Ø8	28 mm	1.5 mm	5.5 mm	6.26 g
FPS01HYP08030	Ø8	30 mm	1.5 mm	5.5 mm	6.71 g
FPS01HYP08032	Ø8	32 mm	1.5 mm	5.5 mm	7.16 g
FPS01HYP08036	Ø8	36 mm	1.5 mm	5.5 mm	8.06 g
FPS01HYP08040	Ø8	40 mm	1.5 mm	5.5 mm	8.95 g
FPS01HYP08045	Ø8	45 mm	1.5 mm	5.5 mm	10.1 g
FPS01HYP08050	Ø8	50 mm	1.5 mm	5.5 mm	11.2 g
FPS01HYP08055	Ø8	55 mm	1.5 mm	5.5 mm	12.3 g
FPS01HYP08060	Ø8	60 mm	1.5 mm	5.5 mm	13.4 g
FPS01HYP08065	Ø8	65 mm	1.5 mm	5.5 mm	14.5 g
FPS01HYP08070	Ø8	70 mm	1.5 mm	5.5 mm	15.7 g
FPS01HYP08075	Ø8	75 mm	1.5 mm	5.5 mm	16.8 g
FPS01HYP08080	Ø8	80 mm	1.5 mm	5.5 mm	18 g
FPS01HYP08085	Ø8	85 mm	1.5 mm	5.5 mm	19 g
FPS01HYP08090	Ø8	90 mm	1.5 mm	5.5 mm	20.1 g
FPS01HYP08095	Ø8	95 mm	1.5 mm	5.5 mm	21.3 g
FPS01HYP08100	Ø8	100 mm	1.5 mm	5.5 mm	22.4 g
FPS01HYP08110	Ø8	110 mm	1.5 mm	5.5 mm	24.6 g
FPS01HYP08120	Ø8	120 mm	1.5 mm	5.5 mm	26.8 g
FPS01HYP08140	Ø8	140 mm	1.5 mm	5.5 mm	31.2 g
FPS01HYP09040	Ø9	40 mm	–	–	–
FPS01HYP09050	Ø9	50 mm	–	–	–
FPS01HYP09060	Ø9	60 mm	–	–	–
FPS01HYP09070	Ø9	70 mm	–	–	–



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP09080	Ø9	80 mm	–	–	–
FPS01HYP09090	Ø9	90 mm	–	–	–
FPS01HYP10010	Ø10	10 mm	2 mm	6.5 mm	3.69 g
FPS01HYP10012	Ø10	12 mm	2 mm	6.5 mm	4.43 g
FPS01HYP10014	Ø10	14 mm	2 mm	6.5 mm	5.17 g
FPS01HYP10016	Ø10	16 mm	2 mm	6.5 mm	5.9 g
FPS01HYP10018	Ø10	18 mm	2 mm	6.5 mm	6.64 g
FPS01HYP10020	Ø10	20 mm	2 mm	6.5 mm	7.38 g
FPS01HYP10022	Ø10	22 mm	2 mm	6.5 mm	8.12 g
FPS01HYP10024	Ø10	24 mm	2 mm	6.5 mm	8.86 g
FPS01HYP10026	Ø10	26 mm	2 mm	6.5 mm	9.59 g
FPS01HYP10028	Ø10	28 mm	2 mm	6.5 mm	10.3 g
FPS01HYP10030	Ø10	30 mm	2 mm	6.5 mm	11.1 g
FPS01HYP10032	Ø10	32 mm	2 mm	6.5 mm	11.8 g
FPS01HYP10036	Ø10	36 mm	2 mm	6.5 mm	13.3 g
FPS01HYP10040	Ø10	40 mm	2 mm	6.5 mm	14.8 g
FPS01HYP10045	Ø10	45 mm	2 mm	6.5 mm	16.6 g
FPS01HYP10050	Ø10	50 mm	2 mm	6.5 mm	18.4 g
FPS01HYP10055	Ø10	55 mm	2 mm	6.5 mm	20.3 g
FPS01HYP10060	Ø10	60 mm	2 mm	6.5 mm	22.1 g
FPS01HYP10065	Ø10	65 mm	2 mm	6.5 mm	24 g
FPS01HYP10070	Ø10	70 mm	2 mm	6.5 mm	25.8 g
FPS01HYP10075	Ø10	75 mm	2 mm	6.5 mm	27.7 g
FPS01HYP10080	Ø10	80 mm	2 mm	6.5 mm	29.5 g
FPS01HYP10085	Ø10	85 mm	2 mm	6.5 mm	31.4 g
FPS01HYP10090	Ø10	90 mm	2 mm	6.5 mm	33.2 g
FPS01HYP10095	Ø10	95 mm	2 mm	6.5 mm	35 g
FPS01HYP10100	Ø10	100 mm	2 mm	6.5 mm	36.9 g
FPS01HYP10110	Ø10	110 mm	2 mm	6.5 mm	40.6 g
FPS01HYP10120	Ø10	120 mm	2 mm	6.5 mm	44.3 g
FPS01HYP10140	Ø10	140 mm	2 mm	6.5 mm	51.7 g
FPS01HYP10160	Ø10	160 mm	2 mm	6.5 mm	59 g
FPS01HYP12010	Ø12	10 mm	2.5 mm	7.5 mm	5.55 g
FPS01HYP12012	Ø12	12 mm	2.5 mm	7.5 mm	6.66 g
FPS01HYP12014	Ø12	14 mm	2.5 mm	7.5 mm	7.78 g
FPS01HYP12016	Ø12	16 mm	2.5 mm	7.5 mm	8.89 g
FPS01HYP12018	Ø12	18 mm	2.5 mm	7.5 mm	10 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP12020	Ø12	20 mm	2.5 mm	7.5 mm	11.1 g
FPS01HYP12022	Ø12	22 mm	2.5 mm	7.5 mm	12.2 g
FPS01HYP12024	Ø12	24 mm	2.5 mm	7.5 mm	13.3 g
FPS01HYP12026	Ø12	26 mm	2.5 mm	7.5 mm	14.4 g
FPS01HYP12028	Ø12	28 mm	2.5 mm	7.5 mm	15.6 g
FPS01HYP12030	Ø12	30 mm	2.5 mm	7.5 mm	16.7 g
FPS01HYP12032	Ø12	32 mm	2.5 mm	7.5 mm	17.8 g
FPS01HYP12036	Ø12	36 mm	2.5 mm	7.5 mm	20 g
FPS01HYP12040	Ø12	40 mm	2.5 mm	7.5 mm	22.2 g
FPS01HYP12045	Ø12	45 mm	2.5 mm	7.5 mm	25 g
FPS01HYP12050	Ø12	50 mm	2.5 mm	7.5 mm	27.8 g
FPS01HYP12055	Ø12	55 mm	2.5 mm	7.5 mm	30.5 g
FPS01HYP12060	Ø12	60 mm	2.5 mm	7.5 mm	33.3 g
FPS01HYP12065	Ø12	65 mm	2.5 mm	7.5 mm	36.1 g
FPS01HYP12070	Ø12	70 mm	2.5 mm	7.5 mm	38.9 g
FPS01HYP12075	Ø12	75 mm	2.5 mm	7.5 mm	41.7 g
FPS01HYP12080	Ø12	80 mm	2.5 mm	7.5 mm	44.4 g
FPS01HYP12085	Ø12	85 mm	2.5 mm	7.5 mm	47.2 g
FPS01HYP12090	Ø12	90 mm	2.5 mm	7.5 mm	50 g
FPS01HYP12095	Ø12	95 mm	2.5 mm	7.5 mm	52.8 g
FPS01HYP12100	Ø12	100 mm	2.5 mm	7.5 mm	55.5 g
FPS01HYP12110	Ø12	110 mm	2.5 mm	7.5 mm	61.05 g
FPS01HYP12120	Ø12	120 mm	2.5 mm	7.5 mm	66.6 g
FPS01HYP12130	Ø12	130 mm	2.5 mm	7.5 mm	72.2 g
FPS01HYP12140	Ø12	140 mm	2.5 mm	7.5 mm	77.8 g
FPS01HYP12160	Ø12	160 mm	2.5 mm	7.5 mm	88.9 g
FPS01HYP12180	Ø12	180 mm	2.5 mm	7.5 mm	100 g
FPS01HYP13020	Ø13	20 mm	2.5 mm	8.5 mm	12.34 g
FPS01HYP13024	Ø13	24 mm	2.5 mm	8.5 mm	14.81 g
FPS01HYP13026	Ø13	26 mm	2.5 mm	8.5 mm	16.04 g
FPS01HYP13028	Ø13	28 mm	2.5 mm	8.5 mm	17.28 g
FPS01HYP13030	Ø13	30 mm	2.5 mm	8.5 mm	18.51 g
FPS01HYP13032	Ø13	32 mm	2.5 mm	8.5 mm	19.74 g
FPS01HYP13036	Ø13	36 mm	2.5 mm	8.5 mm	22.21 g
FPS01HYP13040	Ø13	40 mm	2.5 mm	8.5 mm	24.68 g
FPS01HYP13045	Ø13	45 mm	2.5 mm	8.5 mm	27.76 g
FPS01HYP13050	Ø13	50 mm	2.5 mm	8.5 mm	30.85 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP13055	Ø13	55 mm	2.5 mm	8.5 mm	33.93 g
FPS01HYP13060	Ø13	60 mm	2.5 mm	8.5 mm	37.02 g
FPS01HYP13065	Ø13	65 mm	2.5 mm	8.5 mm	40.1 g
FPS01HYP13070	Ø13	70 mm	2.5 mm	8.5 mm	43.19 g
FPS01HYP13075	Ø13	75 mm	2.5 mm	8.5 mm	46.27 g
FPS01HYP13080	Ø13	80 mm	2.5 mm	8.5 mm	49.36 g
FPS01HYP13085	Ø13	85 mm	2.5 mm	8.5 mm	52.44 g
FPS01HYP13090	Ø13	90 mm	2.5 mm	8.5 mm	55.53 g
FPS01HYP13095	Ø13	95 mm	2.5 mm	8.5 mm	58.61 g
FPS01HYP13100	Ø13	100 mm	2.5 mm	8.5 mm	61.7 g
FPS01HYP13120	Ø13	120 mm	2.5 mm	8.5 mm	74.04 g
FPS01HYP13130	Ø13	130 mm	2.5 mm	8.5 mm	80.21 g
FPS01HYP13140	Ø13	140 mm	2.5 mm	8.5 mm	86.38 g
FPS01HYP13160	Ø13	160 mm	2.5 mm	8.5 mm	98.72 g
FPS01HYP13180	Ø13	180 mm	2.5 mm	8.5 mm	111.1 g
FPS01HYP14012	Ø14	12 mm	3 mm	8.5 mm	9.35 g
FPS01HYP14018	Ø14	18 mm	3 mm	8.5 mm	14 g
FPS01HYP14020	Ø14	20 mm	3 mm	8.5 mm	15.6 g
FPS01HYP14024	Ø14	24 mm	3 mm	8.5 mm	18.7 g
FPS01HYP14028	Ø14	28 mm	3 mm	8.5 mm	21.8 g
FPS01HYP14030	Ø14	30 mm	3 mm	8.5 mm	23.4 g
FPS01HYP14032	Ø14	32 mm	3 mm	8.5 mm	24.9 g
FPS01HYP14036	Ø14	36 mm	3 mm	8.5 mm	28.1 g
FPS01HYP14040	Ø14	40 mm	3 mm	8.5 mm	31.2 g
FPS01HYP14045	Ø14	45 mm	3 mm	8.5 mm	35.1 g
FPS01HYP14050	Ø14	50 mm	3 mm	8.5 mm	39 g
FPS01HYP14055	Ø14	55 mm	3 mm	8.5 mm	42.9 g
FPS01HYP14060	Ø14	60 mm	3 mm	8.5 mm	46.8 g
FPS01HYP14065	Ø14	65 mm	3 mm	8.5 mm	50.1 g
FPS01HYP14070	Ø14	70 mm	3 mm	8.5 mm	54.6 g
FPS01HYP14075	Ø14	75 mm	3 mm	8.5 mm	58.5 g
FPS01HYP14080	Ø14	80 mm	3 mm	8.5 mm	62.4 g
FPS01HYP14085	Ø14	85 mm	3 mm	8.5 mm	66.3 g
FPS01HYP14090	Ø14	90 mm	3 mm	8.5 mm	70.2 g
FPS01HYP14100	Ø14	100 mm	3 mm	8.5 mm	77.9 g
FPS01HYP14120	Ø14	120 mm	3 mm	8.5 mm	93.5 g
FPS01HYP14130	Ø14	130 mm	3 mm	8.5 mm	101.25 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP14140	Ø14	140 mm	3 mm	8.5 mm	109 g
FPS01HYP14160	Ø14	160 mm	3 mm	8.5 mm	125 g
FPS01HYP14200	Ø14	200 mm	3 mm	8.5 mm	155 g
FPS01HYP16010	Ø16	10 mm	3 mm	10.5 mm	9.19 g
FPS01HYP16016	Ø16	16 mm	3 mm	10.5 mm	14.7 g
FPS01HYP16018	Ø16	18 mm	3 mm	10.5 mm	16.5 g
FPS01HYP16020	Ø16	20 mm	3 mm	10.5 mm	18.4 g
FPS01HYP16022	Ø16	22 mm	3 mm	10.5 mm	20.2 g
FPS01HYP16024	Ø16	24 mm	3 mm	10.5 mm	22 g
FPS01HYP16026	Ø16	26 mm	3 mm	10.5 mm	23.9 g
FPS01HYP16028	Ø16	28 mm	3 mm	10.5 mm	25.7 g
FPS01HYP16030	Ø16	30 mm	3 mm	10.5 mm	27.6 g
FPS01HYP16032	Ø16	32 mm	3 mm	10.5 mm	29.4 g
FPS01HYP16036	Ø16	36 mm	3 mm	10.5 mm	33.1 g
FPS01HYP16040	Ø16	40 mm	3 mm	10.5 mm	36.7 g
FPS01HYP16045	Ø16	45 mm	3 mm	10.5 mm	41.3 g
FPS01HYP16050	Ø16	50 mm	3 mm	10.5 mm	45.9 g
FPS01HYP16055	Ø16	55 mm	3 mm	10.5 mm	50.5 g
FPS01HYP16060	Ø16	60 mm	3 mm	10.5 mm	55.1 g
FPS01HYP16065	Ø16	65 mm	3 mm	10.5 mm	59.7 g
FPS01HYP16070	Ø16	70 mm	3 mm	10.5 mm	64.3 g
FPS01HYP16075	Ø16	75 mm	3 mm	10.5 mm	68.9 g
FPS01HYP16080	Ø16	80 mm	3 mm	10.5 mm	73.5 g
FPS01HYP16085	Ø16	85 mm	3 mm	10.5 mm	78.1 g
FPS01HYP16090	Ø16	90 mm	3 mm	10.5 mm	82.7 g
FPS01HYP16100	Ø16	100 mm	3 mm	10.5 mm	91.9 g
FPS01HYP16110	Ø16	110 mm	3 mm	10.5 mm	100.95 g
FPS01HYP16120	Ø16	120 mm	3 mm	10.5 mm	110 g
FPS01HYP16130	Ø16	130 mm	3 mm	10.5 mm	119.5 g
FPS01HYP16140	Ø16	140 mm	3 mm	10.5 mm	129 g
FPS01HYP16150	Ø16	150 mm	3 mm	10.5 mm	138 g
FPS01HYP16160	Ø16	160 mm	3 mm	10.5 mm	147 g
FPS01HYP16180	Ø16	180 mm	3 mm	10.5 mm	165 g
FPS01HYP16200	Ø16	200 mm	3 mm	10.5 mm	183 g
FPS01HYP18024	Ø18	24 mm	3.5 mm	11.5 mm	28.63 g
FPS01HYP18030	Ø18	30 mm	3.5 mm	11.5 mm	35.79 g
FPS01HYP18036	Ø18	36 mm	3.5 mm	11.5 mm	42.94 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP18040	Ø18	40 mm	3.5 mm	11.5 mm	47.71 g
FPS01HYP18045	Ø18	45 mm	3.5 mm	11.5 mm	53.68 g
FPS01HYP18050	Ø18	50 mm	3.5 mm	11.5 mm	59.64 g
FPS01HYP18055	Ø18	55 mm	3.5 mm	11.5 mm	65.61 g
FPS01HYP18060	Ø18	60 mm	3.5 mm	11.5 mm	71.57 g
FPS01HYP18065	Ø18	65 mm	3.5 mm	11.5 mm	77.53 g
FPS01HYP18070	Ø18	70 mm	3.5 mm	11.5 mm	83.5 g
FPS01HYP18075	Ø18	75 mm	3.5 mm	11.5 mm	89.46 g
FPS01HYP18080	Ø18	80 mm	3.5 mm	11.5 mm	95.43 g
FPS01HYP18090	Ø18	90 mm	3.5 mm	11.5 mm	107.4 g
FPS01HYP18100	Ø18	100 mm	3.5 mm	11.5 mm	119.3 g
FPS01HYP18120	Ø18	120 mm	3.5 mm	11.5 mm	143.1 g
FPS01HYP18140	Ø18	140 mm	3.5 mm	11.5 mm	167 g
FPS01HYP18160	Ø18	160 mm	3.5 mm	11.5 mm	190.9 g
FPS01HYP20020	Ø20	20 mm	4 mm	12.5 mm	30.6 g
FPS01HYP20030	Ø20	30 mm	4 mm	12.5 mm	45.9 g
FPS01HYP20032	Ø20	32 mm	4 mm	12.5 mm	48.9 g
FPS01HYP20036	Ø20	36 mm	4 mm	12.5 mm	55.1 g
FPS01HYP20040	Ø20	40 mm	4 mm	12.5 mm	61.2 g
FPS01HYP20045	Ø20	45 mm	4 mm	12.5 mm	68.8 g
FPS01HYP20050	Ø20	50 mm	4 mm	12.5 mm	76.5 g
FPS01HYP20055	Ø20	55 mm	4 mm	12.5 mm	84.1 g
FPS01HYP20060	Ø20	60 mm	4 mm	12.5 mm	91.8 g
FPS01HYP20065	Ø20	65 mm	4 mm	12.5 mm	99.4 g
FPS01HYP20070	Ø20	70 mm	4 mm	12.5 mm	107 g
FPS01HYP20075	Ø20	75 mm	4 mm	12.5 mm	115 g
FPS01HYP20080	Ø20	80 mm	4 mm	12.5 mm	122 g
FPS01HYP20085	Ø20	85 mm	4 mm	12.5 mm	130 g
FPS01HYP20090	Ø20	90 mm	4 mm	12.5 mm	138 g
FPS01HYP20100	Ø20	100 mm	4 mm	12.5 mm	153 g
FPS01HYP20110	Ø20	110 mm	4 mm	12.5 mm	168.5 g
FPS01HYP20120	Ø20	120 mm	4 mm	12.5 mm	184 g
FPS01HYP20130	Ø20	130 mm	4 mm	12.5 mm	199 g
FPS01HYP20140	Ø20	140 mm	4 mm	12.5 mm	214 g
FPS01HYP20160	Ø20	160 mm	4 mm	12.5 mm	245 g
FPS01HYP20180	Ø20	180 mm	4 mm	12.5 mm	275 g
FPS01HYP20200	Ø20	200 mm	4 mm	12.5 mm	305 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP21016	Ø21	16 mm	4 mm	13.5 mm	25.57 g
FPS01HYP21020	Ø21	20 mm	4 mm	13.5 mm	31.97 g
FPS01HYP21024	Ø21	24 mm	4 mm	13.5 mm	38.36 g
FPS01HYP21026	Ø21	26 mm	4 mm	13.5 mm	41.56 g
FPS01HYP21030	Ø21	30 mm	4 mm	13.5 mm	47.95 g
FPS01HYP21032	Ø21	32 mm	4 mm	13.5 mm	51.15 g
FPS01HYP21036	Ø21	36 mm	4 mm	13.5 mm	57.54 g
FPS01HYP21040	Ø21	40 mm	4 mm	13.5 mm	63.93 g
FPS01HYP21045	Ø21	45 mm	4 mm	13.5 mm	71.92 g
FPS01HYP21050	Ø21	50 mm	4 mm	13.5 mm	79.91 g
FPS01HYP21055	Ø21	55 mm	4 mm	13.5 mm	87.91 g
FPS01HYP21060	Ø21	60 mm	4 mm	13.5 mm	95.9 g
FPS01HYP21065	Ø21	65 mm	4 mm	13.5 mm	103.9 g
FPS01HYP21070	Ø21	70 mm	4 mm	13.5 mm	111.9 g
FPS01HYP21075	Ø21	75 mm	4 mm	13.5 mm	119.9 g
FPS01HYP21080	Ø21	80 mm	4 mm	13.5 mm	127.9 g
FPS01HYP21085	Ø21	85 mm	4 mm	13.5 mm	135.9 g
FPS01HYP21090	Ø21	90 mm	4 mm	13.5 mm	143.8 g
FPS01HYP21095	Ø21	95 mm	4 mm	13.5 mm	151.8 g
FPS01HYP21100	Ø21	100 mm	4 mm	13.5 mm	159.8 g
FPS01HYP21110	Ø21	110 mm	4 mm	13.5 mm	175.8 g
FPS01HYP21120	Ø21	120 mm	4 mm	13.5 mm	191.8 g
FPS01HYP21130	Ø21	130 mm	4 mm	13.5 mm	207.8 g
FPS01HYP21140	Ø21	140 mm	4 mm	13.5 mm	223.8 g
FPS01HYP21200	Ø21	200 mm	4 mm	13.5 mm	319.7 g
FPS01HYP22120	Ø22	120 mm	–	–	–
FPS01HYP24080	Ø24	80 mm	–	–	–
FPS01HYP24120	Ø24	120 mm	–	–	–
FPS01HYP25032	Ø25	32 mm	5 mm	15.5 mm	75.21 g
FPS01HYP25036	Ø25	36 mm	5 mm	15.5 mm	84.62 g
FPS01HYP25040	Ø25	40 mm	5 mm	15.5 mm	94.02 g
FPS01HYP25050	Ø25	50 mm	5 mm	15.5 mm	117.5 g
FPS01HYP25055	Ø25	55 mm	5 mm	15.5 mm	129.3 g
FPS01HYP25060	Ø25	60 mm	5 mm	15.5 mm	141 g
FPS01HYP25065	Ø25	65 mm	5 mm	15.5 mm	152.8 g
FPS01HYP25070	Ø25	70 mm	5 mm	15.5 mm	164.5 g
FPS01HYP25080	Ø25	80 mm	5 mm	15.5 mm	188 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP25085	Ø25	85 mm	5 mm	15.5 mm	199.8 g
FPS01HYP25090	Ø25	90 mm	5 mm	15.5 mm	211.5 g
FPS01HYP25100	Ø25	100 mm	5 mm	15.5 mm	235 g
FPS01HYP25120	Ø25	120 mm	5 mm	15.5 mm	282.1 g
FPS01HYP25130	Ø25	130 mm	5 mm	15.5 mm	305.6 g
FPS01HYP25140	Ø25	140 mm	5 mm	15.5 mm	329.1 g
FPS01HYP25160	Ø25	160 mm	5 mm	15.5 mm	376.1 g
FPS01HYP25200	Ø25	200 mm	5 mm	15.5 mm	470.1 g
FPS01HYP28020	Ø28	20 mm	5.5 mm	17.5 mm	58.17 g
FPS01HYP28022	Ø28	22 mm	5.5 mm	17.5 mm	63.99 g
FPS01HYP28026	Ø28	26 mm	5.5 mm	17.5 mm	75.63 g
FPS01HYP28028	Ø28	28 mm	5.5 mm	17.5 mm	81.44 g
FPS01HYP28030	Ø28	30 mm	5.5 mm	17.5 mm	87.26 g
FPS01HYP28032	Ø28	32 mm	5.5 mm	17.5 mm	93.08 g
FPS01HYP28036	Ø28	36 mm	5.5 mm	17.5 mm	104.7 g
FPS01HYP28040	Ø28	40 mm	5.5 mm	17.5 mm	116.3 g
FPS01HYP28045	Ø28	45 mm	5.5 mm	17.5 mm	130.9 g
FPS01HYP28050	Ø28	50 mm	5.5 mm	17.5 mm	145.4 g
FPS01HYP28055	Ø28	55 mm	5.5 mm	17.5 mm	160 g
FPS01HYP28060	Ø28	60 mm	5.5 mm	17.5 mm	174.5 g
FPS01HYP28065	Ø28	65 mm	5.5 mm	17.5 mm	189.1 g
FPS01HYP28070	Ø28	70 mm	5.5 mm	17.5 mm	203.6 g
FPS01HYP28075	Ø28	75 mm	5.5 mm	17.5 mm	218.1 g
FPS01HYP28080	Ø28	80 mm	5.5 mm	17.5 mm	232.7 g
FPS01HYP28090	Ø28	90 mm	5.5 mm	17.5 mm	261.8 g
FPS01HYP28100	Ø28	100 mm	5.5 mm	17.5 mm	290.9 g
FPS01HYP28120	Ø28	120 mm	5.5 mm	17.5 mm	349 g
FPS01HYP28140	Ø28	140 mm	5.5 mm	17.5 mm	407.2 g
FPS01HYP28160	Ø28	160 mm	5.5 mm	17.5 mm	465.4 g
FPS01HYP28200	Ø28	200 mm	5.5 mm	17.5 mm	581.7 g
FPS01HYP30030	Ø30	30 mm	6 mm	18.5 mm	101.5 g
FPS01HYP30032	Ø30	32 mm	6 mm	18.5 mm	108.3 g
FPS01HYP30036	Ø30	36 mm	6 mm	18.5 mm	121.8 g
FPS01HYP30040	Ø30	40 mm	6 mm	18.5 mm	135.4 g
FPS01HYP30045	Ø30	45 mm	6 mm	18.5 mm	152.3 g
FPS01HYP30050	Ø30	50 mm	6 mm	18.5 mm	169.2 g
FPS01HYP30060	Ø30	60 mm	6 mm	18.5 mm	203.1 g



Part number	Size (d)	Length (l)	Wall thickness (s)	Diameter before fitting (d1)	Weight
FPS01HYP30065	Ø30	65 mm	6 mm	18.5 mm	220 g
FPS01HYP30070	Ø30	70 mm	6 mm	18.5 mm	236.9 g
FPS01HYP30080	Ø30	80 mm	6 mm	18.5 mm	270.8 g
FPS01HYP30090	Ø30	90 mm	6 mm	18.5 mm	304.6 g
FPS01HYP30100	Ø30	100 mm	6 mm	18.5 mm	338.5 g
FPS01HYP30120	Ø30	120 mm	6 mm	18.5 mm	406.2 g
FPS01HYP30140	Ø30	140 mm	6 mm	18.5 mm	473.8 g
FPS01HYP30160	Ø30	160 mm	6 mm	18.5 mm	541.5 g
FPS01HYP30180	Ø30	180 mm	6 mm	18.5 mm	609.2 g
FPS01HYP30200	Ø30	200 mm	6 mm	18.5 mm	676.9 g
FPS01HYP35050	Ø35	50 mm	7 mm	21.5 mm	230.3 g
FPS01HYP35055	Ø35	55 mm	7 mm	21.5 mm	253.4 g
FPS01HYP35060	Ø35	60 mm	7 mm	21.5 mm	276.4 g
FPS01HYP35070	Ø35	70 mm	7 mm	21.5 mm	322.5 g
FPS01HYP35080	Ø35	80 mm	7 mm	21.5 mm	368.5 g
FPS01HYP35090	Ø35	90 mm	7 mm	21.5 mm	414.6 g
FPS01HYP35100	Ø35	100 mm	7 mm	21.5 mm	460.7 g
FPS01HYP35120	Ø35	120 mm	7 mm	21.5 mm	552.8 g
FPS01HYP40050	Ø40	50 mm	7.5 mm	25.5 mm	286.5 g
FPS01HYP40055	Ø40	55 mm	7.5 mm	25.5 mm	315.1 g
FPS01HYP40060	Ø40	60 mm	7.5 mm	25.5 mm	343.8 g
FPS01HYP40070	Ø40	70 mm	7.5 mm	25.5 mm	401 g
FPS01HYP40080	Ø40	80 mm	7.5 mm	25.5 mm	458.3 g
FPS01HYP40090	Ø40	90 mm	7.5 mm	25.5 mm	515.6 g
FPS01HYP40100	Ø40	100 mm	7.5 mm	25.5 mm	572.9 g
FPS01HYP40120	Ø40	120 mm	7.5 mm	25.5 mm	687.5 g
FPS01HYP40140	Ø40	140 mm	7.5 mm	25.5 mm	799.5 g
FPS01HYP50070	Ø50	70 mm	9.5 mm	31.5 mm	630.99 g
FPS01HYP50090	Ø50	90 mm	9.5 mm	31.5 mm	811.27 g
FPS01HYP50180	Ø50	180 mm	9.5 mm	31.5 mm	1622.54 g

Part numbers: 522

STANDARDS & CERTIFICATES

Standards

DIN 1481 – Slotted Spring Pin Heavy Duty

ISO 8752 – Slotted Spring Pin Heavy Duty

