


Hardened Dowel Pin ASME B18.8.5M - Steel Case hardened 60 HRC, Black oxide

Hardened Dowel Pin to ASME B18.8.5M, in the sizes, grades and finishes listed.



TECHNICAL DATA

General


Standard	ASME B18.8.5M
----------	---------------

Materials & Finish

Property class / grade	Case hardened 60 HRC
------------------------	----------------------

Material	Steel
Surface finish	Black oxide

DIMENSIONS



d Nominal diameter

l Length

Hardened Dowel Pin ASME B18.8.5M - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)
FPP04HCB03008	Ø3	8 mm
FPP04HCB03010	Ø3	10 mm
FPP04HCB03012	Ø3	12 mm
FPP04HCB03016	Ø3	16 mm
FPP04HCB03020	Ø3	20 mm
FPP04HCB03025	Ø3	25 mm
FPP04HCB03030	Ø3	30 mm
FPP04HCB04010	Ø4	10 mm
FPP04HCB04012	Ø4	12 mm
FPP04HCB04016	Ø4	16 mm



Part number	Size (d)	Length (l)
FPP04HCB04020	Ø4	20 mm
FPP04HCB04025	Ø4	25 mm
FPP04HCB04030	Ø4	30 mm
FPP04HCB04035	Ø4	35 mm
FPP04HCB05012	Ø5	12 mm
FPP04HCB05016	Ø5	16 mm
FPP04HCB05020	Ø5	20 mm
FPP04HCB05025	Ø5	25 mm
FPP04HCB05030	Ø5	30 mm
FPP04HCB05035	Ø5	35 mm
FPP04HCB05040	Ø5	40 mm
FPP04HCB05045	Ø5	45 mm
FPP04HCB05050	Ø5	50 mm
FPP04HCB06016	Ø6	16 mm
FPP04HCB06020	Ø6	20 mm
FPP04HCB06025	Ø6	25 mm
FPP04HCB06030	Ø6	30 mm
FPP04HCB06035	Ø6	35 mm
FPP04HCB06040	Ø6	40 mm
FPP04HCB06045	Ø6	45 mm
FPP04HCB06050	Ø6	50 mm
FPP04HCB06060	Ø6	60 mm
FPP04HCB08016	Ø8	16 mm
FPP04HCB08020	Ø8	20 mm
FPP04HCB08025	Ø8	25 mm
FPP04HCB08030	Ø8	30 mm
FPP04HCB08035	Ø8	35 mm
FPP04HCB08040	Ø8	40 mm
FPP04HCB08045	Ø8	45 mm
FPP04HCB08050	Ø8	50 mm
FPP04HCB08060	Ø8	60 mm
FPP04HCB08070	Ø8	70 mm
FPP04HCB10020	Ø10	20 mm
FPP04HCB10025	Ø10	25 mm
FPP04HCB10030	Ø10	30 mm
FPP04HCB10035	Ø10	35 mm
FPP04HCB10040	Ø10	40 mm



Part number	Size (d)	Length (l)
FPP04HCB10045	Ø10	45 mm
FPP04HCB10050	Ø10	50 mm
FPP04HCB10060	Ø10	60 mm
FPP04HCB10070	Ø10	70 mm
FPP04HCB10080	Ø10	80 mm
FPP04HCB10090	Ø10	90 mm
FPP04HCB12025	Ø12	25 mm
FPP04HCB12030	Ø12	30 mm
FPP04HCB12035	Ø12	35 mm
FPP04HCB12040	Ø12	40 mm
FPP04HCB12045	Ø12	45 mm
FPP04HCB12050	Ø12	50 mm
FPP04HCB12060	Ø12	60 mm
FPP04HCB12070	Ø12	70 mm
FPP04HCB12080	Ø12	80 mm
FPP04HCB12090	Ø12	90 mm
FPP04HCB12100	Ø12	100 mm
FPP04HCB16030	Ø16	30 mm
FPP04HCB16035	Ø16	35 mm
FPP04HCB16040	Ø16	40 mm
FPP04HCB16045	Ø16	45 mm
FPP04HCB16050	Ø16	50 mm
FPP04HCB16060	Ø16	60 mm
FPP04HCB16070	Ø16	70 mm
FPP04HCB16080	Ø16	80 mm
FPP04HCB16090	Ø16	90 mm
FPP04HCB16100	Ø16	100 mm
FPP04HCB20050	Ø20	50 mm
FPP04HCB20060	Ø20	60 mm
FPP04HCB20070	Ø20	70 mm
FPP04HCB20080	Ø20	80 mm
FPP04HCB20090	Ø20	90 mm
FPP04HCB20100	Ø20	100 mm
FPP04HCB20110	Ø20	110 mm
FPP04HCB20120	Ø20	120 mm
FPP04HCB20130	Ø20	130 mm
FPP04HCB20140	Ø20	140 mm

Part numbers: 84





STANDARDS & CERTIFICATES

Standards

ASME B18.8.5M – Hardened Dowel Pin

