


Grooved Pin Full-Length Parallel DIN 1473 - Stainless steel A1, Plain

Grooved Pin Full-Length Parallel to DIN 1473, in the sizes, grades and finishes listed.



TECHNICAL DATA

General


Standard	DIN 1473
----------	----------

Materials & Finish

Property class / grade	A1 stainless
------------------------	--------------

Material	Stainless steel
Surface finish	Plain

DIMENSIONS



d Nominal diameter

l Length

Grooved Pin Full-Length Parallel DIN 1473 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Weight
FPG01A1PB5004	Ø1.5	4 mm	0.0561 g
FPG01A1PB5005	Ø1.5	5 mm	0.0701 g
FPG01A1PB5006	Ø1.5	6 mm	0.084 g
FPG01A1PB5008	Ø1.5	8 mm	0.1121 g
FPG01A1PB5010	Ø1.5	10 mm	0.1401 g
FPG01A1PB5012	Ø1.5	12 mm	0.1682 g
FPG01A1PB5016	Ø1.5	16 mm	0.2242 g
FPG01A1P02004	Ø2	4 mm	0.0996 g
FPG01A1P02005	Ø2	5 mm	0.1245 g
FPG01A1P02006	Ø2	6 mm	0.1495 g
FPG01A1P02008	Ø2	8 mm	0.1993 g
FPG01A1P02010	Ø2	10 mm	0.2491 g



Part number	Size (d)	Length (l)	Weight
FPG01A1P02012	Ø2	12 mm	0.2989 g
FPG01A1P02016	Ø2	16 mm	0.3985 g
FPG01A1P02018	Ø2	18 mm	0.4483 g
FPG01A1P02020	Ø2	20 mm	0.4981 g
FPG01A1P02025	Ø2	25 mm	0.6227 g
FPG01A1P02030	Ø2	30 mm	0.7472 g
FPG01A1PC5006	Ø2.5	6 mm	0.2335 g
FPG01A1PC5008	Ø2.5	8 mm	0.3114 g
FPG01A1PC5010	Ø2.5	10 mm	0.3892 g
FPG01A1PC5012	Ø2.5	12 mm	0.467 g
FPG01A1PC5016	Ø2.5	16 mm	0.6227 g
FPG01A1PC5020	Ø2.5	20 mm	0.7784 g
FPG01A1PC5025	Ø2.5	25 mm	0.9729 g
FPG01A1PC5030	Ø2.5	30 mm	1.168 g
FPG01A1P03006	Ø3	6 mm	0.3362 g
FPG01A1P03008	Ø3	8 mm	0.4483 g
FPG01A1P03010	Ø3	10 mm	0.5604 g
FPG01A1P03012	Ø3	12 mm	0.6726 g
FPG01A1P03016	Ø3	16 mm	0.8967 g
FPG01A1P03018	Ø3	18 mm	1.009 g
FPG01A1P03020	Ø3	20 mm	1.121 g
FPG01A1P03024	Ø3	24 mm	1.345 g
FPG01A1P03025	Ø3	25 mm	1.401 g
FPG01A1P03030	Ø3	30 mm	1.682 g
FPG01A1P03035	Ø3	35 mm	1.961 g
FPG01A1P03040	Ø3	40 mm	2.242 g
FPG01A1P04006	Ø4	6 mm	0.5978 g
FPG01A1P04008	Ø4	8 mm	0.7971 g
FPG01A1P04010	Ø4	10 mm	0.9964 g
FPG01A1P04012	Ø4	12 mm	1.196 g
FPG01A1P04016	Ø4	16 mm	1.594 g
FPG01A1P04018	Ø4	18 mm	1.794 g
FPG01A1P04020	Ø4	20 mm	1.993 g
FPG01A1P04024	Ø4	24 mm	2.392 g
FPG01A1P04025	Ø4	25 mm	2.491 g
FPG01A1P04030	Ø4	30 mm	2.989 g
FPG01A1P04035	Ø4	35 mm	3.488 g



Part number	Size (d)	Length (l)	Weight
FPG01A1P04040	Ø4	40 mm	3.985 g
FPG01A1P04045	Ø4	45 mm	4.483 g
FPG01A1P04050	Ø4	50 mm	4.981 g
FPG01A1P04055	Ø4	55 mm	5.48 g
FPG01A1P04060	Ø4	60 mm	5.978 g
FPG01A1P05008	Ø5	8 mm	1.245 g
FPG01A1P05010	Ø5	10 mm	1.556 g
FPG01A1P05012	Ø5	12 mm	1.869 g
FPG01A1P05016	Ø5	16 mm	2.491 g
FPG01A1P05018	Ø5	18 mm	2.802 g
FPG01A1P05020	Ø5	20 mm	3.114 g
FPG01A1P05024	Ø5	24 mm	3.736 g
FPG01A1P05025	Ø5	25 mm	3.892 g
FPG01A1P05030	Ø5	30 mm	4.67 g
FPG01A1P05035	Ø5	35 mm	5.449 g
FPG01A1P05040	Ø5	40 mm	6.227 g
FPG01A1P05045	Ø5	45 mm	7.005 g
FPG01A1P05050	Ø5	50 mm	7.784 g
FPG01A1P05055	Ø5	55 mm	8.562 g
FPG01A1P05060	Ø5	60 mm	9.34 g
FPG01A1P06010	Ø6	10 mm	2.242 g
FPG01A1P06012	Ø6	12 mm	2.69 g
FPG01A1P06016	Ø6	16 mm	3.587 g
FPG01A1P06018	Ø6	18 mm	4.035 g
FPG01A1P06020	Ø6	20 mm	4.483 g
FPG01A1P06024	Ø6	24 mm	5.38 g
FPG01A1P06025	Ø6	25 mm	5.604 g
FPG01A1P06030	Ø6	30 mm	6.726 g
FPG01A1P06035	Ø6	35 mm	7.846 g
FPG01A1P06040	Ø6	40 mm	8.967 g
FPG01A1P06045	Ø6	45 mm	10.088 g
FPG01A1P06050	Ø6	50 mm	11.211 g
FPG01A1P06055	Ø6	55 mm	12.332 g
FPG01A1P06060	Ø6	60 mm	13.453 g
FPG01A1P06065	Ø6	65 mm	14.574 g
FPG01A1P06070	Ø6	70 mm	15.695 g
FPG01A1P06075	Ø6	75 mm	16.816 g



Part number	Size (d)	Length (l)	Weight
FPG01A1P06080	Ø6	80 mm	17.938 g
FPG01A1P08010	Ø8	10 mm	3.985 g
FPG01A1P08012	Ø8	12 mm	4.782 g
FPG01A1P08016	Ø8	16 mm	6.376 g
FPG01A1P08018	Ø8	18 mm	7.174 g
FPG01A1P08020	Ø8	20 mm	7.971 g
FPG01A1P08025	Ø8	25 mm	9.964 g
FPG01A1P08030	Ø8	30 mm	11.958 g
FPG01A1P08035	Ø8	35 mm	13.948 g
FPG01A1P08040	Ø8	40 mm	15.938 g
FPG01A1P08045	Ø8	45 mm	17.938 g
FPG01A1P08050	Ø8	50 mm	19.927 g
FPG01A1P08055	Ø8	55 mm	21.917 g
FPG01A1P08060	Ø8	60 mm	23.917 g
FPG01A1P08065	Ø8	65 mm	25.906 g
FPG01A1P08070	Ø8	70 mm	27.896 g
FPG01A1P08075	Ø8	75 mm	29.886 g
FPG01A1P08080	Ø8	80 mm	31.886 g
FPG01A1P08090	Ø8	90 mm	35.865 g
FPG01A1P08100	Ø8	100 mm	39.855 g
FPG01A1P10016	Ø10	16 mm	9.964 g
FPG01A1P10020	Ø10	20 mm	12.453 g
FPG01A1P10025	Ø10	25 mm	15.564 g
FPG01A1P10030	Ø10	30 mm	18.685 g
FPG01A1P10035	Ø10	35 mm	21.796 g
FPG01A1P10040	Ø10	40 mm	24.907 g
FPG01A1P10045	Ø10	45 mm	28.017 g
FPG01A1P10050	Ø10	50 mm	31.138 g
FPG01A1P10055	Ø10	55 mm	34.249 g
FPG01A1P10060	Ø10	60 mm	37.36 g
FPG01A1P10065	Ø10	65 mm	40.471 g
FPG01A1P10070	Ø10	70 mm	43.592 g
FPG01A1P10075	Ø10	75 mm	46.702 g
FPG01A1P10080	Ø10	80 mm	49.813 g
FPG01A1P10090	Ø10	90 mm	56.045 g
FPG01A1P10100	Ø10	100 mm	62.267 g

Part numbers: 122





STANDARDS & CERTIFICATES

Standards

DIN 1473 – Grooved Pin Full-Length Parallel

