


Taper Pin Form B DIN 1B / ISO 2339 - Steel Unhardened, Plain

Taper Pin Form B to DIN 1B / ISO 2339, in the sizes, grades and finishes listed.



TECHNICAL DATA

General


Standard	DIN 1B / ISO 2339
----------	-------------------

Materials & Finish

Property class / grade	Unhardened
------------------------	------------

Material	Steel
Surface finish	Plain

DIMENSIONS



Taper Pin Form B DIN 1B / ISO 2339 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Weight
FPT01UHP01006	Ø1	6 mm	0.041 g
FPT01UHP01008	Ø1	8 mm	0.058 g
FPT01UHP01010	Ø1	10 mm	0.075 g
FPT01UHP01012	Ø1	12 mm	0.095 g
FPT01UHP01014	Ø1	14 mm	0.114 g
FPT01UHP01016	Ø1	16 mm	0.135 g
FPT01UHP01020	Ø1	20 mm	0.177 g
FPT01UHPB2006	Ø1.2	6 mm	–
FPT01UHPB2008	Ø1.2	8 mm	–
FPT01UHPB2010	Ø1.2	10 mm	–
FPT01UHPB2012	Ø1.2	12 mm	–



Part number	Size (d)	Length (l)	Weight
FPT01UHPB2014	Ø1.2	14 mm	–
FPT01UHPB2016	Ø1.2	16 mm	–
FPT01UHPB2020	Ø1.2	20 mm	–
FPT01UHPB5006	Ø1.5	6 mm	0.068 g
FPT01UHPB5008	Ø1.5	8 mm	0.114 g
FPT01UHPB5010	Ø1.5	10 mm	0.16 g
FPT01UHPB5012	Ø1.5	12 mm	0.206 g
FPT01UHPB5014	Ø1.5	14 mm	0.24 g
FPT01UHPB5016	Ø1.5	16 mm	0.295 g
FPT01UHPB5020	Ø1.5	20 mm	0.384 g
FPT01UHPB5025	Ø1.5	25 mm	0.4953 g
FPT01UHPB5030	Ø1.5	30 mm	0.6065 g
FPT01UHPB5035	Ø1.5	35 mm	0.7178 g
FPT01UHPB5040	Ø1.5	40 mm	0.829 g
FPT01UHP02006	Ø2	6 mm	0.152 g
FPT01UHP02008	Ø2	8 mm	0.215 g
FPT01UHP02010	Ø2	10 mm	0.278 g
FPT01UHP02012	Ø2	12 mm	0.341 g
FPT01UHP02014	Ø2	14 mm	0.404 g
FPT01UHP02016	Ø2	16 mm	0.468 g
FPT01UHP02020	Ø2	20 mm	0.605 g
FPT01UHP02025	Ø2	25 mm	0.798 g
FPT01UHP02030	Ø2	30 mm	0.991 g
FPT01UHP02035	Ø2	35 mm	1.184 g
FPT01UHP02040	Ø2	40 mm	1.377 g
FPT01UHP02045	Ø2	45 mm	1.57 g
FPT01UHP02050	Ø2	50 mm	1.763 g
FPT01UHPC5006	Ø2.5	6 mm	0.244 g
FPT01UHPC5008	Ø2.5	8 mm	0.338 g
FPT01UHPC5010	Ø2.5	10 mm	0.432 g
FPT01UHPC5012	Ø2.5	12 mm	0.526 g
FPT01UHPC5014	Ø2.5	14 mm	0.62 g
FPT01UHPC5016	Ø2.5	16 mm	0.712 g
FPT01UHPC5020	Ø2.5	20 mm	0.914 g
FPT01UHPC5025	Ø2.5	25 mm	1.192 g
FPT01UHPC5030	Ø2.5	30 mm	1.47 g
FPT01UHPC5035	Ø2.5	35 mm	1.785 g



Part number	Size (d)	Length (l)	Weight
FPT01UHPC5040	Ø2.5	40 mm	2.1 g
FPT01UHPC5045	Ø2.5	45 mm	2.415 g
FPT01UHPC5050	Ø2.5	50 mm	2.73 g
FPT01UHP03006	Ø3	6 mm	0.32 g
FPT01UHP03008	Ø3	8 mm	0.46 g
FPT01UHP03010	Ø3	10 mm	0.6 g
FPT01UHP03012	Ø3	12 mm	0.74 g
FPT01UHP03014	Ø3	14 mm	0.88 g
FPT01UHP03016	Ø3	16 mm	1.02 g
FPT01UHP03020	Ø3	20 mm	1.29 g
FPT01UHP03025	Ø3	25 mm	1.665 g
FPT01UHP03030	Ø3	30 mm	2.04 g
FPT01UHP03035	Ø3	35 mm	2.46 g
FPT01UHP03040	Ø3	40 mm	2.88 g
FPT01UHP03045	Ø3	45 mm	3.35 g
FPT01UHP03050	Ø3	50 mm	3.83 g
FPT01UHP03055	Ø3	55 mm	4.31 g
FPT01UHP03060	Ø3	60 mm	4.79 g
FPT01UHP03070	Ø3	70 mm	5.75 g
FPT01UHP03080	Ø3	80 mm	6.71 g
FPT01UHP04008	Ø4	8 mm	0.88 g
FPT01UHP04010	Ø4	10 mm	1.105 g
FPT01UHP04012	Ø4	12 mm	1.33 g
FPT01UHP04014	Ø4	14 mm	1.555 g
FPT01UHP04016	Ø4	16 mm	1.78 g
FPT01UHP04020	Ø4	20 mm	2.23 g
FPT01UHP04025	Ø4	25 mm	2.855 g
FPT01UHP04030	Ø4	30 mm	3.48 g
FPT01UHP04035	Ø4	35 mm	4.16 g
FPT01UHP04040	Ø4	40 mm	4.84 g
FPT01UHP04045	Ø4	45 mm	5.56 g
FPT01UHP04050	Ø4	50 mm	6.31 g
FPT01UHP04055	Ø4	55 mm	7.12 g
FPT01UHP04060	Ø4	60 mm	7.94 g
FPT01UHP04070	Ø4	70 mm	9.58 g
FPT01UHP04080	Ø4	80 mm	11.22 g
FPT01UHP04090	Ø4	90 mm	12.86 g



Part number	Size (d)	Length (l)	Weight
FPT01UHP04100	Ø4	100 mm	14.5 g
FPT01UHP05008	Ø5	8 mm	1.262 g
FPT01UHP05010	Ø5	10 mm	1.63 g
FPT01UHP05012	Ø5	12 mm	1.998 g
FPT01UHP05014	Ø5	14 mm	2.366 g
FPT01UHP05016	Ø5	16 mm	2.734 g
FPT01UHP05020	Ø5	20 mm	3.47 g
FPT01UHP05025	Ø5	25 mm	4.39 g
FPT01UHP05030	Ø5	30 mm	5.31 g
FPT01UHP05035	Ø5	35 mm	6.305 g
FPT01UHP05040	Ø5	40 mm	7.3 g
FPT01UHP05045	Ø5	45 mm	8.35 g
FPT01UHP05050	Ø5	50 mm	9.45 g
FPT01UHP05055	Ø5	55 mm	10.6 g
FPT01UHP05060	Ø5	60 mm	11.8 g
FPT01UHP05070	Ø5	70 mm	14.2 g
FPT01UHP05080	Ø5	80 mm	16.6 g
FPT01UHP05090	Ø5	90 mm	19 g
FPT01UHP06016	Ø6	16 mm	4.204 g
FPT01UHP06020	Ø6	20 mm	5.22 g
FPT01UHP06025	Ø6	25 mm	6.49 g
FPT01UHP06026	Ø6	26 mm	6.744 g
FPT01UHP06030	Ø6	30 mm	7.76 g
FPT01UHP06035	Ø6	35 mm	9.03 g
FPT01UHP06040	Ø6	40 mm	10.3 g
FPT01UHP06045	Ø6	45 mm	11.7 g
FPT01UHP06050	Ø6	50 mm	13.4 g
FPT01UHP06055	Ø6	55 mm	14.7 g
FPT01UHP06060	Ø6	60 mm	16.3 g
FPT01UHP06070	Ø6	70 mm	19.7 g
FPT01UHP06080	Ø6	80 mm	24.3 g
FPT01UHP06090	Ø6	90 mm	28.4 g
FPT01UHP06100	Ø6	100 mm	32.6 g
FPT01UHP06120	Ø6	120 mm	41 g
FPT01UHP07100	Ø7	100 mm	–
FPT01UHP08016	Ø8	16 mm	6.52 g
FPT01UHP08020	Ø8	20 mm	8.4 g



Part number	Size (d)	Length (l)	Weight
FPT01UHP08025	Ø8	25 mm	10.75 g
FPT01UHP08028	Ø8	28 mm	12.16 g
FPT01UHP08030	Ø8	30 mm	13.1 g
FPT01UHP08035	Ø8	35 mm	15.45 g
FPT01UHP08036	Ø8	36 mm	15.92 g
FPT01UHP08040	Ø8	40 mm	17.8 g
FPT01UHP08045	Ø8	45 mm	20.2 g
FPT01UHP08050	Ø8	50 mm	22.7 g
FPT01UHP08055	Ø8	55 mm	25.3 g
FPT01UHP08060	Ø8	60 mm	27.8 g
FPT01UHP08070	Ø8	70 mm	33.2 g
FPT01UHP08080	Ø8	80 mm	38.8 g
FPT01UHP08090	Ø8	90 mm	44.5 g
FPT01UHP08120	Ø8	120 mm	63.5 g
FPT01UHP08160	Ø8	160 mm	89.5 g
FPT01UHP10020	Ø10	20 mm	13.2 g
FPT01UHP10025	Ø10	25 mm	16.8 g
FPT01UHP10030	Ø10	30 mm	20.4 g
FPT01UHP10035	Ø10	35 mm	24 g
FPT01UHP10036	Ø10	36 mm	24.72 g
FPT01UHP10040	Ø10	40 mm	27.6 g
FPT01UHP10045	Ø10	45 mm	31.2 g
FPT01UHP10050	Ø10	50 mm	34.9 g
FPT01UHP10055	Ø10	55 mm	38.8 g
FPT01UHP10060	Ø10	60 mm	42.5 g
FPT01UHP10070	Ø10	70 mm	50.4 g
FPT01UHP10080	Ø10	80 mm	58.5 g
FPT01UHP10090	Ø10	90 mm	67 g
FPT01UHP10100	Ø10	100 mm	75.7 g
FPT01UHP10120	Ø10	120 mm	94 g
FPT01UHP10140	Ø10	140 mm	114 g
FPT01UHP12030	Ø12	30 mm	29.6 g
FPT01UHP12035	Ø12	35 mm	34.6 g
FPT01UHP12040	Ø12	40 mm	39.6 g
FPT01UHP12045	Ø12	45 mm	44.6 g
FPT01UHP12050	Ø12	50 mm	49.8 g
FPT01UHP12060	Ø12	60 mm	60.2 g



Part number	Size (d)	Length (l)	Weight
FPT01UHP12070	Ø12	70 mm	71.8 g
FPT01UHP12080	Ø12	80 mm	83 g
FPT01UHP12090	Ø12	90 mm	94.5 g
FPT01UHP12100	Ø12	100 mm	106 g
FPT01UHP12120	Ø12	120 mm	130 g
FPT01UHP12140	Ø12	140 mm	157 g
FPT01UHP12160	Ø12	160 mm	184 g
FPT01UHP12200	Ø12	200 mm	238 g
FPT01UHP13060	Ø13	60 mm	–
FPT01UHP14070	Ø14	70 mm	93.33 g
FPT01UHP14100	Ø14	100 mm	138.93 g
FPT01UHP16040	Ø16	40 mm	69.8 g
FPT01UHP16050	Ø16	50 mm	87.4 g
FPT01UHP16060	Ø16	60 mm	105 g
FPT01UHP16070	Ø16	70 mm	123 g
FPT01UHP16080	Ø16	80 mm	143 g
FPT01UHP16090	Ø16	90 mm	162 g
FPT01UHP16100	Ø16	100 mm	181 g
FPT01UHP16120	Ø16	120 mm	222 g
FPT01UHP16140	Ø16	140 mm	265 g
FPT01UHP16160	Ø16	160 mm	308 g
FPT01UHP20120	Ø20	120 mm	332.87 g
FPT01UHP20160	Ø20	160 mm	461.08 g
FPT01UHP20200	Ø20	200 mm	598.45 g
FPT01UHP25110	Ø25	110 mm	462.26 g
FPT01UHP25120	Ø25	120 mm	508.21 g
FPT01UHP25140	Ø25	140 mm	602.15 g

Part numbers: 186

STANDARDS & CERTIFICATES

Standards

DIN 18 – Taper Pin Form B

ISO 2339 – Taper Pin

