


Hex Socket Set Screw Cup Point DIN 916 / ISO 4029 - Steel 45H, Plain

Hex Socket Set Screw Cup Point to DIN 916 / ISO 4029, in the sizes, grades and finishes listed.




TECHNICAL DATA

Materials & Finish

Drive type	Hexagon socket
Property class / grade	45H

Material	Steel
Surface finish	Plain

DIMENSIONS



d Thread diameter

l Length

Hex Socket Set Screw Cup Point DIN 916 / ISO 4029 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00145P02002	M2	2 mm	0.4 mm	0.9 mm	0.029 g
FB00145P02003	M2	3 mm	0.4 mm	0.9 mm	0.044 g
FB00145P02004	M2	4 mm	0.4 mm	0.9 mm	0.059 g
FB00145P02005	M2	5 mm	0.4 mm	0.9 mm	0.074 g
FB00145P02006	M2	6 mm	0.4 mm	0.9 mm	0.089 g
FB00145P02008	M2	8 mm	0.4 mm	0.9 mm	0.119 g
FB00145P02010	M2	10 mm	0.4 mm	0.9 mm	0.148 g
FB00145P02014	M2	14 mm	0.4 mm	0.9 mm	0.206 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00145PC5003	M2.5	3 mm	0.45 mm	1.3 mm	0.075 g
FB00145PC5004	M2.5	4 mm	0.45 mm	1.3 mm	0.1 g
FB00145PC5005	M2.5	5 mm	0.45 mm	1.3 mm	0.125 g
FB00145PC5006	M2.5	6 mm	0.45 mm	1.3 mm	0.15 g
FB00145PC5008	M2.5	8 mm	0.45 mm	1.3 mm	0.199 g
FB00145PC5010	M2.5	10 mm	0.45 mm	1.3 mm	0.249 g
FB00145P03003	M3	3 mm	0.5 mm	1.5 mm	0.1 g
FB00145P03004	M3	4 mm	0.5 mm	1.5 mm	0.14 g
FB00145P03005	M3	5 mm	0.5 mm	1.5 mm	0.18 g
FB00145P03006	M3	6 mm	0.5 mm	1.5 mm	0.22 g
FB00145P03008	M3	8 mm	0.5 mm	1.5 mm	0.31 g
FB00145P03010	M3	10 mm	0.5 mm	1.5 mm	0.4 g
FB00145P03012	M3	12 mm	0.5 mm	1.5 mm	0.49 g
FB00145P03014	M3	14 mm	0.5 mm	1.5 mm	0.58 g
FB00145P03016	M3	16 mm	0.5 mm	1.5 mm	0.67 g
FB00145P03018	M3	18 mm	0.5 mm	1.5 mm	0.76 g
FB00145P03020	M3	20 mm	0.5 mm	1.5 mm	0.85 g
FB00145P03025	M3	25 mm	0.5 mm	1.5 mm	1.075 g
FB00145P03030	M3	30 mm	0.5 mm	1.5 mm	1.3 g
FB00145P03035	M3	35 mm	0.5 mm	1.5 mm	1.525 g
FB00145P04003	M4	3 mm	0.7 mm	2 mm	0.005 g
FB00145P04004	M4	4 mm	0.7 mm	2 mm	0.13 g
FB00145P04005	M4	5 mm	0.7 mm	2 mm	0.255 g
FB00145P04006	M4	6 mm	0.7 mm	2 mm	0.38 g
FB00145P04008	M4	8 mm	0.7 mm	2 mm	0.53 g
FB00145P04010	M4	10 mm	0.7 mm	2 mm	0.68 g
FB00145P04012	M4	12 mm	0.7 mm	2 mm	0.83 g
FB00145P04014	M4	14 mm	0.7 mm	2 mm	0.98 g
FB00145P04016	M4	16 mm	0.7 mm	2 mm	1.13 g
FB00145P04018	M4	18 mm	0.7 mm	2 mm	1.28 g
FB00145P04020	M4	20 mm	0.7 mm	2 mm	1.43 g
FB00145P04025	M4	25 mm	0.7 mm	2 mm	1.805 g
FB00145P04030	M4	30 mm	0.7 mm	2 mm	2.18 g
FB00145P04035	M4	35 mm	0.7 mm	2 mm	2.555 g
FB00145P04040	M4	40 mm	0.7 mm	2 mm	2.93 g
FB00145P05004	M5	4 mm	0.8 mm	2.5 mm	0.3 g
FB00145P05005	M5	5 mm	0.8 mm	2.5 mm	0.42 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00145P05006	M5	6 mm	0.8 mm	2.5 mm	0.54 g
FB00145P05008	M5	8 mm	0.8 mm	2.5 mm	0.78 g
FB00145P05010	M5	10 mm	0.8 mm	2.5 mm	1.02 g
FB00145P05012	M5	12 mm	0.8 mm	2.5 mm	1.26 g
FB00145P05014	M5	14 mm	0.8 mm	2.5 mm	1.5 g
FB00145P05016	M5	16 mm	0.8 mm	2.5 mm	1.74 g
FB00145P05018	M5	18 mm	0.8 mm	2.5 mm	1.98 g
FB00145P05020	M5	20 mm	0.8 mm	2.5 mm	2.22 g
FB00145P05025	M5	25 mm	0.8 mm	2.5 mm	2.82 g
FB00145P05030	M5	30 mm	0.8 mm	2.5 mm	3.42 g
FB00145P05035	M5	35 mm	0.8 mm	2.5 mm	4.02 g
FB00145P05040	M5	40 mm	0.8 mm	2.5 mm	4.62 g
FB00145P05045	M5	45 mm	0.8 mm	2.5 mm	5.22 g
FB00145P05050	M5	50 mm	0.8 mm	2.5 mm	5.82 g
FB00145P05055	M5	55 mm	0.8 mm	2.5 mm	6.42 g
FB00145P05060	M5	60 mm	0.8 mm	2.5 mm	7.02 g
FB00145P06005	M6	5 mm	1 mm	3 mm	0.565 g
FB00145P06006	M6	6 mm	1 mm	3 mm	0.74 g
FB00145P06008	M6	8 mm	1 mm	3 mm	1.09 g
FB00145P06010	M6	10 mm	1 mm	3 mm	1.44 g
FB00145P06012	M6	12 mm	1 mm	3 mm	1.79 g
FB00145P06014	M6	14 mm	1 mm	3 mm	2.14 g
FB00145P06016	M6	16 mm	1 mm	3 mm	2.49 g
FB00145P06018	M6	18 mm	1 mm	3 mm	2.84 g
FB00145P06020	M6	20 mm	1 mm	3 mm	3.19 g
FB00145P06025	M6	25 mm	1 mm	3 mm	4.07 g
FB00145P06030	M6	30 mm	1 mm	3 mm	4.95 g
FB00145P06035	M6	35 mm	1 mm	3 mm	5.83 g
FB00145P06040	M6	40 mm	1 mm	3 mm	6.71 g
FB00145P06045	M6	45 mm	1 mm	3 mm	7.59 g
FB00145P06050	M6	50 mm	1 mm	3 mm	8.47 g
FB00145P06055	M6	55 mm	1 mm	3 mm	9.35 g
FB00145P06060	M6	60 mm	1 mm	3 mm	10.23 g
FB00145P06065	M6	65 mm	1 mm	3 mm	11.11 g
FB00145P06070	M6	70 mm	1 mm	3 mm	11.99 g
FB00145P06100	M6	100 mm	1 mm	3 mm	17.27 g
FB01445P07012	M7	12 mm	1 mm	–	–



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00145P08006	M8	6 mm	1.25 mm	4 mm	1.25 g
FB00145P08008	M8	8 mm	1.25 mm	4 mm	1.88 g
FB00145P08010	M8	10 mm	1.25 mm	4 mm	2.51 g
FB00145P08012	M8	12 mm	1.25 mm	4 mm	3.14 g
FB00145P08014	M8	14 mm	1.25 mm	4 mm	3.77 g
FB00145P08015	M8	15 mm	1.25 mm	4 mm	4.085 g
FB00145P08016	M8	16 mm	1.25 mm	4 mm	4.4 g
FB00145P08018	M8	18 mm	1.25 mm	4 mm	5.03 g
FB00145P08020	M8	20 mm	1.25 mm	4 mm	5.66 g
FB00145P08025	M8	25 mm	1.25 mm	4 mm	7.25 g
FB00145P08030	M8	30 mm	1.25 mm	4 mm	8.84 g
FB00145P08035	M8	35 mm	1.25 mm	4 mm	10.4 g
FB00145P08040	M8	40 mm	1.25 mm	4 mm	12 g
FB00145P08045	M8	45 mm	1.25 mm	4 mm	13.6 g
FB00145P08050	M8	50 mm	1.25 mm	4 mm	15.2 g
FB00145P08055	M8	55 mm	1.25 mm	4 mm	16.8 g
FB00145P08060	M8	60 mm	1.25 mm	4 mm	18.4 g
FB00145P08065	M8	65 mm	1.25 mm	4 mm	20 g
FB00145P08070	M8	70 mm	1.25 mm	4 mm	21.6 g
FB00145P08080	M8	80 mm	1.25 mm	4 mm	24.8 g
FB00145P08090	M8	90 mm	1.25 mm	4 mm	28 g
FB00145P08100	M8	100 mm	1.25 mm	4 mm	31.2 g
FB00145PL2006	M8x1	6 mm	1 mm	4 mm	1.25 g
FB00145PL2008	M8x1	8 mm	1 mm	4 mm	1.88 g
FB00145PL2010	M8x1	10 mm	1 mm	4 mm	2.51 g
FB00145PL2012	M8x1	12 mm	1 mm	4 mm	3.14 g
FB00145PL2016	M8x1	16 mm	1 mm	4 mm	4.4 g
FB00145PL2020	M8x1	20 mm	1 mm	4 mm	5.66 g
FB00145PL2030	M8x1	30 mm	1 mm	4 mm	8.84 g
FB00145P10008	M10	8 mm	1.5 mm	5 mm	2.73 g
FB00145P10010	M10	10 mm	1.5 mm	5 mm	3.73 g
FB00145P10012	M10	12 mm	1.5 mm	5 mm	4.73 g
FB00145P10014	M10	14 mm	1.5 mm	5 mm	5.73 g
FB00145P10016	M10	16 mm	1.5 mm	5 mm	6.73 g
FB00145P10018	M10	18 mm	1.5 mm	5 mm	7.72 g
FB00145P10020	M10	20 mm	1.5 mm	5 mm	8.71 g
FB00145P10025	M10	25 mm	1.5 mm	5 mm	11.2 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00145P10030	M10	30 mm	1.5 mm	5 mm	13.7 g
FB00145P10035	M10	35 mm	1.5 mm	5 mm	16.2 g
FB00145P10040	M10	40 mm	1.5 mm	5 mm	18.7 g
FB00145P10045	M10	45 mm	1.5 mm	5 mm	21.2 g
FB00145P10050	M10	50 mm	1.5 mm	5 mm	23.7 g
FB00145P10055	M10	55 mm	1.5 mm	5 mm	26.2 g
FB00145P10060	M10	60 mm	1.5 mm	5 mm	28.7 g
FB00145P10065	M10	65 mm	1.5 mm	5 mm	31.2 g
FB00145P10070	M10	70 mm	1.5 mm	5 mm	33.7 g
FB00145P10075	M10	75 mm	1.5 mm	5 mm	36.2 g
FB00145P10080	M10	80 mm	1.5 mm	5 mm	38.7 g
FB00145P10100	M10	100 mm	1.5 mm	5 mm	48.7 g
FB00145PL3010	M10x0.75	10 mm	0.75 mm	5 mm	3.73 g
FB00145PL4008	M10x1	8 mm	1 mm	5 mm	2.73 g
FB00145PL4010	M10x1	10 mm	1 mm	5 mm	3.73 g
FB00145PL4012	M10x1	12 mm	1 mm	5 mm	4.73 g
FB00145PL4016	M10x1	16 mm	1 mm	5 mm	6.73 g
FB00145PL4020	M10x1	20 mm	1 mm	5 mm	8.71 g
FB00145PL4025	M10x1	25 mm	1 mm	5 mm	11.2 g
FB00145PL4030	M10x1	30 mm	1 mm	5 mm	13.7 g
FB00145PL4070	M10x1	70 mm	1 mm	5 mm	33.7 g
FB00145PL5010	M10x1.25	10 mm	1.25 mm	5 mm	3.73 g
FB00145PL5012	M10x1.25	12 mm	1.25 mm	5 mm	4.73 g
FB00145PL5016	M10x1.25	16 mm	1.25 mm	5 mm	6.73 g
FB00145PL5020	M10x1.25	20 mm	1.25 mm	5 mm	8.71 g
FB00145PL5030	M10x1.25	30 mm	1.25 mm	5 mm	13.7 g
FB00145PL5040	M10x1.25	40 mm	1.25 mm	5 mm	18.7 g
FB00145P12008	M12	8 mm	1.75 mm	6 mm	3.9 g
FB00145P12010	M12	10 mm	1.75 mm	6 mm	5.3 g
FB00145P12012	M12	12 mm	1.75 mm	6 mm	6.7 g
FB00145P12014	M12	14 mm	1.75 mm	6 mm	8.1 g
FB00145P12016	M12	16 mm	1.75 mm	6 mm	9.5 g
FB00145P12018	M12	18 mm	1.75 mm	6 mm	10.9 g
FB00145P12020	M12	20 mm	1.75 mm	6 mm	12.3 g
FB00145P12025	M12	25 mm	1.75 mm	6 mm	15.9 g
FB00145P12030	M12	30 mm	1.75 mm	6 mm	19.5 g
FB00145P12035	M12	35 mm	1.75 mm	6 mm	23.1 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB00145P12040	M12	40 mm	1.75 mm	6 mm	26.7 g
FB00145P12045	M12	45 mm	1.75 mm	6 mm	30.3 g
FB00145P12050	M12	50 mm	1.75 mm	6 mm	33.9 g
FB00145P12055	M12	55 mm	1.75 mm	6 mm	37.5 g
FB00145P12060	M12	60 mm	1.75 mm	6 mm	41.1 g
FB00145P12065	M12	65 mm	1.75 mm	6 mm	44.7 g
FB00145P12070	M12	70 mm	1.75 mm	6 mm	48.3 g
FB00145P12080	M12	80 mm	1.75 mm	6 mm	55.5 g
FB00145P12100	M12	100 mm	1.75 mm	6 mm	69.9 g
FB00145P12130	M12	130 mm	1.75 mm	6 mm	91.5 g
FB00145PL6012	M12x1	12 mm	1 mm	6 mm	6.7 g
FB00145PL6016	M12x1	16 mm	1 mm	6 mm	9.5 g
FB00145PL6020	M12x1	20 mm	1 mm	6 mm	12.3 g
FB00145PL7012	M12x1.25	12 mm	1.25 mm	6 mm	6.7 g
FB00145PL7016	M12x1.25	16 mm	1.25 mm	6 mm	9.5 g
FB00145PL7020	M12x1.25	20 mm	1.25 mm	6 mm	12.3 g
FB00145PL7030	M12x1.25	30 mm	1.25 mm	6 mm	19.5 g
FB00145PL7065	M12x1.25	65 mm	1.25 mm	6 mm	44.7 g
FB00145PL7070	M12x1.25	70 mm	1.25 mm	6 mm	48.3 g
FB00145PL8012	M12x1.5	12 mm	1.5 mm	6 mm	6.7 g
FB00145PL8016	M12x1.5	16 mm	1.5 mm	6 mm	9.5 g
FB00145PL8020	M12x1.5	20 mm	1.5 mm	6 mm	12.3 g
FB00145PL8030	M12x1.5	30 mm	1.5 mm	6 mm	19.5 g
FB00145PL8040	M12x1.5	40 mm	1.5 mm	6 mm	26.7 g
FB01445P14014	M14	14 mm	2 mm	6 mm	11.56 g
FB01445P14016	M14	16 mm	2 mm	6 mm	13.21 g
FB01445P14018	M14	18 mm	2 mm	6 mm	14.86 g
FB01445P14020	M14	20 mm	2 mm	6 mm	16.51 g
FB01445P14025	M14	25 mm	2 mm	6 mm	20.63 g
FB01445P14030	M14	30 mm	2 mm	6 mm	24.76 g
FB01445P14035	M14	35 mm	2 mm	6 mm	28.89 g
FB01445P14040	M14	40 mm	2 mm	6 mm	33.01 g
FB01445P14045	M14	45 mm	2 mm	6 mm	37.14 g
FB01445P14050	M14	50 mm	2 mm	6 mm	41.27 g
FB01445P14055	M14	55 mm	2 mm	6 mm	45.39 g
FB01445P14060	M14	60 mm	2 mm	6 mm	49.52 g
FB01445P14065	M14	65 mm	2 mm	6 mm	53.65 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB01445P14070	M14	70 mm	2 mm	6 mm	57.78 g
FB01445P14080	M14	80 mm	2 mm	6 mm	66.03 g
FB01445P14090	M14	90 mm	2 mm	6 mm	74.28 g
FB01445P14100	M14	100 mm	2 mm	6 mm	82.54 g
FB01445PL9020	M14x1.5	20 mm	1.5 mm	6 mm	17.36 g
FB01445PL9030	M14x1.5	30 mm	1.5 mm	6 mm	26.04 g
FB01445PL9040	M14x1.5	40 mm	1.5 mm	6 mm	34.73 g
FB01445PL9045	M14x1.5	45 mm	1.5 mm	6 mm	39.07 g
FB00145P16012	M16	12 mm	2 mm	8 mm	10.5 g
FB00145P16016	M16	16 mm	2 mm	8 mm	15.7 g
FB00145P16018	M16	18 mm	2 mm	8 mm	18.3 g
FB00145P16020	M16	20 mm	2 mm	8 mm	20.9 g
FB00145P16025	M16	25 mm	2 mm	8 mm	27.4 g
FB00145P16030	M16	30 mm	2 mm	8 mm	34 g
FB00145P16035	M16	35 mm	2 mm	8 mm	40.5 g
FB00145P16040	M16	40 mm	2 mm	8 mm	47.1 g
FB00145P16045	M16	45 mm	2 mm	8 mm	53.7 g
FB00145P16050	M16	50 mm	2 mm	8 mm	60.3 g
FB00145P16055	M16	55 mm	2 mm	8 mm	66.9 g
FB00145P16060	M16	60 mm	2 mm	8 mm	73.5 g
FB00145P16065	M16	65 mm	2 mm	8 mm	80.1 g
FB00145P16070	M16	70 mm	2 mm	8 mm	86.7 g
FB00145P16075	M16	75 mm	2 mm	8 mm	93.3 g
FB00145P16080	M16	80 mm	2 mm	8 mm	99.9 g
FB00145P16090	M16	90 mm	2 mm	8 mm	113.1 g
FB00145P16100	M16	100 mm	2 mm	8 mm	126.3 g
FB00145P16110	M16	110 mm	2 mm	8 mm	139.5 g
FB00145P16120	M16	120 mm	2 mm	8 mm	152.7 g
FB00145P16130	M16	130 mm	2 mm	8 mm	165.9 g
FB00145PN0016	M16x1.5	16 mm	1.5 mm	8 mm	15.7 g
FB00145PN0020	M16x1.5	20 mm	1.5 mm	8 mm	20.9 g
FB00145PN0030	M16x1.5	30 mm	1.5 mm	8 mm	34 g
FB00145PN0035	M16x1.5	35 mm	1.5 mm	8 mm	40.5 g
FB00145PN0040	M16x1.5	40 mm	1.5 mm	8 mm	47.1 g
FB00145PN0050	M16x1.5	50 mm	1.5 mm	8 mm	60.3 g
FB00145PN0100	M16x1.5	100 mm	1.5 mm	8 mm	126.3 g
FB01445P18020	M18	20 mm	2.5 mm	10 mm	27.44 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB01445P18025	M18	25 mm	2.5 mm	10 mm	34.3 g
FB01445P18030	M18	30 mm	2.5 mm	10 mm	41.16 g
FB01445P18035	M18	35 mm	2.5 mm	10 mm	48.03 g
FB01445P18040	M18	40 mm	2.5 mm	10 mm	54.89 g
FB01445P18045	M18	45 mm	2.5 mm	10 mm	61.75 g
FB01445P18050	M18	50 mm	2.5 mm	10 mm	68.61 g
FB01445P18055	M18	55 mm	2.5 mm	10 mm	75.47 g
FB01445P18060	M18	60 mm	2.5 mm	10 mm	82.33 g
FB01445P18065	M18	65 mm	2.5 mm	10 mm	89.19 g
FB01445P18070	M18	70 mm	2.5 mm	10 mm	96.05 g
FB01445P18075	M18	75 mm	2.5 mm	10 mm	102.91 g
FB01445P18080	M18	80 mm	2.5 mm	10 mm	109.77 g
FB01445P18090	M18	90 mm	2.5 mm	10 mm	123.49 g
FB01445P18100	M18	100 mm	2.5 mm	10 mm	137.21 g
FB01445P18110	M18	110 mm	2.5 mm	10 mm	150.94 g
FB01445P18120	M18	120 mm	2.5 mm	10 mm	164.66 g
FB01445P18130	M18	130 mm	2.5 mm	10 mm	178.38 g
FB00145P20020	M20	20 mm	2.5 mm	10 mm	31.1 g
FB00145P20025	M20	25 mm	2.5 mm	10 mm	41.4 g
FB00145P20030	M20	30 mm	2.5 mm	10 mm	51.7 g
FB00145P20035	M20	35 mm	2.5 mm	10 mm	62 g
FB00145P20040	M20	40 mm	2.5 mm	10 mm	72.3 g
FB00145P20045	M20	45 mm	2.5 mm	10 mm	82.6 g
FB00145P20050	M20	50 mm	2.5 mm	10 mm	92.9 g
FB00145P20055	M20	55 mm	2.5 mm	10 mm	103.2 g
FB00145P20060	M20	60 mm	2.5 mm	10 mm	113.5 g
FB00145P20065	M20	65 mm	2.5 mm	10 mm	123.8 g
FB00145P20070	M20	70 mm	2.5 mm	10 mm	134.1 g
FB00145P20075	M20	75 mm	2.5 mm	10 mm	144.4 g
FB00145P20080	M20	80 mm	2.5 mm	10 mm	154.7 g
FB00145P20090	M20	90 mm	2.5 mm	10 mm	175.3 g
FB00145P20100	M20	100 mm	2.5 mm	10 mm	195.9 g
FB00145P20110	M20	110 mm	2.5 mm	10 mm	216.5 g
FB00145P20120	M20	120 mm	2.5 mm	10 mm	237.1 g
FB00145P20130	M20	130 mm	2.5 mm	10 mm	257.7 g
FB00145PN3030	M20x1.5	30 mm	1.5 mm	10 mm	51.7 g
FB01445P22025	M22	25 mm	2.5 mm	12 mm	53.11 g



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB01445P22030	M22	30 mm	2.5 mm	12 mm	63.73 g
FB01445P22035	M22	35 mm	2.5 mm	12 mm	74.35 g
FB01445P22040	M22	40 mm	2.5 mm	12 mm	84.98 g
FB01445P22045	M22	45 mm	2.5 mm	12 mm	95.6 g
FB01445P22050	M22	50 mm	2.5 mm	12 mm	106.22 g
FB01445P22055	M22	55 mm	2.5 mm	12 mm	116.84 g
FB01445P22060	M22	60 mm	2.5 mm	12 mm	127.46 g
FB01445P22065	M22	65 mm	2.5 mm	12 mm	138.08 g
FB01445P22070	M22	70 mm	2.5 mm	12 mm	148.71 g
FB01445P22075	M22	75 mm	2.5 mm	12 mm	159.33 g
FB01445P22080	M22	80 mm	2.5 mm	12 mm	169.95 g
FB01445P22090	M22	90 mm	2.5 mm	12 mm	191.19 g
FB01445P22100	M22	100 mm	2.5 mm	12 mm	212.44 g
FB01445P22110	M22	110 mm	2.5 mm	12 mm	233.68 g
FB01445P22120	M22	120 mm	2.5 mm	12 mm	254.93 g
FB01445P22130	M22	130 mm	2.5 mm	12 mm	276.17 g
FB00145P24025	M24	25 mm	3 mm	12 mm	55.3 g
FB00145P24030	M24	30 mm	3 mm	12 mm	70.3 g
FB00145P24035	M24	35 mm	3 mm	12 mm	85.3 g
FB00145P24040	M24	40 mm	3 mm	12 mm	100 g
FB00145P24045	M24	45 mm	3 mm	12 mm	115 g
FB00145P24050	M24	50 mm	3 mm	12 mm	130 g
FB00145P24055	M24	55 mm	3 mm	12 mm	145 g
FB00145P24060	M24	60 mm	3 mm	12 mm	160 g
FB00145P24065	M24	65 mm	3 mm	12 mm	175 g
FB00145P24070	M24	70 mm	3 mm	12 mm	190 g
FB00145P24075	M24	75 mm	3 mm	12 mm	205 g
FB00145P24080	M24	80 mm	3 mm	12 mm	220 g
FB00145P24090	M24	90 mm	3 mm	12 mm	250 g
FB00145P24100	M24	100 mm	3 mm	12 mm	280 g
FB00145P24110	M24	110 mm	3 mm	12 mm	310 g
FB00145P24120	M24	120 mm	3 mm	12 mm	340 g
FB00145P24130	M24	130 mm	3 mm	12 mm	370 g
FB00145P24140	M24	140 mm	3 mm	12 mm	400 g
FB01445P30025	M30	25 mm	3.5 mm	–	–
FB01445P30030	M30	30 mm	3.5 mm	–	–
FB01445P30040	M30	40 mm	3.5 mm	–	–



Part number	Size (d)	Length (l)	Thread pitch	Hex key size	Weight
FB01445P30050	M30	50 mm	3.5 mm	–	–
FB01445P30055	M30	55 mm	3.5 mm	–	–
FB01445PP0050	M30x1.5	50 mm	1.5 mm	–	–
FB01445P42050	M42	50 mm	4.5 mm	–	–

Part numbers: 308

STANDARDS & CERTIFICATES

Standards

DIN 916 – Hex Socket Set Screw Cup Point

ISO 4029 – Hex Socket Set Screw Cup Point

