


## Slotted Set Screw Long Dog Point DIN 417 - Stainless steel A4, Plain

Slotted Set Screw Long Dog Point to DIN 417, in the sizes, grades and finishes listed.



### TECHNICAL DATA

#### General

|          |         |
|----------|---------|
| Standard | DIN 417 |
|----------|---------|


#### Dimensions

|             |                   |
|-------------|-------------------|
| Thread form | Metric ISO thread |
|-------------|-------------------|

#### Materials & Finish

|                        |                 |
|------------------------|-----------------|
| Drive type             | Slotted         |
| Property class / grade | A4 stainless    |
| Material               | Stainless steel |
| Surface finish         | Plain           |

### DIMENSIONS



**d** Thread diameter

**l** Length

Slotted Set Screw Long Dog Point DIN 417 - dimensions

### AVAILABLE PART NUMBERS

| Part number   | Size (d) | Length (l) | Thread pitch | Weight   |
|---------------|----------|------------|--------------|----------|
| FB007A4PC5003 | M2.5     | 3 mm       | 0.45 mm      | 0.0755 g |
| FB007A4PC5004 | M2.5     | 4 mm       | 0.45 mm      | 0.1007 g |
| FB007A4PC5005 | M2.5     | 5 mm       | 0.45 mm      | 0.1259 g |
| FB007A4PC5006 | M2.5     | 6 mm       | 0.45 mm      | 0.1511 g |
| FB007A4PC5008 | M2.5     | 8 mm       | 0.45 mm      | 0.2015 g |
| FB007A4PC5010 | M2.5     | 10 mm      | 0.45 mm      | 0.2519 g |
| FB007A4PC5012 | M2.5     | 12 mm      | 0.45 mm      | 0.3022 g |



| Part number   | Size (d) | Length (l) | Thread pitch | Weight   |
|---------------|----------|------------|--------------|----------|
| FB007A4PC5016 | M2.5     | 16 mm      | 0.45 mm      | 0.403 g  |
| FB007A4P03003 | M3       | 3 mm       | 0.5 mm       | 0.111 g  |
| FB007A4P03004 | M3       | 4 mm       | 0.5 mm       | 0.148 g  |
| FB007A4P03005 | M3       | 5 mm       | 0.5 mm       | 0.1849 g |
| FB007A4P03006 | M3       | 6 mm       | 0.5 mm       | 0.2219 g |
| FB007A4P03008 | M3       | 8 mm       | 0.5 mm       | 0.2958 g |
| FB007A4P03010 | M3       | 10 mm      | 0.5 mm       | 0.3699 g |
| FB007A4P03012 | M3       | 12 mm      | 0.5 mm       | 0.4438 g |
| FB007A4P03016 | M3       | 16 mm      | 0.5 mm       | 0.5918 g |
| FB007A4P03018 | M3       | 18 mm      | 0.5 mm       | 0.6657 g |
| FB007A4P03020 | M3       | 20 mm      | 0.5 mm       | 0.7396 g |
| FB007A4P03025 | M3       | 25 mm      | 0.5 mm       | 0.9246 g |
| FB007A4P04004 | M4       | 4 mm       | 0.7 mm       | 0.2598 g |
| FB007A4P04005 | M4       | 5 mm       | 0.7 mm       | 0.3247 g |
| FB007A4P04006 | M4       | 6 mm       | 0.7 mm       | 0.3898 g |
| FB007A4P04008 | M4       | 8 mm       | 0.7 mm       | 0.5196 g |
| FB007A4P04010 | M4       | 10 mm      | 0.7 mm       | 0.6495 g |
| FB007A4P04012 | M4       | 12 mm      | 0.7 mm       | 0.7794 g |
| FB007A4P04016 | M4       | 16 mm      | 0.7 mm       | 1.039 g  |
| FB007A4P04018 | M4       | 18 mm      | 0.7 mm       | 1.17 g   |
| FB007A4P04020 | M4       | 20 mm      | 0.7 mm       | 1.299 g  |
| FB007A4P04025 | M4       | 25 mm      | 0.7 mm       | 1.624 g  |
| FB007A4P05005 | M5       | 5 mm       | 0.8 mm       | 0.5186 g |
| FB007A4P05006 | M5       | 6 mm       | 0.8 mm       | 0.6224 g |
| FB007A4P05008 | M5       | 8 mm       | 0.8 mm       | 0.8298 g |
| FB007A4P05010 | M5       | 10 mm      | 0.8 mm       | 1.037 g  |
| FB007A4P05012 | M5       | 12 mm      | 0.8 mm       | 1.244 g  |
| FB007A4P05016 | M5       | 16 mm      | 0.8 mm       | 1.659 g  |
| FB007A4P05018 | M5       | 18 mm      | 0.8 mm       | 1.867 g  |
| FB007A4P05020 | M5       | 20 mm      | 0.8 mm       | 2.075 g  |
| FB007A4P05025 | M5       | 25 mm      | 0.8 mm       | 2.594 g  |
| FB007A4P05030 | M5       | 30 mm      | 0.8 mm       | 3.112 g  |
| FB007A4P06005 | M6       | 5 mm       | 1 mm         | 0.7396 g |
| FB007A4P06006 | M6       | 6 mm       | 1 mm         | 0.8876 g |
| FB007A4P06008 | M6       | 8 mm       | 1 mm         | 1.184 g  |
| FB007A4P06010 | M6       | 10 mm      | 1 mm         | 1.48 g   |
| FB007A4P06012 | M6       | 12 mm      | 1 mm         | 1.776 g  |



| Part number   | Size (d) | Length (l) | Thread pitch | Weight   |
|---------------|----------|------------|--------------|----------|
| FB007A4P06016 | M6       | 16 mm      | 1 mm         | 2.367 g  |
| FB007A4P06018 | M6       | 18 mm      | 1 mm         | 2.662 g  |
| FB007A4P06020 | M6       | 20 mm      | 1 mm         | 2.958 g  |
| FB007A4P06025 | M6       | 25 mm      | 1 mm         | 3.699 g  |
| FB007A4P06030 | M6       | 30 mm      | 1 mm         | 4.438 g  |
| FB007A4P06035 | M6       | 35 mm      | 1 mm         | 5.177 g  |
| FB007A4P08008 | M8       | 8 mm       | 1.25 mm      | 2.136 g  |
| FB007A4P08010 | M8       | 10 mm      | 1.25 mm      | 2.67 g   |
| FB007A4P08012 | M8       | 12 mm      | 1.25 mm      | 3.204 g  |
| FB007A4P08016 | M8       | 16 mm      | 1.25 mm      | 4.272 g  |
| FB007A4P08018 | M8       | 18 mm      | 1.25 mm      | 4.806 g  |
| FB007A4P08020 | M8       | 20 mm      | 1.25 mm      | 5.34 g   |
| FB007A4P08022 | M8       | 22 mm      | 1.25 mm      | 5.874 g  |
| FB007A4P08025 | M8       | 25 mm      | 1.25 mm      | 6.675 g  |
| FB007A4P08030 | M8       | 30 mm      | 1.25 mm      | 8.01 g   |
| FB007A4P08035 | M8       | 35 mm      | 1.25 mm      | 9.346 g  |
| FB007A4P08040 | M8       | 40 mm      | 1.25 mm      | 10.676 g |
| FB007A4P10010 | M10      | 10 mm      | 1.5 mm       | 4.21 g   |
| FB007A4P10012 | M10      | 12 mm      | 1.5 mm       | 5.052 g  |
| FB007A4P10016 | M10      | 16 mm      | 1.5 mm       | 6.736 g  |
| FB007A4P10018 | M10      | 18 mm      | 1.5 mm       | 7.577 g  |
| FB007A4P10020 | M10      | 20 mm      | 1.5 mm       | 8.419 g  |
| FB007A4P10025 | M10      | 25 mm      | 1.5 mm       | 10.524 g |
| FB007A4P10030 | M10      | 30 mm      | 1.5 mm       | 12.625 g |
| FB007A4P10035 | M10      | 35 mm      | 1.5 mm       | 14.736 g |
| FB007A4P10040 | M10      | 40 mm      | 1.5 mm       | 16.837 g |
| FB007A4P12012 | M12      | 12 mm      | 1.75 mm      | 7.318 g  |
| FB007A4P12016 | M12      | 16 mm      | 1.75 mm      | 9.758 g  |
| FB007A4P12018 | M12      | 18 mm      | 1.75 mm      | 10.979 g |
| FB007A4P12020 | M12      | 20 mm      | 1.75 mm      | 12.201 g |
| FB007A4P12025 | M12      | 25 mm      | 1.75 mm      | 15.251 g |
| FB007A4P12030 | M12      | 30 mm      | 1.75 mm      | 18.291 g |
| FB007A4P12035 | M12      | 35 mm      | 1.75 mm      | 21.341 g |
| FB007A4P12040 | M12      | 40 mm      | 1.75 mm      | 24.391 g |

Part numbers: 78





## STANDARDS & CERTIFICATES

### Standards

**DIN 417** – Slotted Set Screw Long Dog Point

