


Hex Head Screw Fine Thread DIN 961 / ISO 8676 - Steel 8.8, Zinc plated

Hex Head Screw Fine Thread to DIN 961 / ISO 8676, in the sizes, grades and finishes listed.



TECHNICAL DATA

Dimensions


Thread form	Metric fine thread
-------------	--------------------

Materials & Finish

Head type	Hexagon
Drive type	External hexagon

Property class / grade	8.8
Material	Steel
Surface finish	Zinc plated

DIMENSIONS



d	Thread diameter
l	Length
k	Head height
s	Width across flats (WAF)
e	Width across corners

Hex Head Screw Fine Thread DIN 961 / ISO 8676 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Width across flats (s)	Width across corners (e)	Head height (k)	Weight
FBH08G8ZL2010	M8x1	10 mm	1 mm	13 mm	14.2 mm	5.3 mm	9.1 g
FBH08G8ZL2012	M8x1	12 mm	1 mm	13 mm	14.2 mm	5.3 mm	9.8 g
FBH08G8ZL2016	M8x1	16 mm	1 mm	13 mm	14.2 mm	5.3 mm	11.1 g
FBH08G8ZL2020	M8x1	20 mm	1 mm	13 mm	14.2 mm	5.3 mm	12.3 g
FBH08G8ZL2022	M8x1	22 mm	1 mm	13 mm	14.2 mm	5.3 mm	12.9 g
FBH08G8ZL2025	M8x1	25 mm	1 mm	13 mm	14.2 mm	5.3 mm	13.9 g
FBH08G8ZL2030	M8x1	30 mm	1 mm	13 mm	14.2 mm	5.3 mm	15.5 g
FBH08G8ZL2035	M8x1	35 mm	1 mm	13 mm	14.2 mm	5.3 mm	17.1 g



Part number	Size (d)	Length (l)	Thread pitch	Width across flats (s)	Width across corners (e)	Head height (k)	Weight
FBH08G8ZL2040	M8x1	40 mm	1 mm	13 mm	14.2 mm	5.3 mm	18.7 g
FBH08G8ZL2045	M8x1	45 mm	1 mm	13 mm	14.2 mm	5.3 mm	20.3 g
FBH08G8ZL2050	M8x1	50 mm	1 mm	13 mm	14.2 mm	5.3 mm	21.8 g
FBH08G8ZL2055	M8x1	55 mm	1 mm	13 mm	14.2 mm	5.3 mm	23.4 g
FBH08G8ZL2060	M8x1	60 mm	1 mm	13 mm	14.2 mm	5.3 mm	25 g
FBH08G8ZL2065	M8x1	65 mm	1 mm	13 mm	14.2 mm	5.3 mm	26.6 g
FBH08G8ZL2070	M8x1	70 mm	1 mm	13 mm	14.2 mm	5.3 mm	28.2 g
FBH08G8ZL2075	M8x1	75 mm	1 mm	13 mm	14.2 mm	5.3 mm	29.8 g
FBH08G8ZL2080	M8x1	80 mm	1 mm	13 mm	14.2 mm	5.3 mm	31.4 g
FBH09G8ZL4016	M10x1	16 mm	1 mm	17 mm	18.9 mm	6.4 mm	19.2 g
FBH11G8ZL4016	M10x1	16 mm	1 mm	16 mm	17.59 mm	6.4 mm	19.2 g
FBH09G8ZL4020	M10x1	20 mm	1 mm	17 mm	18.9 mm	6.4 mm	21.2 g
FBH11G8ZL4020	M10x1	20 mm	1 mm	16 mm	17.59 mm	6.4 mm	21.2 g
FBH09G8ZL4025	M10x1	25 mm	1 mm	17 mm	18.9 mm	6.4 mm	23.7 g
FBH11G8ZL4025	M10x1	25 mm	1 mm	16 mm	17.59 mm	6.4 mm	23.7 g
FBH09G8ZL4030	M10x1	30 mm	1 mm	17 mm	18.9 mm	6.4 mm	26.2 g
FBH11G8ZL4030	M10x1	30 mm	1 mm	16 mm	17.59 mm	6.4 mm	26.2 g
FBH09G8ZL4035	M10x1	35 mm	1 mm	17 mm	18.9 mm	6.4 mm	28.7 g
FBH09G8ZL4040	M10x1	40 mm	1 mm	17 mm	18.9 mm	6.4 mm	31.2 g
FBH11G8ZL4040	M10x1	40 mm	1 mm	16 mm	17.59 mm	6.4 mm	31.2 g
FBH09G8ZL4045	M10x1	45 mm	1 mm	17 mm	18.9 mm	6.4 mm	33.7 g
FBH09G8ZL4050	M10x1	50 mm	1 mm	17 mm	18.9 mm	6.4 mm	36.2 g
FBH11G8ZL4050	M10x1	50 mm	1 mm	16 mm	17.59 mm	6.4 mm	36.2 g
FBH09G8ZL5016	M10x1.25	16 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	19.2 g
FBH09G8ZL5018	M10x1.25	18 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	20.2 g
FBH09G8ZL5020	M10x1.25	20 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	21.2 g
FBH11G8ZL5020	M10x1.25	20 mm	1.25 mm	16 mm	17.59 mm	6.4 mm	21.2 g
FBH09G8ZL5022	M10x1.25	22 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	22.2 g
FBH09G8ZL5025	M10x1.25	25 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	23.7 g
FBH11G8ZL5025	M10x1.25	25 mm	1.25 mm	16 mm	17.59 mm	6.4 mm	23.7 g
FBH09G8ZL5030	M10x1.25	30 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	26.2 g
FBH11G8ZL5030	M10x1.25	30 mm	1.25 mm	16 mm	17.59 mm	6.4 mm	26.2 g
FBH09G8ZL5035	M10x1.25	35 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	28.7 g
FBH11G8ZL5035	M10x1.25	35 mm	1.25 mm	16 mm	17.59 mm	6.4 mm	28.7 g
FBH09G8ZL5040	M10x1.25	40 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	31.2 g
FBH11G8ZL5040	M10x1.25	40 mm	1.25 mm	16 mm	17.59 mm	6.4 mm	31.2 g
FBH09G8ZL5045	M10x1.25	45 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	33.7 g



Part number	Size (d)	Length (l)	Thread pitch	Width across flats (s)	Width across corners (e)	Head height (k)	Weight
FBH11G8ZL5045	M10x1.25	45 mm	1.25 mm	16 mm	17.59 mm	6.4 mm	33.7 g
FBH09G8ZL5050	M10x1.25	50 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	36.2 g
FBH11G8ZL5050	M10x1.25	50 mm	1.25 mm	16 mm	17.59 mm	6.4 mm	36.2 g
FBH09G8ZL5055	M10x1.25	55 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	38.7 g
FBH09G8ZL5060	M10x1.25	60 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	41.3 g
FBH09G8ZL5065	M10x1.25	65 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	43.8 g
FBH09G8ZL5070	M10x1.25	70 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	46.3 g
FBH09G8ZL5075	M10x1.25	75 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	48.8 g
FBH09G8ZL5080	M10x1.25	80 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	51.3 g
FBH09G8ZL5090	M10x1.25	90 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	56.3 g
FBH09G8ZL5100	M10x1.25	100 mm	1.25 mm	17 mm	18.9 mm	6.4 mm	61.3 g
FBH09G8ZL7012	M12x1.25	12 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	25 g
FBH09G8ZL7016	M12x1.25	16 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	27.7 g
FBH09G8ZL7020	M12x1.25	20 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	31 g
FBH11G8ZL7020	M12x1.25	20 mm	1.25 mm	18 mm	19.85 mm	7.5 mm	31 g
FBH09G8ZL7025	M12x1.25	25 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	34.1 g
FBH11G8ZL7025	M12x1.25	25 mm	1.25 mm	18 mm	19.85 mm	7.5 mm	34.1 g
FBH09G8ZL7030	M12x1.25	30 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	37.7 g
FBH11G8ZL7030	M12x1.25	30 mm	1.25 mm	18 mm	19.85 mm	7.5 mm	37.7 g
FBH09G8ZL7035	M12x1.25	35 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	41.3 g
FBH11G8ZL7035	M12x1.25	35 mm	1.25 mm	18 mm	19.85 mm	7.5 mm	41.3 g
FBH09G8ZL7040	M12x1.25	40 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	44.9 g
FBH11G8ZL7040	M12x1.25	40 mm	1.25 mm	18 mm	19.85 mm	7.5 mm	44.9 g
FBH09G8ZL7045	M12x1.25	45 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	48.5 g
FBH11G8ZL7045	M12x1.25	45 mm	1.25 mm	18 mm	19.85 mm	7.5 mm	48.5 g
FBH09G8ZL7050	M12x1.25	50 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	52 g
FBH09G8ZL7055	M12x1.25	55 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	55.6 g
FBH09G8ZL7060	M12x1.25	60 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	58.2 g
FBH09G8ZL7065	M12x1.25	65 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	62.8 g
FBH11G8ZL7065	M12x1.25	65 mm	1.25 mm	18 mm	19.85 mm	7.5 mm	62.8 g
FBH09G8ZL7070	M12x1.25	70 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	66.4 g
FBH11G8ZL7070	M12x1.25	70 mm	1.25 mm	18 mm	19.85 mm	7.5 mm	66.4 g
FBH09G8ZL7075	M12x1.25	75 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	70 g
FBH09G8ZL7080	M12x1.25	80 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	73.6 g
FBH09G8ZL7090	M12x1.25	90 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	80.8 g
FBH09G8ZL7100	M12x1.25	100 mm	1.25 mm	19 mm	21.1 mm	7.5 mm	88 g
FBH09G8ZL8016	M12x1.5	16 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	27.7 g



Part number	Size (d)	Length (l)	Thread pitch	Width across flats (s)	Width across corners (e)	Head height (k)	Weight
FBH09G8ZL8020	M12x1.5	20 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	31 g
FBH11G8ZL8020	M12x1.5	20 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	31 g
FBH09G8ZL8025	M12x1.5	25 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	34.1 g
FBH11G8ZL8025	M12x1.5	25 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	34.1 g
FBH09G8ZL8030	M12x1.5	30 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	37.7 g
FBH11G8ZL8030	M12x1.5	30 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	37.7 g
FBH09G8ZL8035	M12x1.5	35 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	41.3 g
FBH11G8ZL8035	M12x1.5	35 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	41.3 g
FBH09G8ZL8040	M12x1.5	40 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	44.9 g
FBH11G8ZL8040	M12x1.5	40 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	44.9 g
FBH09G8ZL8045	M12x1.5	45 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	48.5 g
FBH11G8ZL8045	M12x1.5	45 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	48.5 g
FBH09G8ZL8050	M12x1.5	50 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	52 g
FBH11G8ZL8050	M12x1.5	50 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	52 g
FBH09G8ZL8055	M12x1.5	55 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	55.6 g
FBH11G8ZL8055	M12x1.5	55 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	55.6 g
FBH09G8ZL8060	M12x1.5	60 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	58.2 g
FBH11G8ZL8060	M12x1.5	60 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	58.2 g
FBH09G8ZL8080	M12x1.5	80 mm	1.5 mm	19 mm	21.1 mm	7.5 mm	73.6 g
FBH11G8ZL8080	M12x1.5	80 mm	1.5 mm	18 mm	19.85 mm	7.5 mm	73.6 g
FBH09G8ZL9016	M14x1.5	16 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	44 g
FBH09G8ZL9020	M14x1.5	20 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	48 g
FBH09G8ZL9025	M14x1.5	25 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	53 g
FBH11G8ZL9025	M14x1.5	25 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	53 g
FBH09G8ZL9030	M14x1.5	30 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	57.9 g
FBH11G8ZL9030	M14x1.5	30 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	57.9 g
FBH09G8ZL9035	M14x1.5	35 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	62.9 g
FBH11G8ZL9035	M14x1.5	35 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	62.9 g
FBH09G8ZL9040	M14x1.5	40 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	67.9 g
FBH11G8ZL9040	M14x1.5	40 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	67.9 g
FBH09G8ZL9045	M14x1.5	45 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	72.9 g
FBH11G8ZL9045	M14x1.5	45 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	72.9 g
FBH09G8ZL9050	M14x1.5	50 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	77.9 g
FBH11G8ZL9050	M14x1.5	50 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	77.9 g
FBH09G8ZL9055	M14x1.5	55 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	82.8 g
FBH09G8ZL9060	M14x1.5	60 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	87.8 g
FBH11G8ZL9060	M14x1.5	60 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	87.8 g



Part number	Size (d)	Length (l)	Thread pitch	Width across flats (s)	Width across corners (e)	Head height (k)	Weight
FBH09G8ZL9065	M14x1.5	65 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	92.8 g
FBH09G8ZL9070	M14x1.5	70 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	97.9 g
FBH11G8ZL9070	M14x1.5	70 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	97.9 g
FBH09G8ZL9075	M14x1.5	75 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	102 g
FBH09G8ZL9080	M14x1.5	80 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	107 g
FBH11G8ZL9080	M14x1.5	80 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	107 g
FBH09G8ZL9090	M14x1.5	90 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	117 g
FBH11G8ZL9090	M14x1.5	90 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	117 g
FBH09G8ZL9100	M14x1.5	100 mm	1.5 mm	22 mm	24.49 mm	8.8 mm	127 g
FBH11G8ZL9100	M14x1.5	100 mm	1.5 mm	21 mm	22.78 mm	8.8 mm	127 g
FBH08G8ZN0020	M16x1.5	20 mm	1.5 mm	24 mm	26.17 mm	10 mm	63.5 g
FBH08G8ZN0025	M16x1.5	25 mm	1.5 mm	24 mm	26.17 mm	10 mm	70.2 g
FBH08G8ZN0030	M16x1.5	30 mm	1.5 mm	24 mm	26.17 mm	10 mm	76.9 g
FBH08G8ZN0035	M16x1.5	35 mm	1.5 mm	24 mm	26.17 mm	10 mm	83.5 g
FBH08G8ZN0040	M16x1.5	40 mm	1.5 mm	24 mm	26.17 mm	10 mm	90.2 g
FBH08G8ZN0045	M16x1.5	45 mm	1.5 mm	24 mm	26.17 mm	10 mm	97.1 g
FBH08G8ZN0050	M16x1.5	50 mm	1.5 mm	24 mm	26.17 mm	10 mm	103 g
FBH08G8ZN0055	M16x1.5	55 mm	1.5 mm	24 mm	26.17 mm	10 mm	110 g
FBH08G8ZN0060	M16x1.5	60 mm	1.5 mm	24 mm	26.17 mm	10 mm	117 g
FBH08G8ZN0065	M16x1.5	65 mm	1.5 mm	24 mm	26.17 mm	10 mm	123 g
FBH08G8ZN0070	M16x1.5	70 mm	1.5 mm	24 mm	26.17 mm	10 mm	130 g
FBH08G8ZN0075	M16x1.5	75 mm	1.5 mm	24 mm	26.17 mm	10 mm	137 g
FBH08G8ZN0080	M16x1.5	80 mm	1.5 mm	24 mm	26.17 mm	10 mm	144 g
FBH08G8ZN0090	M16x1.5	90 mm	1.5 mm	24 mm	26.17 mm	10 mm	157 g
FBH08G8ZN0100	M16x1.5	100 mm	1.5 mm	24 mm	26.17 mm	10 mm	170 g
FBH08G8ZN1030	M18x1.5	30 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	104 g
FBH08G8ZN1035	M18x1.5	35 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	112 g
FBH08G8ZN1040	M18x1.5	40 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	120 g
FBH08G8ZN1045	M18x1.5	45 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	128 g
FBH08G8ZN1050	M18x1.5	50 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	136 g
FBH08G8ZN1055	M18x1.5	55 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	145 g
FBH08G8ZN1060	M18x1.5	60 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	153 g
FBH08G8ZN1065	M18x1.5	65 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	161 g
FBH08G8ZN1070	M18x1.5	70 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	169 g
FBH08G8ZN1075	M18x1.5	75 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	177 g
FBH08G8ZN1080	M18x1.5	80 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	186 g
FBH08G8ZN1090	M18x1.5	90 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	202 g



Part number	Size (d)	Length (l)	Thread pitch	Width across flats (s)	Width across corners (e)	Head height (k)	Weight
FBH08G8ZN1100	M18x1.5	100 mm	1.5 mm	27 mm	29.56 mm	11.5 mm	218 g
FBH08G8ZN3030	M20x1.5	30 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	134 g
FBH08G8ZN3035	M20x1.5	35 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	145 g
FBH08G8ZN3040	M20x1.5	40 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	155 g
FBH08G8ZN3045	M20x1.5	45 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	165 g
FBH08G8ZN3050	M20x1.5	50 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	176 g
FBH08G8ZN3055	M20x1.5	55 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	186 g
FBH08G8ZN3060	M20x1.5	60 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	196 g
FBH08G8ZN3065	M20x1.5	65 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	207 g
FBH08G8ZN3070	M20x1.5	70 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	217 g
FBH08G8ZN3075	M20x1.5	75 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	227 g
FBH08G8ZN3080	M20x1.5	80 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	238 g
FBH08G8ZN3090	M20x1.5	90 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	258 g
FBH08G8ZN3100	M20x1.5	100 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	279 g
FBH08G8ZN3110	M20x1.5	110 mm	1.5 mm	30 mm	32.95 mm	12.5 mm	300 g
FBH08G8ZN4060	M20x2	60 mm	2 mm	30 mm	32.95 mm	12.5 mm	196 g
FBH08G8ZN4070	M20x2	70 mm	2 mm	30 mm	32.95 mm	12.5 mm	217 g
FBH09G8ZN5040	M22x1.5	40 mm	1.5 mm	32 mm	35.72 mm	14 mm	193 g
FBH09G8ZN5045	M22x1.5	45 mm	1.5 mm	32 mm	35.72 mm	14 mm	206 g
FBH09G8ZN5050	M22x1.5	50 mm	1.5 mm	32 mm	35.72 mm	14 mm	219 g
FBH09G8ZN5055	M22x1.5	55 mm	1.5 mm	32 mm	35.72 mm	14 mm	232 g
FBH09G8ZN5060	M22x1.5	60 mm	1.5 mm	32 mm	35.72 mm	14 mm	244 g
FBH09G8ZN5065	M22x1.5	65 mm	1.5 mm	32 mm	35.72 mm	14 mm	257 g
FBH09G8ZN5070	M22x1.5	70 mm	1.5 mm	32 mm	35.72 mm	14 mm	269 g
FBH09G8ZN5075	M22x1.5	75 mm	1.5 mm	32 mm	35.72 mm	14 mm	282 g
FBH09G8ZN5080	M22x1.5	80 mm	1.5 mm	32 mm	35.72 mm	14 mm	295 g
FBH09G8ZN5090	M22x1.5	90 mm	1.5 mm	32 mm	35.72 mm	14 mm	321 g
FBH09G8ZN5100	M22x1.5	100 mm	1.5 mm	32 mm	35.72 mm	14 mm	346 g
FBH08G8ZN7050	M24x1.5	50 mm	1.5 mm	36 mm	39.55 mm	15 mm	274 g
FBH08G8ZN7060	M24x1.5	60 mm	1.5 mm	36 mm	39.55 mm	15 mm	304 g
FBH08G8ZN7080	M24x1.5	80 mm	1.5 mm	36 mm	39.55 mm	15 mm	363 g
FBH08G8ZN7090	M24x1.5	90 mm	1.5 mm	36 mm	39.55 mm	15 mm	393 g
FBH08G8ZN7100	M24x1.5	100 mm	1.5 mm	36 mm	39.55 mm	15 mm	423 g
FBH08G8ZN8040	M24x2	40 mm	2 mm	36 mm	39.55 mm	15 mm	244 g
FBH08G8ZN8045	M24x2	45 mm	2 mm	36 mm	39.55 mm	15 mm	259 g
FBH08G8ZN8050	M24x2	50 mm	2 mm	36 mm	39.55 mm	15 mm	274 g
FBH08G8ZN8055	M24x2	55 mm	2 mm	36 mm	39.55 mm	15 mm	289 g



Part number	Size (d)	Length (l)	Thread pitch	Width across flats (s)	Width across corners (e)	Head height (k)	Weight
FBH08G8ZN8060	M24x2	60 mm	2 mm	36 mm	39.55 mm	15 mm	304 g
FBH08G8ZN8065	M24x2	65 mm	2 mm	36 mm	39.55 mm	15 mm	319 g
FBH08G8ZN8070	M24x2	70 mm	2 mm	36 mm	39.55 mm	15 mm	334 g
FBH08G8ZN8075	M24x2	75 mm	2 mm	36 mm	39.55 mm	15 mm	348 g
FBH08G8ZN8080	M24x2	80 mm	2 mm	36 mm	39.55 mm	15 mm	363 g
FBH08G8ZN8090	M24x2	90 mm	2 mm	36 mm	39.55 mm	15 mm	393 g
FBH08G8ZN8100	M24x2	100 mm	2 mm	36 mm	39.55 mm	15 mm	423 g

Part numbers: 200

STANDARDS & CERTIFICATES

Standards

DIN 961 – Hex Head Screw Fine Thread

ISO 8676 – Hex Head Screw Fine Thread

