


Slotted Cheese Head Screw DIN 84 / ISO 1207 - Nylon PA 6.6, Plain

Slotted Cheese Head Screw to DIN 84 / ISO 1207, in the sizes, grades and finishes listed.



TECHNICAL DATA

Dimensions


Thread form	Metric ISO thread
-------------	-------------------

Materials & Finish

Head type	Cheese
Drive type	Slotted

Property class / grade	Nylon PA 6.6
Material	Nylon (PA)
Surface finish	Plain

DIMENSIONS



d	Thread diameter
l	Length
k	Head height
dk	Head diameter

Slotted Cheese Head Screw DIN 84 / ISO 1207 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBC04PAPC5006	M2.5	6 mm	0.45 mm	1.6 mm	4.5 mm	0.0525 g
FBC04PAPC5008	M2.5	8 mm	0.45 mm	1.6 mm	4.5 mm	0.0612 g
FBC04PAPC5010	M2.5	10 mm	0.45 mm	1.6 mm	4.5 mm	0.0699 g
FBC04PAPC5016	M2.5	16 mm	0.45 mm	1.6 mm	4.5 mm	0.096 g
FBC01PAP03004	M3	4 mm	0.5 mm	2 mm	5.5 mm	0.0747 g
FBC01PAP03005	M3	5 mm	0.5 mm	2 mm	5.5 mm	0.0812 g
FBC01PAP03006	M3	6 mm	0.5 mm	2 mm	5.5 mm	0.0876 g
FBC01PAP03008	M3	8 mm	0.5 mm	2 mm	5.5 mm	0.1003 g



Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBC01PAP03010	M3	10 mm	0.5 mm	2 mm	5.5 mm	0.1131 g
FBC01PAP03012	M3	12 mm	0.5 mm	2 mm	5.5 mm	0.1259 g
FBC01PAP03016	M3	16 mm	0.5 mm	2 mm	5.5 mm	0.1508 g
FBC01PAP03020	M3	20 mm	0.5 mm	2 mm	5.5 mm	0.1769 g
FBC01PAP03025	M3	25 mm	0.5 mm	2 mm	5.5 mm	0.2088 g
FBC01PAP03030	M3	30 mm	0.5 mm	2 mm	5.5 mm	0.2407 g
FBC01PAP04006	M4	6 mm	0.7 mm	2.6 mm	7 mm	0.1696 g
FBC01PAP04008	M4	8 mm	0.7 mm	2.6 mm	7 mm	0.1928 g
FBC01PAP04010	M4	10 mm	0.7 mm	2.6 mm	7 mm	0.2131 g
FBC01PAP04012	M4	12 mm	0.7 mm	2.6 mm	7 mm	0.2363 g
FBC01PAP04016	M4	16 mm	0.7 mm	2.6 mm	7 mm	0.2828 g
FBC01PAP04020	M4	20 mm	0.7 mm	2.6 mm	7 mm	0.3262 g
FBC01PAP04025	M4	25 mm	0.7 mm	2.6 mm	7 mm	0.3828 g
FBC01PAP04030	M4	30 mm	0.7 mm	2.6 mm	7 mm	0.4379 g
FBC01PAP04035	M4	35 mm	0.7 mm	2.6 mm	7 mm	0.4945 g
FBC01PAP04040	M4	40 mm	0.7 mm	2.6 mm	7 mm	0.551 g
FBC01PAP05006	M5	6 mm	0.8 mm	3.3 mm	8.5 mm	0.2987 g
FBC01PAP05008	M5	8 mm	0.8 mm	3.3 mm	8.5 mm	0.319 g
FBC01PAP05010	M5	10 mm	0.8 mm	3.3 mm	8.5 mm	0.3697 g
FBC01PAP05012	M5	12 mm	0.8 mm	3.3 mm	8.5 mm	0.406 g
FBC01PAP05016	M5	16 mm	0.8 mm	3.3 mm	8.5 mm	0.4785 g
FBC01PAP05020	M5	20 mm	0.8 mm	3.3 mm	8.5 mm	0.5481 g
FBC01PAP05025	M5	25 mm	0.8 mm	3.3 mm	8.5 mm	0.638 g
FBC01PAP05030	M5	30 mm	0.8 mm	3.3 mm	8.5 mm	0.7279 g
FBC01PAP05035	M5	35 mm	0.8 mm	3.3 mm	8.5 mm	0.8149 g
FBC01PAP05040	M5	40 mm	0.8 mm	3.3 mm	8.5 mm	0.9062 g
FBC01PAP05050	M5	50 mm	0.8 mm	3.3 mm	8.5 mm	1.087 g
FBC01PAP06008	M6	8 mm	1 mm	3.9 mm	10 mm	0.5162 g
FBC01PAP06010	M6	10 mm	1 mm	3.9 mm	10 mm	0.5684 g
FBC01PAP06012	M6	12 mm	1 mm	3.9 mm	10 mm	0.6191 g
FBC01PAP06016	M6	16 mm	1 mm	3.9 mm	10 mm	0.7221 g
FBC01PAP06020	M6	20 mm	1 mm	3.9 mm	10 mm	0.825 g
FBC01PAP06025	M6	25 mm	1 mm	3.9 mm	10 mm	0.9512 g
FBC01PAP06030	M6	30 mm	1 mm	3.9 mm	10 mm	1.08 g
FBC01PAP06035	M6	35 mm	1 mm	3.9 mm	10 mm	1.196 g
FBC01PAP06040	M6	40 mm	1 mm	3.9 mm	10 mm	1.334 g
FBC01PAP06045	M6	45 mm	1 mm	3.9 mm	10 mm	1.45 g



Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBC01PAP06050	M6	50 mm	1 mm	3.9 mm	10 mm	1.581 g
FBC01PAP06060	M6	60 mm	1 mm	3.9 mm	10 mm	1.841 g
FBC01PAP06070	M6	70 mm	1 mm	3.9 mm	10 mm	2.103 g
FBC01PAP08016	M8	16 mm	1.25 mm	5 mm	13 mm	1.417 g
FBC01PAP08020	M8	20 mm	1.25 mm	5 mm	13 mm	1.595 g
FBC01PAP08025	M8	25 mm	1.25 mm	5 mm	13 mm	1.827 g
FBC01PAP08030	M8	30 mm	1.25 mm	5 mm	13 mm	2.059 g
FBC01PAP08040	M8	40 mm	1.25 mm	5 mm	13 mm	2.523 g
FBC01PAP08050	M8	50 mm	1.25 mm	5 mm	13 mm	2.987 g
FBC01PAP10025	M10	25 mm	1.5 mm	6 mm	16 mm	3.059 g

Part numbers: 55

STANDARDS & CERTIFICATES

Standards

DIN 84 – Slotted Cheese Head Screw

ISO 1207 – Slotted Cheese Head Screw

