


Parallel Key Form A DIN 6885A - Steel, Plain

Parallel Key Form A to DIN 6885A, in the sizes, grades and finishes listed.



TECHNICAL DATA

General

Standard	DIN 6885A
----------	-----------

Materials & Finish

Property class / grade	Steel
------------------------	-------

Material	Steel
Surface finish	Plain

DIMENSIONS



Parallel Key Form A DIN 6885A - dimensions

AVAILABLE PART NUMBERS

Part number	Size (b)	Length (l)	Key height (h)	Weight
FKP01STP02006	2x2	6 mm	2 mm	0.1817 g
FKP01STP02008	2x2	8 mm	2 mm	0.2445 g
FKP01STP02010	2x2	10 mm	2 mm	0.3073 g
FKP01STP02012	2x2	12 mm	2 mm	0.3701 g
FKP01STP02014	2x2	14 mm	2 mm	0.4329 g
FKP01STP02016	2x2	16 mm	2 mm	0.4957 g
FKP01STP02018	2x2	18 mm	2 mm	0.5585 g
FKP01STP02020	2x2	20 mm	2 mm	0.6213 g
FKP01STP02040	2x2	40 mm	2 mm	1.249 g
FKP01STP03006	3x3	6 mm	3 mm	0.4087 g
FKP01STP03008	3x3	8 mm	3 mm	0.55 g
FKP01STP03010	3x3	10 mm	3 mm	0.6913 g
FKP01STP03012	3x3	12 mm	3 mm	0.8326 g



Part number	Size (b)	Length (l)	Key height (h)	Weight
FKP01STP03014	3x3	14 mm	3 mm	0.9739 g
FKP01STP03016	3x3	16 mm	3 mm	1.115 g
FKP01STP03018	3x3	18 mm	3 mm	1.257 g
FKP01STP03020	3x3	20 mm	3 mm	1.398 g
FKP01STP03022	3x3	22 mm	3 mm	1.539 g
FKP01STP03025	3x3	25 mm	3 mm	1.751 g
FKP01STP03028	3x3	28 mm	3 mm	1.963 g
FKP01STP03032	3x3	32 mm	3 mm	2.246 g
FKP01STP03040	3x3	40 mm	3 mm	2.811 g
FKP01STP04008	4x4	8 mm	4 mm	0.9778 g
FKP01STP04010	4x4	10 mm	4 mm	1.229 g
FKP01STP04012	4x4	12 mm	4 mm	1.48 g
FKP01STP04014	4x4	14 mm	4 mm	1.731 g
FKP01STP04016	4x4	16 mm	4 mm	1.983 g
FKP01STP04018	4x4	18 mm	4 mm	2.234 g
FKP01STP04020	4x4	20 mm	4 mm	2.485 g
FKP01STP04022	4x4	22 mm	4 mm	2.736 g
FKP01STP04025	4x4	25 mm	4 mm	3.113 g
FKP01STP04028	4x4	28 mm	4 mm	3.49 g
FKP01STP04032	4x4	32 mm	4 mm	3.992 g
FKP01STP04040	4x4	40 mm	4 mm	4.997 g
FKP01STP04045	4x4	45 mm	4 mm	5.625 g
FKP01STP04050	4x4	50 mm	4 mm	6.253 g
FKP01STP04056	4x4	56 mm	4 mm	7.007 g
FKP01STP04063	4x4	63 mm	4 mm	7.886 g
FKP01STP05010	5x5	10 mm	5 mm	1.92 g
FKP01STP05012	5x5	12 mm	5 mm	2.313 g
FKP01STP05014	5x5	14 mm	5 mm	2.705 g
FKP01STP05016	5x5	16 mm	5 mm	3.098 g
FKP01STP05018	5x5	18 mm	5 mm	3.49 g
FKP01STP05020	5x5	20 mm	5 mm	3.883 g
FKP01STP05022	5x5	22 mm	5 mm	4.275 g
FKP01STP05025	5x5	25 mm	5 mm	4.864 g
FKP01STP05028	5x5	28 mm	5 mm	5.453 g
FKP01STP05030	5x5	30 mm	5 mm	5.845 g
FKP01STP05032	5x5	32 mm	5 mm	6.238 g
FKP01STP05036	5x5	36 mm	5 mm	7.023 g



Part number	Size (b)	Length (l)	Key height (h)	Weight
FKP01STP05040	5x5	40 mm	5 mm	7.808 g
FKP01STP05045	5x5	45 mm	5 mm	8.789 g
FKP01STP05050	5x5	50 mm	5 mm	9.77 g
FKP01STP05056	5x5	56 mm	5 mm	10.95 g
FKP01STP06014	6x6	14 mm	6 mm	3.896 g
FKP01STP06016	6x6	16 mm	6 mm	4.461 g
FKP01STP06018	6x6	18 mm	6 mm	5.026 g
FKP01STP06020	6x6	20 mm	6 mm	5.591 g
FKP01STP06022	6x6	22 mm	6 mm	6.157 g
FKP01STP06025	6x6	25 mm	6 mm	7.004 g
FKP01STP06028	6x6	28 mm	6 mm	7.852 g
FKP01STP06030	6x6	30 mm	6 mm	8.417 g
FKP01STP06032	6x6	32 mm	6 mm	8.983 g
FKP01STP06036	6x6	36 mm	6 mm	10.11 g
FKP01STP06040	6x6	40 mm	6 mm	11.24 g
FKP01STP06045	6x6	45 mm	6 mm	12.66 g
FKP01STP06050	6x6	50 mm	6 mm	14.07 g
FKP01STP06056	6x6	56 mm	6 mm	15.76 g
FKP01STP06063	6x6	63 mm	6 mm	17.74 g
FKP01STP06070	6x6	70 mm	6 mm	19.72 g
FKP01STP08018	8x7	18 mm	7 mm	7.805 g
FKP01STP08020	8x7	20 mm	7 mm	8.684 g
FKP01STP08022	8x7	22 mm	7 mm	9.563 g
FKP01STP08025	8x7	25 mm	7 mm	10.88 g
FKP01STP08028	8x7	28 mm	7 mm	12.2 g
FKP01STP08032	8x7	32 mm	7 mm	13.96 g
FKP01STP08036	8x7	36 mm	7 mm	15.72 g
FKP01STP08040	8x7	40 mm	7 mm	17.48 g
FKP01STP08045	8x7	45 mm	7 mm	19.67 g
FKP01STP08050	8x7	50 mm	7 mm	21.87 g
FKP01STP08056	8x7	56 mm	7 mm	24.51 g
FKP01STP08060	8x7	60 mm	7 mm	26.27 g
FKP01STP08063	8x7	63 mm	7 mm	27.59 g
FKP01STP08070	8x7	70 mm	7 mm	30.66 g
FKP01STP08080	8x7	80 mm	7 mm	35.06 g
FKP01STP08090	8x7	90 mm	7 mm	39.46 g
FKP01STP10020	10x8	20 mm	8 mm	12.39 g



Part number	Size (b)	Length (l)	Key height (h)	Weight
FKP01STP10025	10x8	25 mm	8 mm	15.53 g
FKP01STP10028	10x8	28 mm	8 mm	17.42 g
FKP01STP10030	10x8	30 mm	8 mm	18.67 g
FKP01STP10032	10x8	32 mm	8 mm	19.93 g
FKP01STP10036	10x8	36 mm	8 mm	22.44 g
FKP01STP10040	10x8	40 mm	8 mm	24.95 g
FKP01STP10045	10x8	45 mm	8 mm	28.09 g
FKP01STP10050	10x8	50 mm	8 mm	31.23 g
FKP01STP10056	10x8	56 mm	8 mm	35 g
FKP01STP10063	10x8	63 mm	8 mm	39.4 g
FKP01STP10070	10x8	70 mm	8 mm	43.79 g
FKP01STP10080	10x8	80 mm	8 mm	50.07 g
FKP01STP10090	10x8	90 mm	8 mm	56.35 g
FKP01STP10100	10x8	100 mm	8 mm	62.63 g
FKP01STP10110	10x8	110 mm	8 mm	68.91 g
FKP01STP12016	12x8	16 mm	8 mm	11.82 g
FKP01STP12025	12x8	25 mm	8 mm	18.6 g
FKP01STP12028	12x8	28 mm	8 mm	20.86 g
FKP01STP12032	12x8	32 mm	8 mm	23.87 g
FKP01STP12036	12x8	36 mm	8 mm	26.89 g
FKP01STP12040	12x8	40 mm	8 mm	29.9 g
FKP01STP12045	12x8	45 mm	8 mm	33.67 g
FKP01STP12050	12x8	50 mm	8 mm	37.44 g
FKP01STP12056	12x8	56 mm	8 mm	41.96 g
FKP01STP12060	12x8	60 mm	8 mm	44.97 g
FKP01STP12063	12x8	63 mm	8 mm	47.23 g
FKP01STP12070	12x8	70 mm	8 mm	52.51 g
FKP01STP12080	12x8	80 mm	8 mm	60.05 g
FKP01STP12090	12x8	90 mm	8 mm	67.58 g
FKP01STP12100	12x8	100 mm	8 mm	75.12 g
FKP01STP12110	12x8	110 mm	8 mm	82.65 g
FKP01STP12120	12x8	120 mm	8 mm	90.19 g
FKP01STP12125	12x8	125 mm	8 mm	93.96 g
FKP01STP12140	12x8	140 mm	8 mm	105.26 g
FKP01STP12180	12x8	180 mm	8 mm	135.41 g
FKP01STP14030	14x9	30 mm	9 mm	29.34 g
FKP01STP14032	14x9	32 mm	9 mm	31.32 g



Part number	Size (b)	Length (l)	Key height (h)	Weight
FKP01STP14035	14x9	35 mm	9 mm	34.29 g
FKP01STP14036	14x9	36 mm	9 mm	35.28 g
FKP01STP14040	14x9	40 mm	9 mm	39.23 g
FKP01STP14045	14x9	45 mm	9 mm	44.18 g
FKP01STP14050	14x9	50 mm	9 mm	49.12 g
FKP01STP14056	14x9	56 mm	9 mm	55.06 g
FKP01STP14063	14x9	63 mm	9 mm	61.98 g
FKP01STP14070	14x9	70 mm	9 mm	68.91 g
FKP01STP14080	14x9	80 mm	9 mm	78.8 g
FKP01STP14090	14x9	90 mm	9 mm	88.69 g
FKP01STP14100	14x9	100 mm	9 mm	98.58 g
FKP01STP14110	14x9	110 mm	9 mm	108.47 g
FKP01STP14125	14x9	125 mm	9 mm	123.31 g
FKP01STP14140	14x9	140 mm	9 mm	138.14 g
FKP01STP14160	14x9	160 mm	9 mm	157.93 g
FKP01STP16036	16x10	36 mm	10 mm	44.78 g
FKP01STP16040	16x10	40 mm	10 mm	49.81 g
FKP01STP16045	16x10	45 mm	10 mm	56.09 g
FKP01STP16050	16x10	50 mm	10 mm	62.37 g
FKP01STP16056	16x10	56 mm	10 mm	69.9 g
FKP01STP16063	16x10	63 mm	10 mm	78.7 g
FKP01STP16070	16x10	70 mm	10 mm	87.49 g
FKP01STP16080	16x10	80 mm	10 mm	100.05 g
FKP01STP16090	16x10	90 mm	10 mm	112.61 g
FKP01STP16100	16x10	100 mm	10 mm	125.17 g
FKP01STP16110	16x10	110 mm	10 mm	137.73 g
FKP01STP16125	16x10	125 mm	10 mm	156.57 g
FKP01STP16140	16x10	140 mm	10 mm	175.41 g
FKP01STP16160	16x10	160 mm	10 mm	200.53 g
FKP01STP16180	16x10	180 mm	10 mm	225.65 g
FKP01STP18050	18x11	50 mm	11 mm	77.17 g
FKP01STP18056	18x11	56 mm	11 mm	86.49 g
FKP01STP18060	18x11	60 mm	11 mm	92.71 g
FKP01STP18063	18x11	63 mm	11 mm	97.38 g
FKP01STP18070	18x11	70 mm	11 mm	108.26 g
FKP01STP18080	18x11	80 mm	11 mm	123.8 g
FKP01STP18090	18x11	90 mm	11 mm	139.34 g



Part number	Size (b)	Length (l)	Key height (h)	Weight
FKP01STP18100	18x11	100 mm	11 mm	154.88 g
FKP01STP18110	18x11	110 mm	11 mm	170.43 g
FKP01STP18125	18x11	125 mm	11 mm	193.74 g
FKP01STP18140	18x11	140 mm	11 mm	217.06 g
FKP01STP18160	18x11	160 mm	11 mm	248.14 g
FKP01STP18180	18x11	180 mm	11 mm	279.23 g
FKP01STP18200	18x11	200 mm	11 mm	310.31 g
FKP01STP18250	18x11	250 mm	11 mm	388.03 g
FKP01STP20040	20x12	40 mm	12 mm	74.69 g
FKP01STP20045	20x12	45 mm	12 mm	84.11 g
FKP01STP20050	20x12	50 mm	12 mm	93.53 g
FKP01STP20056	20x12	56 mm	12 mm	104.83 g
FKP01STP20060	20x12	60 mm	12 mm	112.37 g
FKP01STP20063	20x12	63 mm	12 mm	118.02 g
FKP01STP20070	20x12	70 mm	12 mm	131.21 g
FKP01STP20080	20x12	80 mm	12 mm	150.05 g
FKP01STP20090	20x12	90 mm	12 mm	168.89 g
FKP01STP20100	20x12	100 mm	12 mm	187.73 g
FKP01STP20110	20x12	110 mm	12 mm	206.57 g
FKP01STP20120	20x12	120 mm	12 mm	225.41 g
FKP01STP20125	20x12	125 mm	12 mm	234.83 g
FKP01STP20140	20x12	140 mm	12 mm	263.09 g
FKP01STP20160	20x12	160 mm	12 mm	300.77 g
FKP01STP20180	20x12	180 mm	12 mm	338.45 g
FKP01STP20200	20x12	200 mm	12 mm	376.13 g
FKP01STP20220	20x12	220 mm	12 mm	413.81 g
FKP01STP22063	22x14	63 mm	14 mm	151.51 g
FKP01STP22070	22x14	70 mm	14 mm	168.43 g
FKP01STP22080	22x14	80 mm	14 mm	192.61 g
FKP01STP22090	22x14	90 mm	14 mm	216.79 g
FKP01STP22100	22x14	100 mm	14 mm	240.96 g
FKP01STP22110	22x14	110 mm	14 mm	265.14 g
FKP01STP22125	22x14	125 mm	14 mm	301.41 g
FKP01STP22140	22x14	140 mm	14 mm	337.68 g
FKP01STP22160	22x14	160 mm	14 mm	386.03 g
FKP01STP22180	22x14	180 mm	14 mm	434.39 g
FKP01STP22200	22x14	200 mm	14 mm	482.74 g



Part number	Size (b)	Length (l)	Key height (h)	Weight
FKP01STP22220	22x14	220 mm	14 mm	531.1 g
FKP01STP22250	22x14	250 mm	14 mm	603.63 g
FKP01STP24125	24	125 mm	–	–
FKP01STP25070	25x14	70 mm	14 mm	191.27 g
FKP01STP25080	25x14	80 mm	14 mm	218.75 g
FKP01STP25090	25x14	90 mm	14 mm	246.22 g
FKP01STP25095	25x14	95 mm	14 mm	259.96 g
FKP01STP25100	25x14	100 mm	14 mm	273.7 g
FKP01STP25110	25x14	110 mm	14 mm	301.17 g
FKP01STP25125	25x14	125 mm	14 mm	342.38 g
FKP01STP25140	25x14	140 mm	14 mm	383.6 g
FKP01STP25160	25x14	160 mm	14 mm	438.55 g
FKP01STP25180	25x14	180 mm	14 mm	493.5 g
FKP01STP25200	25x14	200 mm	14 mm	548.45 g
FKP01STP25220	25x14	220 mm	14 mm	603.4 g
FKP01STP25250	25x14	250 mm	14 mm	685.82 g
FKP01STP28080	28x16	80 mm	16 mm	280.02 g
FKP01STP28090	28x16	90 mm	16 mm	315.19 g
FKP01STP28100	28x16	100 mm	16 mm	350.36 g
FKP01STP28110	28x16	110 mm	16 mm	385.53 g
FKP01STP28125	28x16	125 mm	16 mm	438.28 g
FKP01STP28140	28x16	140 mm	16 mm	491.03 g
FKP01STP28160	28x16	160 mm	16 mm	561.37 g
FKP01STP28180	28x16	180 mm	16 mm	631.7 g
FKP01STP28200	28x16	200 mm	16 mm	702.04 g
FKP01STP28220	28x16	220 mm	16 mm	772.38 g
FKP01STP28250	28x16	250 mm	16 mm	877.88 g
FKP01STP32070	32x18	70 mm	18 mm	314.79 g
FKP01STP32090	32x18	90 mm	18 mm	405.22 g
FKP01STP32100	32x18	100 mm	18 mm	450.43 g
FKP01STP32110	32x18	110 mm	18 mm	495.65 g
FKP01STP32125	32x18	125 mm	18 mm	563.47 g
FKP01STP32140	32x18	140 mm	18 mm	631.3 g
FKP01STP32160	32x18	160 mm	18 mm	721.73 g
FKP01STP32180	32x18	180 mm	18 mm	812.16 g
FKP01STP32200	32x18	200 mm	18 mm	902.59 g
FKP01STP32220	32x18	220 mm	18 mm	993.03 g



Part number	Size (b)	Length (l)	Key height (h)	Weight
FKP01STP32250	32x18	250 mm	18 mm	1128.67 g
FKP01STP36100	36x20	100 mm	20 mm	563.02 g
FKP01STP36110	36x20	110 mm	20 mm	619.54 g
FKP01STP36125	36x20	125 mm	20 mm	704.32 g
FKP01STP36140	36x20	140 mm	20 mm	789.1 g
FKP01STP36160	36x20	160 mm	20 mm	902.14 g
FKP01STP36180	36x20	180 mm	20 mm	1015.18 g
FKP01STP36200	36x20	200 mm	20 mm	1128.22 g
FKP01STP36220	36x20	220 mm	20 mm	1241.26 g
FKP01STP36250	36x20	250 mm	20 mm	1410.82 g
FKP01STP40090	40x22	90 mm	22 mm	619.02 g
FKP01STP40220	40x22	220 mm	22 mm	1517.06 g
FKP01STP45125	45x25	125 mm	25 mm	1100.49 g

Part numbers: 248

STANDARDS & CERTIFICATES

Standards

DIN 6885A – Parallel Key Form A

