

Slotted Headless Screw with Chamfered End DIN 427 - Stainless steel A1, Plain

Slotted Headless Screw with Chamfered End to DIN 427, in the sizes, grades and finishes listed.



TECHNICAL DATA

General

Standard	DIN 427
----------	---------


Dimensions

Thread form	Metric ISO thread
-------------	-------------------

Materials & Finish

Drive type	Slotted
Property class / grade	A1 stainless
Material	Stainless steel
Surface finish	Plain

DIMENSIONS



d Thread diameter

l Length

Slotted Headless Screw with Chamfered End DIN 427 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Weight
FB011A1P03006	M3	6 mm	0.5 mm	0.2219 g
FB011A1P03008	M3	8 mm	0.5 mm	0.2958 g
FB011A1P03010	M3	10 mm	0.5 mm	0.3699 g
FB011A1P03012	M3	12 mm	0.5 mm	0.4438 g
FB011A1P03016	M3	16 mm	0.5 mm	0.5918 g
FB011A1P03020	M3	20 mm	0.5 mm	0.7396 g



Part number	Size (d)	Length (l)	Thread pitch	Weight
FB011A1P03025	M3	25 mm	0.5 mm	0.9246 g
FB011A1P03030	M3	30 mm	0.5 mm	1.11 g
FB011A1P04008	M4	8 mm	0.7 mm	0.5196 g
FB011A1P04010	M4	10 mm	0.7 mm	0.6495 g
FB011A1P04012	M4	12 mm	0.7 mm	0.7794 g
FB011A1P04016	M4	16 mm	0.7 mm	1.039 g
FB011A1P04020	M4	20 mm	0.7 mm	1.299 g
FB011A1P04025	M4	25 mm	0.7 mm	1.624 g
FB011A1P04030	M4	30 mm	0.7 mm	1.948 g
FB011A1P04035	M4	35 mm	0.7 mm	2.274 g
FB011A1P04040	M4	40 mm	0.7 mm	2.598 g
FB011A1P05010	M5	10 mm	0.8 mm	1.037 g
FB011A1P05012	M5	12 mm	0.8 mm	1.244 g
FB011A1P05016	M5	16 mm	0.8 mm	1.659 g
FB011A1P05020	M5	20 mm	0.8 mm	2.075 g
FB011A1P05025	M5	25 mm	0.8 mm	2.594 g
FB011A1P05030	M5	30 mm	0.8 mm	3.112 g
FB011A1P05035	M5	35 mm	0.8 mm	3.631 g
FB011A1P05040	M5	40 mm	0.8 mm	4.149 g
FB011A1P06012	M6	12 mm	1 mm	1.776 g
FB011A1P06016	M6	16 mm	1 mm	2.367 g
FB011A1P06020	M6	20 mm	1 mm	2.958 g
FB011A1P06025	M6	25 mm	1 mm	3.699 g
FB011A1P06030	M6	30 mm	1 mm	4.438 g
FB011A1P06035	M6	35 mm	1 mm	5.177 g
FB011A1P06040	M6	40 mm	1 mm	5.918 g
FB011A1P08016	M8	16 mm	1.25 mm	4.272 g
FB011A1P08020	M8	20 mm	1.25 mm	5.34 g
FB011A1P08025	M8	25 mm	1.25 mm	6.675 g
FB011A1P08030	M8	30 mm	1.25 mm	8.01 g
FB011A1P08035	M8	35 mm	1.25 mm	9.346 g
FB011A1P08040	M8	40 mm	1.25 mm	10.676 g
FB011A1P10020	M10	20 mm	1.5 mm	8.419 g
FB011A1P10025	M10	25 mm	1.5 mm	10.524 g
FB011A1P10030	M10	30 mm	1.5 mm	12.625 g
FB011A1P10035	M10	35 mm	1.5 mm	14.736 g
FB011A1P10040	M10	40 mm	1.5 mm	16.837 g

Part numbers: 43





STANDARDS & CERTIFICATES

Standards

DIN 427 – Slotted Headless Screw with Chamfered End

