


Slotted Pan Head Screw DIN 85 - Nylon PA 6.6, Plain

Slotted Pan Head Screw to DIN 85, in the sizes, grades and finishes listed.



TECHNICAL DATA

General

Standard	DIN 85
----------	--------

Dimensions


Thread form	Metric ISO thread
-------------	-------------------

Materials & Finish

Head type	Pan
-----------	-----

Drive type	Slotted
Property class / grade	Nylon PA 6.6
Material	Nylon (PA)
Surface finish	Plain

DIMENSIONS



d	Thread diameter
l	Length
k	Head height
dk	Head diameter

Slotted Pan Head Screw DIN 85 - dimensions

AVAILABLE PART NUMBERS

Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBP01PAP02005	M2	5 mm	0.4 mm	–	–	0.0287 g
FBP01PAP02006	M2	6 mm	0.4 mm	–	–	0.0315 g
FBP01PAP02008	M2	8 mm	0.4 mm	–	–	0.0368 g
FBP01PAP02010	M2	10 mm	0.4 mm	–	–	0.0422 g
FBP01PAP02012	M2	12 mm	0.4 mm	–	–	0.0477 g
FBP01PAP02016	M2	16 mm	0.4 mm	–	–	0.0583 g



Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBP01PAPC5005	M2.5	5 mm	0.45 mm	–	–	0.0481 g
FBP01PAPC5006	M2.5	6 mm	0.45 mm	–	–	0.0525 g
FBP01PAPC5008	M2.5	8 mm	0.45 mm	–	–	0.0612 g
FBP01PAPC5010	M2.5	10 mm	0.45 mm	–	–	0.0699 g
FBP01PAPC5012	M2.5	12 mm	0.45 mm	–	–	0.0786 g
FBP01PAPC5016	M2.5	16 mm	0.45 mm	–	–	0.096 g
FBP01PAP03005	M3	5 mm	0.5 mm	1.8 mm	6 mm	0.0812 g
FBP01PAP03006	M3	6 mm	0.5 mm	1.8 mm	6 mm	0.0876 g
FBP01PAP03008	M3	8 mm	0.5 mm	1.8 mm	6 mm	0.1003 g
FBP01PAP03010	M3	10 mm	0.5 mm	1.8 mm	6 mm	0.1131 g
FBP01PAP03012	M3	12 mm	0.5 mm	1.8 mm	6 mm	0.1259 g
FBP01PAP03016	M3	16 mm	0.5 mm	1.8 mm	6 mm	0.1508 g
FBP01PAP03020	M3	20 mm	0.5 mm	1.8 mm	6 mm	0.1769 g
FBP01PAP03025	M3	25 mm	0.5 mm	1.8 mm	6 mm	0.2088 g
FBP01PAP04005	M4	5 mm	0.7 mm	2.4 mm	8 mm	0.158 g
FBP01PAP04006	M4	6 mm	0.7 mm	2.4 mm	8 mm	0.1696 g
FBP01PAP04008	M4	8 mm	0.7 mm	2.4 mm	8 mm	0.1928 g
FBP01PAP04010	M4	10 mm	0.7 mm	2.4 mm	8 mm	0.2131 g
FBP01PAP04012	M4	12 mm	0.7 mm	2.4 mm	8 mm	0.2363 g
FBP01PAP04016	M4	16 mm	0.7 mm	2.4 mm	8 mm	0.2828 g
FBP01PAP04020	M4	20 mm	0.7 mm	2.4 mm	8 mm	0.3262 g
FBP01PAP04025	M4	25 mm	0.7 mm	2.4 mm	8 mm	0.3828 g
FBP01PAP04030	M4	30 mm	0.7 mm	2.4 mm	8 mm	0.4379 g
FBP01PAP04035	M4	35 mm	0.7 mm	2.4 mm	8 mm	0.4945 g
FBP01PAP04040	M4	40 mm	0.7 mm	2.4 mm	8 mm	0.551 g
FBP01PAP05008	M5	8 mm	0.8 mm	3 mm	10 mm	0.319 g
FBP01PAP05010	M5	10 mm	0.8 mm	3 mm	10 mm	0.3697 g
FBP01PAP05012	M5	12 mm	0.8 mm	3 mm	10 mm	0.406 g
FBP01PAP05016	M5	16 mm	0.8 mm	3 mm	10 mm	0.4785 g
FBP01PAP05020	M5	20 mm	0.8 mm	3 mm	10 mm	0.5481 g
FBP01PAP05025	M5	25 mm	0.8 mm	3 mm	10 mm	0.638 g
FBP01PAP05030	M5	30 mm	0.8 mm	3 mm	10 mm	0.7279 g
FBP01PAP05035	M5	35 mm	0.8 mm	3 mm	10 mm	0.8149 g
FBP01PAP05040	M5	40 mm	0.8 mm	3 mm	10 mm	0.9062 g
FBP01PAP06010	M6	10 mm	1 mm	3.6 mm	12 mm	0.5684 g
FBP01PAP06012	M6	12 mm	1 mm	3.6 mm	12 mm	0.6191 g
FBP01PAP06016	M6	16 mm	1 mm	3.6 mm	12 mm	0.7221 g



Part number	Size (d)	Length (l)	Thread pitch	Head height (k)	Head diameter (dk)	Weight
FBP01PAP06020	M6	20 mm	1 mm	3.6 mm	12 mm	0.825 g
FBP01PAP06025	M6	25 mm	1 mm	3.6 mm	12 mm	0.9512 g
FBP01PAP06030	M6	30 mm	1 mm	3.6 mm	12 mm	1.08 g
FBP01PAP06035	M6	35 mm	1 mm	3.6 mm	12 mm	1.196 g
FBP01PAP06040	M6	40 mm	1 mm	3.6 mm	12 mm	1.334 g
FBP01PAP08016	M8	16 mm	1.25 mm	4.8 mm	16 mm	1.417 g

Part numbers: 49

STANDARDS & CERTIFICATES

Standards

DIN 85 – Slotted Pan Head Screw

